

2019 Wheel Catalog



Visit our website at Enkei.com | @EnkeiWheels



World Leader in Street and Race Wheels

Custom aftermarket wheels are as much a part of who we are as the clothes we wear, the vehicles we drive and of course the performance that we expect. ENKEl custom wheels deliver the latest in wheel designs, composite alloy technology such as, casting/forged processes, rigid testing that must pass stringent JGTC Standards and unsurpassed manufacturing facilities. Enkei is dedicated to perfection and delivers the best in aftermarket wheels.

Today, the Enkei group is commercially active throughout Asia, North America, Latin America and Europe, supplying all the largest Japanese car manufacturers and General Motors in the OEM market, as well as countless consumers in the automotive aftermarket. Enkei also produces sophisticated high-tech race wheels for a variety of motorsport, including rallying, drift, sportscar racing and single-seater racing including supplying lightweight magnesium Formula 1 race wheels to McLaren Honda. Enkei has been an Official Supplier to McLaren F1 Team since 1995.

ENKEL MOTORSPORTS

Enkei has been racing in top competition championships of the world for three decades. As a result of continuous improvement and technological advances, Enkei continues its winning tradition and constantly challenges new horizons in wheel technology.



ONE STEP FORWARD

Since its formation in 1950, Enkei's history has been continuous challenges and adventures to deliver the most innovative and the highest quality wheels to top racers and car enthusiasts. Today, Enkei has grown to be the number one aluminum wheel manufacturer to satisfy demand from leading automakers and aftermarket wheel users around the world. One step forward. With its courage to take the next step ahead of others, Enkei continues to strive to exceed the expectations of the most demanding drivers.

ENKEI WORLD COMPANIES

ENKEL AMERICA (Indiana, Florida, U.S.)

ENKEI AMERICA MOLDINGS (Indiana, U.S.)

ENKEI INTERNATIONAL (Texas, U.S.)

ENKELTHAL

ENKEI THAI MOLDINGS

ENKEI MALAYSIA

ENKEI ALUMINIUM PRODUCTS (CHINA)

ENKEI MOLDINGS (Kunshan, CHINA)

ENKEI ALUMINIUM (Guangdong, CHINA)

ENKELINDONESIA

PT. ENKEI MARUTOYO PAINTING (INDONESIA)

ENKEL PHILIPPINES

ENKEI WHEELS (INDIA)

ENKEI VIETNAM

JAPAN

ENKEL CORPORATION (HEAD OFFICE)

ENKEI WHEEL CORPORATION (MAUFACTURING)

ENKELENGINNERING

ENBISHI ALUMINIUM WHEELS

ENKEL AUTOMOTIVE

ENKEL PAINTING

ENKEI MAKABE

ENKEI METALS

ENKELTEST AND LABORATORY

ENKEL AUTO ACTIVITY

ENKEI LOGISPORT

ENKEI RELATION (OPERATION)

ENKEL AUDIT AND COMPUTER SERVICES



INDEX BY WHEEL MODEL NUMBER

365	NT03+M (Racing)14
379	RPF1(Racing) 10
409	J10 (Performance) 42
429	GTC01 (Racing)14
434	FD-05 (Performance) 42
441	EDR9 (Performance) 37
442	EKM3 (Performance)41
446	EV5 (Performance)37
448	GW8 (Performance) 39
460	PF01 (Racing) 13,14
465	ENKEl92 (Classic) 26
467	RAIJIN (Tuning)19
469	LUSSO (Performance) 40
470	ST6 (Truck/SUV) 45
475	SVX (Performance) 35
476	KOJIN (Tuning)24
477	COMPE (Classic)
479	RSF5 (Performance) 40
480	M52 (Performance) 39
100	M6 (Truck/CLIV)

484 RS05RR (Racing)09	
485 T6S (Tuning)22	2
486 TSP6 (Tuning)	3
487 VR5 (Performance) 34	ļ
488 GT7 (Performance) 34	ļ
489 PF01 EVO (Racing) 12	2
490 PF07 (Racing)11	
491 TX5 (Tuning)22	2
492 TS9 (Tuning)20)
494 YS5 (Performance)36	5
495 CUV (Performance) 36	5
498 TY-5 (Tuning) 21	
499 TS-10 (Tuning) 17	7
500 PW10 (Performance) 38	3
502 PDC (Performance) 38	3
503 BLACKHAWK (Truck) 46	5
504 GTC01RR(Racing)07	7
505 ONX (Performance) 35	5
507 TM-7(Tuning)25	5
508 TD-5 (Tuning) 25	5

509 DRACO (Performance) 31
510 VORTEX5 (Performance)33
511 SS05 (Performance) 32
512 NT03RR(Racing) 08
514 RC-T5 (Racing)12
515 TMS (Tuning)20
516 TFR (Tuning) 18
517 VULCAN (Performance) 29
518 PHANTOM (Performance) 30
519 COMMANDER (Truck) 44
520 RPT1 (Racing) 05
521 TS-5 (Tuning) 16
522 TS-V (Tuning) 15
523 PHOENIX (Performance) 28
524 ICON (Performance)27
525 STORM (Performance) 28
526 MATRIX (Truck/SUV) 43
527 PF05 (Racing)06

Engineering Philosophy

What is the most important consideration when building a wheel? What specifications does a performance wheel require? In general, the most recognizable performance aspect for users is light weight. You will know the weight difference by simply picking up a wheel. Most drivers can also feel the difference in steering response. Since an automobile wheel is a rolling object, the lightness of the wheel plays into the inertial weight. Enkei's focus is not limited to the lightness, however. To attain maximum wheel performance, Enkei also focuses on stiffness and strength.

A high quality wheel requires all three elements: light weight, stiffness, and strength.

STIFFNESS

Stiffness is the basis of wheel performance. What is "stiffness"? If a rim is stiff, it will resist deformation when it is subjected to force. Although we consider metal as "hard", metal does have a tendency to deform when force is applied and return to the original shape when the force is eliminated. Stiffness is often confused with strength, but it is different as strength is a measure of tendency toward breakability. To make the best out of today's high-performance tire, wheels need to have high stiffness to keep the proper connection between the chassis and tires. On the other hand, wheels with low-stiffness could easily be deformed by the load from the tires. Enkei recognizes stiffness is the most important element for high performance wheels.

ALUMINUM EXPLAINED: PRODUCTION METHODS WILL NOT AFFECT STIFFNESS

How can we increase the stiffness of wheels? As long as wheels are made of aluminum alloy, using a different production method does not affect the stiffness of the wheel. That's because all aluminum alloys used for forging and casting create same material property with identical stiffness.

Comparison of Wrought aluminum alloy and Cast aluminum alloy

Material	Specific gravity	Young's modulus*		
Wrought aluminum alloy	2.70MG/cm3	70GPa		
Cast aluminum alloy	2.68MG/cm3	70GPa		

^{*} Young's moduls is a measure of elasticity, equal to the ratio of the stress acting on a substance to the strain produced.

You may think forging process creates stronger materials. However, when forged and cast aluminum alloys are measured by the Young's modulus, it shows almost no difference between two methods. Forged and casted aluminum alloys are nearly identical in specific gravity as well. Therefore, if you make an exact same shape of wheels using forging and casting method, the weight of those wheels should be the same. What is the advantage of the forging process, then? It is an ability to produce higher material strength.

Generally speaking, compared with casting, forged material is superior in yield strength and tensile strength. However, no matter how great the material strength, it cannot justify an extreme reduction in weight.

Even with adequate material strength, if wheels lack stiffness, they cannot perform properly even with high-performance tires.





DURVILLE DIE CASTING & MAT PROCESS

Enkei has adopted two technologies – the Durville die casting and MAT process that ensure cast aluminum wheels have strength comparable to forged ones. In the Durville process, molten aluminum alloy is poured into the mold from its inner rim side, with the disc side facing downward. The alloy is rapidly quenched and solidifies, starting at the disc side, creating a finer metallic structure, significantly enhancing tensile strength, yield strength and elongation.

In the MAT process, the wheel rim placed on a mandrel is spun and rolled. This spinning process creates "metal flow" in the metal structure of the aluminum alloy, which is similar to the metal property seen in the forging process.







This hybrid process of casting and forging gives wheel high material strength while keep manufacturing cost more affordable than forged wheels. Additionally, it gives greater freedom of design on the wheel face.

DESIGN CAPABILITY BEHIND THE BEST WHEELS

How does Enkei ensure its wheels have high stiffness? The answer is Enkei's "Design Capability".

To maintain high stiffness under great force, the wheel's cross sectional area in the direction against the force applied needs to be enlarged. Unfortunately, the larger this area is, the heavier the wheel will get. However, if the layout, cross sectional shape of the spokes and the rim profile are designed properly, the wheel can maintain high stiffness without adding weight.

The layout is made possible by Enkei's vast accumulation of wheel design data and the computer aided engineering 3D simulation. In addition, Enkei strives for the largest possible weight reduction by identifying the wheel portions where stress concentration is least likely to occur and shaving down areas that do not affect stiffness.

Enkei's processing techniques ensure the "strength" of its wheels, and its excellent design capability ensures "stiffness" and "lightness." Enkei's design capability is the most-treasured asset and essential for developing the highest performance wheels.

SPEC-E

All Enkei wheels are engineered to pass rigorous testing. In fact, Enkei established its own test standard called "Spec-E," which is tougher than JWL requirements. Enkei's Spec-E test setting requires a higher drop point in the impact test and 20% more cycles for the rotary bending fatigue and dynamic radial fatigue tests than JWL standards. The Spec-E standard shows Enkei's confidence in its technology and the quality of Enkei wheels.

ENKEI HERITAGE

Enkei started in Japan as "Enshu Keigokin Co. Ltd.", which translates as "light alloy of the Province of Enshu." Enkei's technical knowledge, developed through the manufacturing of aircraft parts, was later utilized in the initial development of aluminum motorcycle and automobile engines. Today Enkei has established itself as a pioneer of aluminum wheel manufacturing. As the recognized global leader of alloy wheel production, Enkei delivers more than 16,000,000 wheels a year and has manufacturing facilities in Japan, the United States, and many Southeast Asian countries. With new horizons to be conquered, Enkei will always continue to move "one step forward."



RACING SERIES

Introducing Enkei's Racing Series. Enkei's experience in producing wheels for racecars is unrivaled. Enkei is actively involved in supplying wheels for Formula 1, WRC, Japan GT Championship, Super Taikyu, Formula Drift and many others. The racetrack is our laboratory. We've taken what we've learned in racing and are proud to offer the same technology found on racetracks all over the world to auto enthusiasts looking for a no compromise wheel solution for their cars. Enkei's state of the art facilities in Japan utilize MAT technology to achieve the ultimate in lightness and strength for our racing series wheels, while maintaining excellent value. When you demand the very best, look no further than Enkei's racing series.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.



SIZE PART NO. FINISH DIAMETER PATTERN (lbs.) 520-680-8400GM 16 6x137.9 108.5 17.8 8 0 MATTE **GUNMETAL** 520-890-8400GM 18 22.6 6x137.9 108.5

BOLT

split spoke design as the RPF1, but is built to higher loading capacities to suit 6-lug trucks and SUVs. Available in 16" and 18" applications and a variety of colors, the RPT1 is one of the lightest weight and toughest truck

No Cap available Valve Stem # V429-0000BK

wheels on the market today.



BORE



WEIGHT





Dark Silver



Gold (Special Order)

Blue (Special Order)





PART NO.	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH				
527-670-4945DS	16	7	45	4x100	67.0	15.45						
527-670-8048DS		•	48	5x100		N.A						
527-770-4945DS		7	45	4x100		17.95	F					
527-770-6545DS		•	45	5x114.3		N.A	F					
527-775-4448DS		7.5	48	5x112		N.A	F					
527-775-8045DS		7.5	45	5x100		18.41	F					
527-780-6535DS		8	35	5x114.3		N.A	F					
527-780-8038DS		0	38	5x100		19.86	F					
527-785-6538DS	17		38	5x114.3		19.75	F					
527-785-6548DS	•	8.5	48	5x114.3		N.A	F					
527-785-8048DS			48	5x100		N.A	F					
527-790-6520DS			20	5x114.3		19.64	R					
527-790-6540DS		9	40	5x114.3		N.A	R					
527-790-8040DS			40	5x100		N.A	R					
527-795-6512DS		9.5	12	5x114.3		20.59	R					
527-795-6535DS			0.0	35	5x114.3		N.A	R				
527-875-6548DS	ļ	7.5	48	5x114.3		N.A	F					
527-875-8048DS			48	5x100		19.69	F					
527-880-4435DS			35	5x112		20.26	F					
527-880-4450DS		8	8	50	5x112		N.A	F				
527-880-6545DS			45	5x114.3		20.44	F					
527-880-8045DS			45	5x100		20.44	F	DADK				
527-885-6538DS		0.5	38	5x114.3		N.A	F	DARK SILVER				
527-885-6545DS		8.5	45	5x114.3	75.0	N.A	F F	SILVER				
527-885-8045DS 527-890-6528DS	18	18	18		45 28	5x100 5x114.3		21.83 N.A	F			
527-890-6538DS				18	18	18		38	5x114.3		21.23	F
527-890-6545DS			9	45	5x114.3		N.A	F				
527-890-8040DS			40	5x100		N.A	F					
527-895-6500DS			0	5x114.3		22.05	R					
527-895-6515DS			15	5x114.3		N.A	R					
527-895-6525DS		9.5	25	5x114.3		22.31	R					
527-895-6538DS			38	5x114.3		N.A	R					
527-810-6512DS	İ	10	12	5x114.3		22.91	R					
527-810-6525DS		10	25	5x114.3		N.A	R					
527-8105-6515DS		10.5	15	5x114.3		24.27	R					
527-8105-6523DS		10.5	23	5x114.3		N.A	R					
527-980-6545DS		8	45	5x114.3		N.A	F					
527-980-8045DS			45	5x100		22.93	F					
527-985-4438DS		8.5	38	5x112		23.79	F					
527-985-6538DS			38	5x114.3		23.79	F					
527-990-6525DS	19	9	25	5x114.3		24.34	R	- -				
527-995-6522DS		9.5	22	5x114.3		23.30	R					
527-995-6545DS			45	5x114.3		N.A	R					
527-910-6520DS		10	20	5x114.3		N.A	R					
527-910-6528DS 527-9110-6510DS		11	28 10	5x114.3 5x114.3		25.07 26.98	R R					
021-9110-0310D3			10	JA 1 14.3		20.90	11					

Racing Revolution

Matte Gunmetal



Titanium Gold (Limited Sizes / Special Order)

GTC01RR

18 - Racing Series

The GTC01RR is made after one of our strongest wheels, the GTC01. After vast research, we were able to keep the high rigidity while making it light weight, comparable to the RPF1. The GTC01RR has been tested in high performance categories including cornering, braking, acceleration, deceleration, and steering response. The GTC01RR is available in three different concave faces as displayed below.

PART NO. Stock Code	S	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT	FACE	Cap #	FINISH				
504-880-4645GM			45	5x112	66.5	N.A.	F	A484-CAPBK-VW					
504-880-6545GM		8	45	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-880-8045GM			45	5x100	75.0	N.A.	F	A484-CAPBK					
504-885-1235GM			35	5x120	72.5	N.A.	F	A484-CAPBK-BMW					
504-885-1245GM			45	5x120	72.5	N.A.	F	A484-CAPBK-BMW					
504-885-4435GM 504-885-4445GM			35 45	5x112 5x112	66.5 66.5	N.A. 19.42	F	A484-CAPBK-MB A484-CAPBK-MB					
504-885-4535GM			35	5x112	66.5	N.A.	F	A484-CAPBK-WB					
504-885-4545GM		8.5	45	5x112	66.5	N.A.	F	A484-CAPBK-VW					
504-885-4635GM			35	5x112	66.5	N.A.	F	A484-CAPBK-AD					
504-885-6535GM			35	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-885-6542GM			42	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-885-6550GM			50	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-885-8042GM			42	5x100	75.0	N.A.	F	A484-CAPBK-AD					
504-890-1250GM			50	5x120	72.5	19.51	F	A484-CAPBK-BMW					
504-890-6525GM			25	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-890-6535GM		9	35	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-890-6540GM			40	5x114.3	75.0	N.A.	F	A484-CAPBK					
504-890-8040GM	18		40	5x100	75.0	N.A.	F	A484-CAPBK-AD	MATTE				
504-895-1222GM	18		22	5x120	72.5	N.A.	М	A484-CAPBK-BMW	GUNMETAL				
504-895-1235GM				35	5x120	72.5	N.A.	М	A484-CAPBK-BMW				
504-895-4445GM									45	5x112	66.5	20.37	М
504-895-4545GM			45	5x112	66.5	20.37	М	A484-CAPBK-VW					
504-895-4645GM		9.5	45	5x112	66.5	20.37	М	A484-CAPBK-AD					
504-895-6522GM			22	5x114.3	75.0	N.A.	М	A484-CAPBK					
504-895-6535GM			35	5x114.3	75.0	N.A.	М	A484-CAPBK					
504-895-6545GM			45	5x114.3	75.0	N.A.	М	A484-CAPBK					
504-895-8035GM			35	5x100	75.0	N.A.	М	A484-CAPBK-AD					
504-810-6522GM		10	22	5x114.3	75.0	21.05	R	A484-CAPBK					
504-810-6530GM		10	30	5x114.3	75.0	21.36	М	A484-CAPBK					
504-8105-1223GM			23	5x120	72.5	N.A.	R	A484-CAPBK-BMW					
504-8105-6515GM			15	5x114.3	75.0	N.A.	R	A484-CAPBK					
504-8105-6522GM		10.5	22	5x114.3	75.0	22.57	М	A484-CAPBK					
504-8105-6525GM			25	5x114.3	75.0	N.A.	R	A484-CAPBK					
504-8105-6535GM			35	5x114.3	75.0	21.27	R	A484-CAPBK					
504-8110-1230GM		11	30	5x120	72.5	22.11	R	A484-CAPBK-BMW					
504-8110-6516GM			16	5x114.3	75.0	N.A.	R	A484-CAPBK					

Valve # V429-0000BK

FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design



SPEC-E



Racing Revolution NT03RR 17, 18 - Racing Series PART NO. BOLT PATTERN INSET Cap# FINISH 512-770-6548GM 48 5x114.3 75.0 16.97 A484-CAPBK 7

512-770-8040GM

512-775-6535GM

512-775-6550GM

512-775-8040GM

512-780-1245GM

512-780-4445GM

40

35

40

45

45

5x100

5x114.3

5x100

5x120

5x112

50 5x114.3

75.0

75.0

75.0

72.5

66.5

N.A

N.A

17.48

N.A

N.A

N.A

F

F

F

A484-CAPBK-AD

A484-CAPBK

A484-CAPBK

A484-CAPBK-AD

A484-CAPBK-BMW

A484-CAPBK-AD









Valve # V429-0000BK for Gunmetal finish, V429-0000SP for Silver finish FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design.











White (Limited Sizes)



SPEC-**E**

method. V	ity. The light weight RS05RR is made using Enkei's MAT-DURA flow forming method. With the RS05RR, there's no need to choose between form or function, you can simply have both. Made in 18x8.5-18x11 with 3 different concave face designs. In Silver or Matte Gunmetal.																					
BIRTING																						
	Gunmetal	Silver		IZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	Cap #	FINISH											
484-885-1235	GM	SP			35	5X120	72.5	N.A.	F	A484-CAPBK/SP-BMW												
484-885-4435	GM	SP				l					l					35	5X112	66.5	N.A.	F	A484-CAPBK/SP-MB	
484-885-4445	GM	SP			45	5X112	66.5	18.07	F	A484-CAPBK/SP-MB												
484-885-4535	GM	SP		0.5	35	5X112	66.5	N.A.	F	A484-CAPBK/SP-VW												
484-885-4545	GM	SP		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	45	5X112	66.5	18.07	F	A484-CAPBK/SP-VW					
484-885-4635	GM	SP			35	5X112	66.5	N.A.	F	A484-CAPBK/SP-AD												
484-885-8042	GM	SP			42	5X100	75	N.A.	F	A484-CAPBK/SP-AD												
484-885-8050	GM	SP			50	5X100	75	18.12	F	A484-CAPBK/SP-AD												
484-890-1250	GM	SP			50	5X120	72.5	18.82	F	A484-CAPBK/SP-BMW												
484-890-6525	GM	SP			25	5X114.3	75	N.A.	F	A484-CAPBK/SP												

Designed to look incredible while retaining Enkei's racing spirit & functional-

Stock Code	Guillietai	Silver						(,																		
484-885-1235	GM	SP			35	5X120	72.5	N.A.	F	A484-CAPBK/SP-BMW																
484-885-4435	GM	SP			35	5X112	66.5	N.A.	F	A484-CAPBK/SP-MB																
484-885-4445	GM	SP			45	5X112	66.5	18.07	F	A484-CAPBK/SP-MB																
484-885-4535	GM	SP	1	8.5	35	5X112	66.5	N.A.	F	A484-CAPBK/SP-VW																
484-885-4545	GM	SP	1	6.5	45	5X112	66.5	18.07	F	A484-CAPBK/SP-VW																
484-885-4635	GM	SP	1		35	5X112	66.5	N.A.	F	A484-CAPBK/SP-AD																
484-885-8042	GM	SP	1		42	5X100	75	N.A.	F	A484-CAPBK/SP-AD																
484-885-8050	GM	SP	1		50	5X100	75	18.12	F	A484-CAPBK/SP-AD																
484-890-1250	GM	SP	1		50	5X120	72.5	18.82	F	A484-CAPBK/SP-BMW																
484-890-6525	GM	SP				25	5X114.3	75	N.A.	F	A484-CAPBK/SP	Ī														
484-890-6535	GM	SP	1	9	35	5X114.3	75	N.A.	F	A484-CAPBK/SP																
484-890-6540	GM	SP				40	5X114.3	75	N.A.	F	A484-CAPBK/SP															
484-890-8040	GM	SP			40	5x100	75	N.A.	F	A484-CAPBK/SP-AD																
484-895-1222	GM	SP	1	10	22	5X120	72.5	N.A.	M	A484-CAPBK/SP-BMW	MATTE															
484-895-1235	GM	SP	18		35	5X120	72.5	N.A.	M	A484-CAPBK/SP-BMW	GUNMETAL															
484-895-4445	GM	SP	10		45	5X112	66.5	19.29	M	A484-CAPBK/SP-MB	SPARKLE															
484-895-4545	GM	SP	1	9.5	45	5X112	66.5	19.29	M	A484-CAPBK/SP-VW	SILVER															
484-895-4645	GM	SP																	5.5	45	5X112	66.5	19.29	M	A484-CAPBK/SP-AD	
484-895-6522	GM	SP															22	5x114.3	75	N.A.	M	A484-CAPBK/SP				
484-895-6535	GM	SP	1		35	5x114.3	75	N.A.	M	A484-CAPBK/SP																
484-895-8043	GM	SP	1		43	5x100	75	N.A.	M	A484-CAPBK/SP-AD																
484-810-6522	GM	SP	1	10	22	5x114.3	75	19.81	R	A484-CAPBK/SP																
484-810-6530	GM	SP	1	10	30	5x114.3	75	20.43	M	A484-CAPBK/SP																
484-8105-1223	GM	SP	1		23	5x120	72.5	N.A.	R	A484-CAPBK/SP-BMW																
484-8105-6515	GM	SP	1		15	5x114.3	75	N.A.	R	A484-CAPBK/SP																
484-8105-6522	GM	SP	1	10.5	22	5x114.3	75	21.25	M	A484-CAPBK/SP																
484-8105-6525	GM	SP	1		25	5x114.3	75	N.A.	R	A484-CAPBK/SP																
484-8105-6535	GM	SP			35	5x114.3	75	19.7	R	A484-CAPBK/SP																
484-8110-1230	GM	SP		30	5X120	72.5	20.54	R	A484-CAPBK/SP-BMW																	
484-8110-6516	GM	SP		11	16	5x114.3	75	N.A.	R	A484-CAPBK/SP																

Valve # V429-0000SP (Silver), V429-0000BK (Black)





F1 Silver






Black (Limited Sizes)

SBC (Limited Sizes)







Gold (Limited Sizes)



RPF1

Now available in 15X8!

14 | 15 | 16 | 17 | 18 - Racing Series

				J										
PART NO.	s	IZE	INSET	BOLT	BORE	WEIGHT	FINISH							
TAITI NO.	J	122	INOLI	PATTERN	DIAMETER	(lbs.)	THAIGH							
3794704928SP	14	7	28	4x100	F.4	8.40								
3794704919SP	14	7	19	4x100	54	8.70								
3795704935SP		_	35	4x100		9.85	F1 SILVER							
3795704941SP		7	41	4x100	73	9.65								
3795804928SP	15		28	4x100		11.35								
3795804928GG		8	28	4x100	75	11.35	GOLD							
3796704843SP			43	4x114.3		N.A	0025							
3796704935SP			35	4x100		13.70								
3796704943SP			43	4x100		N.A								
		7												
3796706530SP	10	′	30	5x114.3		14.30								
3796706535SP	16		35	5x114.3		N.A								
3796706543SP			43	5x114.3		13.70								
3796708035SP			35	5x100		N.A								
3796804938SP		8	38	4x100	73	N.A	F1 SILVER							
3796806538SP		_	38	5x114.3		N.A								
3797704935SP			35	4x100		N.A								
3797704943SP		7	43	4x100		15.15								
3797706545SP			45	5x114.3		14.90								
3797754448SP			48	5x112		15.25								
3797756548SP		7.5	48	5x114.3		15.25								
3797758048SP			48	5x100		15.25								
3797806535SP			35	5x114.3		16.10								
3797806545GG			45	5x114.3		16.05	GOLD							
3797806545SP			45	5x114.3		16.05								
3797808035SP		8	35	5x100		16.10	F1 SILVER							
3797808045GG			45	5x100	73	16.05	GOLD							
3797808045SP			45	5x100		16.05	GOLD							
	17		30			17.05								
3797856530SP	17	8.5	40	5x114.3		16.30	F1 SILVER							
3797856540SP				5x114.3			FI SILVER							
3797906522SP			22	5x114.3		16.35								
3797906535SP			35	5x114.3		N.A	0010							
3797906535GG							35	5x114.3		N.A	GOLD			
3797906545SP			9	45	5x114.3		15.65	F1 SILVER						
3797906545GG				45	5x114.3		15.65	GOLD						
3797908045SP			45	5x100	73	15.65	F1 SILVER							
3797908045GG			45	5x100		15.65	GOLD							
3797956518SP		9.5	18	5x114.3		16.75								
3797956538SP		0.0	38	5x114.3		16.25								
3797106518SP		10	18	5x114.3		17.25								
3797106538SP		10	38	5x114.3		16.90								
3798753138SP			38	5x108	65	16.90								
3798754448SP		7.5	48	5x112		16.90	F1 SILVER							
3798756548SP		7.5	48	5x114.3		16.90								
3798758048SP			48	5x100	70	16.90								
3798804435SP			35	5x112	73	18.00								
3798806535SP			35	5x114.3		18.00								
3798808035SP		8	35	5x100		18.00								
3798808045GG			45	5x100		17.95	GOLD							
3798808045GB			45	5x100	56	17.95	GOLD							
3798851240SP			40	5x100	72.5	18.85								
	18				12.5		F1 SILVER							
3798856530SP		8.5	30	5x114.3	72	18.95								
3798856540SP			40	5x114.3	73	N.A	0010							
3798856540GG			40	5x114.3	00.7	N.A	GOLD							
3798904435SP		9	35	5x112	66.5	N.A								
3798906535SP			35	5x114.3		17.10								
3798956515SP		l _	15	5x114.3		18.20	F1 SILVER							
3798956538SP		9.5	38	5x114.3	73	N.A								
3798956545SP									45	5x114.3	/3	17.40		
3798106538SP		10	38	5x114.3		18.45								
37981056515SP		10.5	15	5x114.3		19.05								

CAP NOT INCLUDED

Cap # A379-000SP is optional for 15x8, 16", 17" and 18" wheels Valve Stem # A379-VALVEBLACK, A379-VALVEBLUE, A379-VALVERED Matte Black and SBC finish are limited sizes and special order only











Dark Silver





Seven dynamic spokes reach toward the edge of the flange in a concave fashion to give the wheel additional depth and the appearance of being one size larger. The sides of the spokes are thinned to make them lighter while emphasizing the concave shape. This is combined with a double-lipped flange for an especially aggressive look. The concepts of toughness and sport serve as inspiration for these design features. The wheel's rim is formed with MAT technology to achieve a high level of strength, rigidity, and light weight. The face is engineered to accommodate a large brake caliper and to enhance brake cooling performance during high speed driving.

490-775-4450DS	PART NO.	SIZE		INSET	BOLT	BORE	WEIGHT	FINISH
490-775-4942DS 490-775-6545DS 490-775-6545DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-790-6536DS 490-890-6540DS 490-890-6540DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6540DS 490-980-64445DS 490-980-64445DS 490-980-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 49	FART NO.		JIEL	IIVSLI	PATTERN	DIAMETER	(lbs.)	FINISH
490-775-6545DS	490-775-4450DS			50	5x112		19.20	
490-775-6545DS 490-775-8045DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-790-6530DS 490-790-6530DS 490-790-6530DS 490-795-6540DS 490-795-6540DS 490-795-6540DS 490-875-6548DS 490-880-6535DS 490-890-6530DS 490-890-6530DS 490-890-6530DS 490-890-6530DS 490-890-6530DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-890-6535DS 490-980-6535DS 490-990-6530DS 490-900-6530DS 490-900-6530DS 490-900-6530DS 490-900-6530DS 490-	490-775-4942DS		7.5	42	4x100		N.A.	
490-780-6535DS	490-775-6545DS		7.0	45	5x114.3		N.A.	
490-780-6548DS	490-775-8045DS			45	5x100		N.A.	
190-780-8038DS 490-785-6535DS 490-785-6535DS 490-790-6538DS 490-790-6538DS 490-790-6538DS 490-790-6538DS 490-790-6538DS 490-795-6530DS 490-795-6530DS 490-795-6540DS 490-875-6548DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-890-6535DS 490-890-6545DS 490-890-6545DS 490-890-6555DS 490-890-6545DS 490-990-6525DS 490-990-6545DS 490-	490-780-6535DS			35	5x114.3		N.A.	
490-785-6535DS	490-780-6548DS		8	48	5x114.3		19.75	
490-785-6555DS 490-790-6520DS 490-790-6538DS 490-790-6538DS 490-790-8038DS 9 490-795-6518DS 18 490-795-6518DS 18 490-795-6530DS 490-795-6540DS 490-875-6548DS 490-875-6548DS 490-875-8048DS 40 490-880-4435DS 48 490-880-64545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 45 490-880-6545DS 45 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-890-6540DS 490-890-6540DS 490-890-654DS 490-980-654DS 490-980-654DS	490-780-8038DS			38	5x100		N.A.	
490-785-655DS 490-790-6520DS 490-790-6530DS 490-795-6518DS 490-795-6518DS 490-795-6540DS 490-875-6540DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-890-6540DS 490-895-6555DS 490-890-6540DS 490-895-655DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-990-6545DS 490-990-6545DS 490-990-654DDS 490-990-653DDS 490-990-654DDS 490-990-654DDS 490-990-653DDS 490-990-654DDS 490-990-654DDS 490-990-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS 490-900-653DDS	490-785-6535DS	17	8.5	35	5x114.3	75	N.A.	
9 38 5x114.3 19.81 1	490-785-6555DS		0.5	55	5x114.3		19.99	
A90-790-8038DS 490-795-6518DS 490-795-6518DS 490-795-6530DS 490-795-6530DS 490-795-6540DS 490-875-8048DS 490-880-8435DS 490-880-6435DS 490-880-645DS 490-880-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-890-6545DS 490-895-6535DS 490-895-6535DS 490-895-6545DS 490-895-6545DS 490-895-6545DS 490-890-6545DS 490-990-6545DS 490-900-6545DS 490-900-6545DS 490-900-6545DS 490-900-6545DS 490-9	490-790-6520DS			20	5x114.3		N.A.	
18 5x114.3 N.A.	490-790-6538DS		9	38	5x114.3		N.A.	
490-795-6530DS 490-795-6540DS 490-875-6548DS 490-875-6548DS 490-875-8048DS 490-880-4435DS 490-880-4435DS 490-880-4435DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6530DS 490-890-6540DS 490-890-6540DS 490-895-6555DS 490-895-6555DS 490-890-6540DS 490-980-6540DS 490-990-6527DS 490-990-6527DS 490-990-6527DS 490-990-6535DS 490-990-6540DS 490-	490-790-8038DS			38	5x100		19.81	
490-795-6540DS 40 5x114.3 20.21 490-875-6548DS 490-875-6548DS 48 5x110 N.A. 490-880-4435DS 490-880-6535DS 48 5x112 N.A. 490-880-6535DS 490-880-6535DS 45 5x114.3 N.A. 490-880-6545DS 490-880-6545DS 45 5x114.3 N.A. 490-880-6545DS 490-880-6545DS 45 5x114.3 N.A. 490-890-6530DS 490-890-6540DS 40 5x114.3 75 21.64 490-890-6540DS 490-895-6515DS 40 5x114.3 75 N.A. 490-895-6515DS 490-895-6540DS 40 5x114.3 75 N.A. 490-895-6540DS 40 5x114.3 22.24 490-810-6515DS 40 5x114.3 22.24 490-980-654DS 8 45 5x114.3 22.24 490-980-654DS 8 45 5x114.3 22.33 490-980-654DS 45 5x114.3 22.33 490-990-654DS <td>490-795-6518DS</td> <td></td> <td>18</td> <td>5x114.3</td> <td></td> <td>N.A.</td> <td></td>	490-795-6518DS			18	5x114.3		N.A.	
490-875-6548DS 490-875-8048DS 490-880-4435DS 490-880-4435DS 490-880-6535DS 490-880-6535DS 490-880-6545DS 490-880-6545DS 490-890-6530DS 490-890-6540DS 490-895-6515DS 490-895-6545DS 490-895-6545DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-980-6540DS 490-895-6545DS 490-980-6540DS 490-895-6545DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6545DS 490-980-6545DS 490-980-6545DS 490-980-6545DS 490-990-6540DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-	490-795-6530DS		9.5	30	5x114.3		N.A.	
490-875-8048DS 490-880-4435DS 490-880-4435DS 35 5x112 490-880-6535DS 8 35 5x112 490-880-6545DS 490-880-6545DS 45 5x114.3 490-885-6535DS 490-885-6535DS 45 5x114.3 490-890-6530DS 490-890-6530DS 45 5x114.3 490-890-6540DS 490-890-8040DS 40 5x114.3 490-895-6515DS 490-895-6515DS 40 5x114.3 490-895-6540DS 40 5x114.3 N.A. 490-895-6515DS 40 5x114.3 N.A. 490-895-6540DS 40 5x114.3 N.A. 490-895-654DS 40 5x114.3 N.A. 490-806-653DS 490-980-4445DS 45 5x114.3 N.A. 490-985-6542DS 490-985-6542DS 8 45 5x114.3 N.A. 490-996-6527DS 490-996-6540DS 490-996-6535DS 490-996-6540DS 490-996-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 40 5x114.3 </td <td>490-795-6540DS</td> <td></td> <td></td> <td>40</td> <td>5x114.3</td> <td></td> <td>20.21</td> <td></td>	490-795-6540DS			40	5x114.3		20.21	
490-875-8048DS 490-880-4435DS 490-880-4435DS 35 5x112 490-880-6535DS 8 35 5x112 490-880-6545DS 490-880-6545DS 45 5x114.3 490-885-6545DS 490-885-6535DS 45 5x114.3 18.56 490-885-6535DS 490-890-6530DS 45 5x114.3 N.A. 490-890-6530DS 490-890-6540DS 40 5x114.3 75 21.64 490-890-6540DS 490-895-6515DS 490-895-6540DS 40 5x114.3 20.92 490-895-6540DS 40 5x114.3 N.A. 490-810-6515DS 40 5x114.3 22.24 490-980-4445DS 40 5x114.3 22.24 490-980-6540DS 490-980-6545DS 8 45 5x114.3 490-985-6542DS 8 45 5x114.3 22.33 490-985-6542DS 8 45 5x114.3 22.33 490-990-6527DS 490-990-6540DS 8 45 5x114.3 N.A. 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-995-6535DS 490-995-6545DS 40 5x114.3 N.A. 490-995-654DS 490-995-654DS <td>490-875-6548DS</td> <td></td> <td>7.5</td> <td>48</td> <td>5x114.3</td> <td></td> <td>N.A.</td> <td></td>	490-875-6548DS		7.5	48	5x114.3		N.A.	
\$\begin{array}{c c c c c c c c c c c c c c c c c c c	490-875-8048DS		7.5	48	5x100		20.94	
490-880-6535DS 490-880-6545DS 45 5x114.3 18.56 N.A. 18.56 DARK 490-880-6545DS 490-885-6535DS 490-885-6545DS 45 5x114.3 75 N.A. DARK 490-890-6530DS 490-890-6540DS 40 5x114.3 75 N.A. N.A. 490-890-6540DS 490-890-6540DS 40 5x114.3 N.A. N.A. 490-895-6540DS 490-895-6540DS 40 5x114.3 N.A. N.A. 490-8105-6515DS 490-8105-6515DS 40 5x114.3 N.A. N.A. 490-8105-6515DS 10 38 5x114.3 N.A. N.A. 490-980-4445DS 490-980-4445DS 8 45 5x114.3 N.A. 490-985-653DS 490-985-6542DS 8 45 5x114.3 N.A. 490-990-6527DS 490-990-6540DS 19 27 5x114.3 N.A. 490-995-653DS 490-995-6535DS 40 5x114.3 N.A. 490-990-6540DS 40 5x	490-880-4435DS			35	5x112		N.A.	
490-880-6545DS 490-885-6535DS 490-885-6535DS 490-890-6530DS 490-895-6545DS 490-895-6545DS 490-995-6535DS 490-990-6540DS 490-995-6535DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-995-6535DS 490-990-6540DS 490-	490-880-4450DS		8	50	5x112		N.A.	
490-880-8045DS 490-885-6535DS 490-885-6535DS 490-890-6530DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-	490-880-6535DS			35	5x114.3		N.A.	
Ray	490-880-6545DS			45	5x114.3		18.56	
8.5 490-885-6545DS 490-890-6540DS 490-895-6555DS 490-980-6540DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-895-6545DS 490-985-6545DS 490-985-6545DS 490-985-6545DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-995-6545DS 490-995-6545DS 490-995-6545DS 490-995-6545DS 490-995-6545DS 490-995-6545DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS	490-880-8045DS			45	5x100		N.A.	DARK
490-885-6545DS 490-890-6530DS 490-890-6540DS 75 21.64 490-890-6540DS 490-890-6540DS 40 5x114.3 20.92 490-895-6515DS 490-895-6515DS 15 5x114.3 N.A. 490-895-6540DS 40 5x114.3 N.A. 490-810-653BDS 40 5x114.3 21.53 490-810-6515DS 40 5x114.3 22.24 490-810-6515DS 10 38 5x114.3 22.24 490-980-4445DS 490-980-4445DS 45 5x114.3 22.33 490-985-6542DS 8 45 5x112 N.A. 490-996-6527DS 490-990-6527DS 49 40 5x114.3 23.03 490-990-6540DS 490-995-6535DS 40 5x114.3 23.03 490-995-6545DS 490-995-6545DS 40 5x114.3 23.03 490-995-6545DS 490-995-6545DS 40 5x114.3 N.A. 490-9910-651BDS 45 5x114.3 N.A. 490-9910-651BDS 45	490-885-6535DS		٥.	35	5x114.3		N.A.	SILVER
490-890-6530DS 9 30 5x114.3 N.A. 490-890-6540DS 40 5x114.3 20.92 490-895-651DS 40 5x100 N.A. 490-895-652DS 40 5x114.3 N.A. 490-895-6540DS 40 5x114.3 N.A. 490-810-653BDS 40 5x114.3 21.53 490-810-6515DS 10 38 5x114.3 22.24 490-810-653BDS 10.5 25 5x114.3 N.A. 490-80-4445DS 45 5x112 N.A. 490-980-654DS 45 5x114.3 22.33 490-985-6532DS 490-985-6532DS 8.5 32 5x114.3 N.A. 490-990-6527DS 490-990-6540DS 40 5x114.3 23.03 490-995-6535DS 490-995-6535DS 40 5x114.3 23.08 490-995-6545DS 40 5x114.3 N.A. 490-990-6540DS 490-995-6545DS 45 5x114.3 N.A. 490-991-651BDS 45	490-885-6545DS	10	8.5	45	5x114.3	75	21.64	
490-895-8040DS 40 5x100 N.A. 490-895-6515DS 490-895-6525DS 15 5x114.3 N.A. 490-895-6525DS 490-895-6540DS 40 5x114.3 21.53 490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 25 5x114.3 N.A. 490-8105-6525DS 10.5 25 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-985-654DS 490-985-6532DS 38 5x112 N.A. 490-996-6527DS 490-990-6527DS 49 42 5x114.3 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 23.08 490-910-6518DS 45 5x114.3 N.A. 23.50 490-910-6518DS 45 5x114.3 N.A.	490-890-6530DS	10		30	5x114.3	75	N.A.	
490-890-8040DS 40 5x100 N.A. 490-895-6515DS 15 5x114.3 N.A. 490-895-652DS 40 5x114.3 N.A. 490-895-6540DS 40 5x114.3 21.53 490-8105-6515DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 25 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-980-6545DS 8 45 5x112 N.A. 490-985-6532DS 490-985-6532DS 38 5x112 N.A. 490-990-6527DS 490-990-6527DS 49 27 5x114.3 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 23.08 490-910-6518DS 45 5x114.3 N.A. 23.50 490-910-6518DS 45 5x114.3 N.A.	490-890-6540DS		9	40	5x114.3		20.92	
490-895-6525DS 9.5 25 5x114.3 N.A. 490-895-6540DS 40 5x114.3 21.53 490-810-653BDS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-98-6443BDS 490-985-6532DS 45 5x114.3 22.33 490-985-6532DS 490-996-6527DS 49 42 5x114.3 N.A. 490-990-6527DS 490-995-6535DS 40 5x114.3 23.03 490-995-6535DS 490-995-6545DS 40 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 23.50 490-910-6518DS 10 18 5x114.3 N.A. N.A.				40			N.A.	
490-895-6525DS 9.5 25 5x114.3 N.A. 490-895-6540DS 40 5x114.3 21.53 490-810-653BDS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-98-6443BDS 490-985-6532DS 45 5x114.3 22.33 490-985-6532DS 490-996-6527DS 49 42 5x114.3 N.A. 490-990-6527DS 490-995-6535DS 40 5x114.3 23.03 490-995-6535DS 490-995-6545DS 40 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 23.50 490-910-6518DS 10 18 5x114.3 N.A. N.A.	490-895-6515DS			15	5x114.3		N.A.	
490-895-6540DS 40 5x114.3 21.53 490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-980-6445DS 490-980-6545DS 8 45 5x112 N.A. 490-985-643DS 490-985-643DS 38 5x112 N.A. 490-985-6532DS 490-996-652DS 8.5 32 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 490-990-6540DS 42 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 490-995-6545DS N.A. 23.08 490-910-6518DS 45 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.			9.5					
490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 25 5x114.3 23.52 490-980-4445DS 8 45 5x112 N.A. 490-985-645DS 490-985-643DS 38 5x112 N.A. 490-985-6532DS 490-996-654DS 8.5 32 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 490-990-6540DS 40 5x114.3 75 N.A. 490-995-6535DS 490-995-6545DS 40 5x114.3 N.A. 23.08 490-9910-6518DS 45 5x114.3 N.A. N.A.				40	5x114.3			
490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 25 5x114.3 23.52 490-980-4445DS 8 45 5x112 N.A. 490-985-654DS 45 5x112 N.A. 490-985-6532DS 38 5x112 N.A. 490-985-6542DS 490-990-6527DS 490-990-6527DS 490-990-6540DS 490-995-6535DS 490-995-6535DS 400 5x114.3 75 490-995-6545DS 490-9910-6518DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.			10	38				
490-8105-6525DS 10.5 25 5x114.3 23.52 490-980-4445DS 8 45 5x112 N.A. 490-985-6545DS 490-985-6532DS 38 5x112 N.A. 490-985-6532DS 490-985-6542DS 42 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 490-990-6540DS 75 N.A. 490-995-6535DS 490-995-6535DS 400 5x114.3 N.A. 490-995-6545DS 490-9910-6518DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.			40.5	15			N.A.	
490-980-4445DS 8 45 5x112 N.A. 490-980-6545DS 490-985-4438DS 38 5x112 N.A. 490-985-6532DS 490-985-6542DS 42 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 49 27 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 23.08 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.		1	10.5					
490-980-6545DS 490-985-4438DS 490-985-6532DS 38 5x112 490-985-6542DS 490-985-6542DS 490-990-6527DS 490-990-6527DS 490-990-6540DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-9910-6518DS 45 5x114.3 N.A. 23.03 75 N.A. 23.08 490-995-6535DS 490-995-6545DS 490-910-6518DS 10 18 5x114.3 N.A. N.A. N.A. N.A.			_					
490-985-4438DS 38 5x112 N.A. 490-985-6532DS 490-985-6542DS 42 5x114.3 23.03 490-990-6527DS 49 27 5x114.3 23.03 490-990-6540DS 490-995-6535DS 40 5x114.3 23.08 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.		1	8					
490-985-6532DS 8.5 32 5x114.3 N.A. 490-985-6542DS 42 5x114.3 23.03 490-990-6527DS 19 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A. 10 18 5x114.3 N.A.								
490-985-6542DS 490-990-6527DS 19 27 5x114.3 75 N.A. 490-990-6540DS 490-995-6535DS 40 5x114.3 23.03 490-995-6535DS 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 45 5x114.3 23.50 10 18 5x114.3 N.A.			8.5		5x114.3			
490-990-6527DS 19 9 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.		1						
490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.		19				75		_
490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.		1	9					
490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.		1						
490-910-6518DS 10 18 5x114.3 N.A.		1	9.5			3		
		1						
490-910-6540DS 10		1	10					

Cap # A489-CAPBK, Valve Stem # A460-VLV-BK









RC-T5

18 - Racing Series

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
514-890-6540DS	18	9	40	5x114.3	75	20.2	DARK
514-895-6538DS	18	9.5	38	5x114.3	75	20.7	SILVER

Cap not included









SBK



Pearl White

Matte Black

PF01 EV0

17 | 18 - Racing Series

From time attack to drifting, the PF01EVO wheel is designed to maximize the performance of 17 and 18-inch tires, which are popular among these circuit racers fans. When mounted on a vehicle with over fenders, the minimum inset starts from 0 mm, widening the settable tread width range.


The PF01EVO wheel adopts ENKEI's proprietary MAT process technology to ensure both the high rigidity and lightness required for an uncompromising sport wheel.

P	ART NO	Э.				INICET	BOLT	BORE	WEIGHT		FINISH.		
Stock Code	Black	Pearl White	SBK	٥	IZE	INSET	PATTERN	DIAMETER	(lbs.)	FACE	FINISH		
489-790-6500	BK	WP	SBK			0	5X114.3	75	19.00	R			
489-790-6512	BK	WP	SBK		9	12	5X114.3	75	19.00	R			
489-790-6522	BK	WP	SBK	17		22	5X114.3	75	19.00	R			
489-795-6500	BK	WP	SBK		7	0	5X114.3	75	19.05	R			
489-795-6512	BK	WP	SBK		9.5	12	5X114.3	75	19.05	R			
489-795-6522	BK	WP	SBK		9.5	22	5X114.3	75	19.05	R			
489-795-6535	BK	WP	SBK			35	5X114.3	75	19.05	R			
489-890-6525	BK	WP	SBK			25	5X114.3	75	18.50	F			
489-890-6535	BK	WP	SBK				9	35	5X114.3	75	18.50	F	MATTE
489-890-6545	BK	WP	SBK					45	5X114.3	75	18.50	F	BLACK,
489-895-1215	BK	WP	SBK			15	5X120	72.5	19.10	R	PEARL		
489-895-1220	BK	WP	SBK					20	5X120	72.5	19.85	R	WHITE,
489-895-4445	BK	WP	SBK			45	5X112	75	19.85	R	OR SBK		
489-895-6500	BK	WP	SBK	18	9.5	0	5X114.3	75	19.85	R			
489-895-6512	BK	WP	SBK	10	9.5	12	5X114.3	75	19.10	R			
489-895-6522	BK	WP	SBK			22	5X114.3	75	19.85	R			
489-895-6535	BK	WP	SBK			35	5X114.3	75	19.85	F			
489-895-6545	BK	WP	SBK			45	5X114.3	75	19.85	F			
489-8105-1222	BK	WP	SBK		10.5	22	5X120	72.5	20.65	R			
489-8105-6515	BK	WP	SBK			15	5X114.3	75	20.65	R			
489-8105-6522	BK	WP	SBK			22	5x114.3	75	20.65	R			

Cap # A489-CAPBK for Black and SBK Wheels Cap # A489-CAPSP for Pearl White Wheels











Matte Black (Limited Sizes)

WIDE APPLICATION

Responding to popular demand, the PF01 offers a wide variety of applications ranging from 15x7 through 18x10.5. This wheel also has a large brake caliper clearance to meet car enthusiasts' needs.

ROULETTE PATTERN

Our unique roulette pattern is grooved on the rim to reduce the slippage ratio between tire and rim. The roulette-pattern maintains the best condition of the wheel and tire assembly, thus achieving the highest performance during extreme acceleration and deceleration. The roulette pattern is also used for McLaren Honda Formula One racing wheels.







PART NO.	٥	IZE	INSET	PATTERN	DIAMETER	(lbs.)	FINISH
460-570-4935SP		7	35	4x100		12.35	
460-570-4941SP	15	′	41	4x100	75	12.25	
460-580-4935SP		8	35	4x100		13.15	
460-670-4943SP	16	7	43	4x100	75	14.00	
460-770-4938SP			38	4x100		15.50	
460-770-4945SP		7	45	4x100		N.A.	
460-770-6548SP			48	5x114.3		15.90	
460-775-6538SP			38	5x114.3		17.15	
460-775-6545SP		7.5	45	5x114.3		16.75	
460-775-8038SP		7.5	38	5x100		17.15	
460-775-8045SP			45	5x100		16.75	
460-780-4435SP	17		35	5x112	75	18.20	
460-780-4450SP			50	5x112		16.95	
460-780-6545SP		8	45	5x114.3		N.A.	
460-780-6550SP		0	50	5x114.3		16.95	
460-780-8035SP			35	5x100		18.20	
460-780-8050SP			45	5x100		N.A.	
460-785-1240SP		8.5	40	5x120		18.35	
460-785-6540SP		0.5	40	5x114.3		18.35	
460-875-6538SP			38	5x114.3		17.50	
460-875-6545SP		7.5	45	5x114.3		17.65	
460-875-8038SP		7.5	38	5x100		17.50	SILVER
460-875-8045SP			45	5x100		17.65	
460-880-1235SP			35	5x120		19.20	
460-880-1242SP			42	5x120		N.A.	
460-880-4435SP			35	5x112		19.20	
460-880-4445SP		8	45	5x112		18.56	
460-880-5140SP		0	40	5X110		N.A.	
460-880-6640SP			40	5x114.3		N.A.	
460-880-6645SP			45	5x114.3		18.56	
460-880-6650SP			50	5x114.3		17.95	
460-885-6630SP	18		30	5x114.3	75	19.65	
460-885-6635SP		8.5	35	5x114.3		N.A.	
460-885-6648SP		0.5	48	5x114.3		18.30	
460-885-8048SP			48	5x100		N.A.	
460-890-4435SP			35	5x112		20.10	
460-890-6635SP		9	35	5x114.3		20.10	
460-890-6645SP			45	5x114.3		19.20	
460-895-6615SP			15	5x114.3		N.A.	
460-895-6635SP		9.5	35	5x114.3		20.65	
460-895-6645SP		9.5	45	5x114.3		20.35	
460-895-8045SP			45	5x100		N.A.	
460-8105-6615SP		10.5	15	5x114.3		23.15	
460-8105-6638SP		10.5	38	5x114.3		22.05	

Cap # A423-0000SP, Valve Stem# A460-VLV-SP for Silver finish wheel Matte Black finish is for selected sizes and special order only For 17x8 and 17x9 Matte Black finish, see Please see PF01 SS Cap # A461-CAPCP, Valve Stem# A460-VLV-BK for Matte Black finish wheel



F1 Silver

NT03+M

18 - Racing Series

Designed with a perimeter brace ring that enhances the wheel strength so it's able to resist deformation or distortion from outer forces, resulting in highly accurate steering response and strength. The NT03+M also features a racing twin valve design which allows for accurate monitoring while adjusting the pressure.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
3658756537SP		7.5	37	5x114.3		18.5	
3658808035SP		8	35	5x100	72.6	19.4	
3658856538SP		8.5	38	5x114.3		19.6	
365885PO50SP		5.	50	5x130	71.6	19.2	
3658956527SP	18	9.5	27	5x114.3	72.6	19.9	F1 SILVER
3658956540SP		5.	40	5x114.3	72.0	19.4	
3658101225SP		10	25	5x120	72.6	20.5	
365810PO60SP		ī	60	5x130	71.6	21.0	
36581056530SP		10.5	30	5x114.3	72.6	21.0	

Cap # A365-0000SP Cap Screw # ASCREW04-070-12SA Valve Stem # V365-0000CE







Matte Black





White with Machined Lip



PF01SS

17 - Racing Series

We've taken our successful PF01 racing wheel one step further with a lip and two new color configurations to add a bit of flare to its super sport design. Available in matte black, silver, black machined, and white machined finishes.

PART NO.	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
460-780-6550SP				5x114.3		17.24	SILVER
460-780-6550BK		8	50	5x114.3		17.24	MATTE BLACK
460-780-6550WM				5x114.3		17.24	WHITE with MACHINED LIP
460-790-6535SP			35	5x114.3		19.18	SILVER
460-790-6535BK			33	5x114.3		19.18	MATTE BLACK
460-790-6548SP	17		48	5x114.3	75	18.85	SILVER
460-790-6548BK		9	40	5x114.3		18.85	MATTE BLACK
460-790-6560SP				5x114.3		17.41	SILVER
460-790-6560BK			60	5x114.3		17.41	MATTE BLACK
460-790-6560WM				5x114.3		17.41	WHITE with MACHINED LIP

Cap # A423-0000SP, Valve Stem # A460-VLV-SP for Silver finish wheel
Cap # A461-CAPCP, Valve Stem # A460-VLV-BK for Black finish and White finish wheels







TUNING SERIES

Introducing Enkei's Tuning Series. Contemporary wisdom says that you've got to give one good thing up if you want another. Not so with the Enkei Tuning Series! Enkei is proud to offer light weight and strong wheels that won't leave your pocketbook empty. Utilizing Enkei's world class manufacturing abilities, Enkei has lowered the cost of the MAT spin forging production process even further, allowing us to produce a new line of wheels built using the same methods as the Racing series, but at a lower price point.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, the MAT process, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.



Storm Gray



Gloss Black

Gloss Bronze (Selected Sizes)



TS-V

17 | 18 - Tuning Series

Building on the success of the Enkei M52 and YS5 as inspiration for a light-weight new tuning wheel led us to create the all-new TSV. The TSV features 10 paired spokes that are spaced perfectly to even distribute the loads and stresses placed on wheels at the track. Doing this allows us to reduce the weight on the wheel without sacraficing rigidity. The result is a classic and clean wheel design that works beautifully with late model sports sedans and coupes. The TSV comes in 17" and 18" sizing and widths up to 9.5", and is available in Storm Gray, Gloss Black, and limited Gloss Bronze.

P.A	ART NO).					BOLT	BORE	FINIOLI
Stock Code	Gray	Black	Bronze	SI.	ZE	INSET	PATTERN	DIAMETER	FINISH
522-780-6535	GR	BK				35	5x114.3		
522-780-6545	GR	BK			8	45	5x114.3		
522-780-8045	GR	BK		17		45	5x100		
522-790-6540	GR	BK			9	40	5x114.3		
522-790-8045	GR	BK			9	45	5x100		
522-880-4445	GR	BK				45	5x112		
522-880-6535	GR	BK			۰	35	5x114.3		STORM
522-880-6545	GR	BK			8	45	5x114.3	72.6	GRAY OR GLOSS BLACK OR GLOSS BRONZE
522-880-8045	GR	BK				45	5x100		
522-885-1238	GR	BK				38	5x120		
522-885-3140	GR	ВК				40	5x108		
522-885-6525	GR	BK		18	8.5	25	5x114.3		(selected sizes)
522-885-6538	GR	BK	ZP		0.5	38	5x114.3		,
522-885-6545	GR	BK	ZP			45	5x114.3		
522-885-8045	GR	BK				45	5x100		
522-895-1240	GR	BK				40	5x120		
522-895-6515	GR	BK			9.5	15	5x114.3		
522-895-6538	GR	BK	ZP		9.5	38	5x114.3		
522-895-8045	GR	BK				45	5x100		

Cap# A476-CAPBK

Cap# for 5x120 BMW size, Cap# A476-CAPBK BMW



Gloss Black



Storm Gray

The all-new lightweight Enkei TS-5 is sure to be an instant classic in the tuning world. The TS-5 is the wheel that will have everyone admiring it at a loss for words because it just does everything right. It is remarkably simple and clean, relying on the tried and true 5-spokes and a lip formula, but the TS-5 gets the aesthetics just right. It is the golden ratio in wheel form. It screams motorsports and whispers class at the same time. It is just as much at home on track as it is on the street. With 17" and 18" sizing and widths up to 9.5", the TS-5 will suit a remarkable variety of sport

sedans and coupes.

PA	.RT NO).			IZE	INSET	BOLT	BORE	FINISH
Stock Code	Gray	Black	Bronze	٥	IZE	INSET	PATTERN	DIAMETER	LIMOU
521-780-6540	GR	BK	ZP		8	40	5x114.3		
521-780-8045	GR	BK	ZP	17	_	45	5x100		STORM GRAY OR GLOSS BLACK
521-790-6540	GR	BK	ZP	17	9	40	5x114.3	72.6	
521-790-8045	GR	BK	ZP		9	45	5x100		
521-880-4445	GR	BK	-		8	45	5x112		
521-880-6540	GR	BK	ZP			40	5x114.3		
521-880-8045	GR	BK	ZP			45	5x100		
521-885-3140	GR	BK		18		40	5x108		OR MATTE
521-885-6538	GR	BK	ZP	10	8.5	38	5x114.3		BRONZE
521-885-8045	GR	BK	ZP			45	5x100		
521-895-6538	GR	BK	ZP		0.5	38	5x114.3		
521-895-8045	GR	BK	ZP		9.5	45	5x100		

Cap# A476-CAPBK

Sticker # A521-STICKBK for Gray and Bronze wheel Sticker # A521-STICKGM for Black wheel





Storm Gray







Gold (Select Sizes)

The Enkei TS-10 takes the simplest approach to achieving Enkei's philosophy in creating a lightweight and strong wheel. Its 10 cleanly cut spokes reach the very edge of the wheel, creating the illusion that the wheel is bigger than its true size. The TS-10 is available in concave and flat face profiles dependent on size and width. The TS-10 is finished off with Enkei's signature flat center cap and is available in new storm gray, gloss black, or limited gold paint.

PA	RT NO						BOLT	BORE	
Stock Code	Storm Gray	Gloss Black	Gold	5	SIZE	INSET	PATTERN	DIAMETER	FINISH
499-780-4940	GR	BK				40	4x100		
499-780-6535	GR	BK			8	35	5x114.3		
499-780-6545	GR	BK			0	45	5x114.3		
499-780-8045	GR	BK	GG	17		45	5x100		
499-790-6535	GR	BK				35	5x114.3		
499-790-6545	GR	BK			9	45	5x114.3		STORM
499-790-8045	GR	BK				45	5x100		GRAY OR
499-880-4445	GR	BK				45	5x112		GLOSS
499-880-6540	GR	BK			8	40	5x114.3	72.6	BLACK
499-880-6550	GR	BK			0	50	5x114.3	72.0	
499-880-8045	GR	BK	GG			45	5x100		
499-885-6525	GR	BK				25	5x114.3		GOLD IN
499-885-6535	GR	BK		18	8.5	35	5x114.3		SELECTED
499-885-6550	GR	BK	GG		0.5	50	5x114.3		SIZES
499-885-8045	GR	BK				45	5x100		
499-895-6515	GR	BK				15	5x114.3		
499-895-6535	GR	BK			9.5	35	5x114.3		
499-895-8045	GR	BK				45	5x100		
499-8105-6525	GR	BK			10.5	25	5x114.3		

Cap# A476-CAPCP
All Black Cap# A476-CAPBK (optional)






Storm Gray



Copper



the wheel you can autocross with on the weekends and drive to work with during the week. It is truly versatile. The TFR is available in 17", 18", and 19" sizing in all new Copper, Storm Gray, and limited Gunmetal finishes. The

wheel is finished off with Enkei's signature flat center cap.

Cap# A476-CAPBK





Matte Black (Shown with optional flat cap)

The RAIJIN is a light weight street wheel designed for the everyday driver but with added MAT technology performance benefits. Named after the Japanese god of thunder, the RAIJIN is bound to help you bolt through traffic not only with style but with better overall performance. Having a light weight wheel helps brake more efficiently, helps accelerate quicker and can even help with fuel economy. You'd be surprised how much difference a few pounds makes.

18" come with Cap # A468-CAPCP; 19" come with Flat Cap # A476-CAPCP Cap # for 18" 5x120: A467-CAPCPBMW; for 19" 5x120: # A476-CAPCPBMW Optional flat cap can be used on all Raijins.

Titanium Gray finish is available for selected 18" sizes
All Black Cap# A476-CAPBK (optional)

ВК

ВK

BK

467-995-4435

467-995-6515

467-995-6535

HS

HS

Most Advanced Technology



5x112

5x1143

5x114.3

15



TIMS 17 | 18 - Tuning Series

PAR ⁻	ΓNO.					BOLT	BORE	
Stock Code	Storm Gray	Glossy Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
515-780-8045	GR	BK			45	5x100		
515-780-6545	GR	BK	8	45	5x114.3			
515-780-6535	GR	BK	17	9	35	5x114.3		
515-790-8045	GR	BK			45	5x100		
515-790-6540	GR	BK			40	5x114.3		
515-880-8045	GR	BK			45	5x100		STORM GRAY OR GLOSS BLACK
515-880-4445	GR	BK		8	45	5x112	72.6	
515-880-6545	GR	BK		O	45	5x114.3		
515-880-6535	GR	BK			35	5x114.3		
515-885-8045	GR	BK			45	5x100		
515-885-4445	GR	BK	18		45	5x112		
515-885-6545	GR	BK	10	8.5	45	5x114.3		
515-885-6538	GR	BK			38	5x114.3		
515-885-6525	GR	BK	9.5	25	5x114.3			
515-895-8045	GR	BK		45	5x100			
515-895-6538	GR	BK		38	5x114.3			
515-895-6515	GR	BK			15	5x114.3		

Cap# A476-CAPBK





Matte Silver



Matte Black

Platinum Gray

TS9

17 | 18 - Tuning Series

Р	ART N	O.					DOL T	DODE	
Stock Code	Matte	Platinum	Matte	SI	ΙΖΕ	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Gray	Silver				TATTETIN	DIAMETER	
492-780-4445	BK	GR	-			45	5x112		
492-780-6535	BK	GR	-		8	35	5x114.3		
492-780-6545	BK	GR	-		0	45	5x114.3		
492-780-8045	BK	GR	SP	17		45	5x100		
492-790-6535	BK	GR	SP		9	35	5x114.3		
492-790-6545	BK	GR	SP			45	5x114.3		
492-790-8045	BK	GR	SP			45	5x100		
492-880-3145	BK	GR	-			45	5x108		
492-880-4445	BK	GR	-		8	45	5x112		MATTE BLACK OR PLATINUM GRAY OR MATTE
492-880-6535	BK	GR	SP			35	5x114.3	72.6	
492-880-6545	BK	GR	SP			45	5x114.3		
492-880-6550	BK	GR	SP			50	5x114.3		
492-880-8045	BK	GR	SP			45	5x100		
492-885-4442	BK	GR	-			42	5x112		SILVER
492-885-6525	BK	GR	SP	18		25	5x114.3		
492-885-6535	BK	GR	SP	10	8.5	35	5x114.3		
492-885-6550	BK	GR	-		0.5	50	5x114.3		
492-885-8040	BK	GR	SP			40	5x100		
492-885-8045	BK	GR	SP			45	5x100		
492-895-6515	BK	GR				15	5x114.3		
492-895-6530	BK	GR	SP		0.5	30	5x114.3		
492-895-8040	BK	GR	SP		9.5	40	5x100	100	
492-895-8045	BK	GR	SP			45	5x100		

Cap# A476-CAPCP





Hyper Silver



Gloss Black

The Enkei TY-5 is an exciting entry in Enkei's lightweight Tuning series. Utilizing a sleek combination of a split 5-spoke style with the center styling cues of a mesh wheel, the TY-5 is a great choice for a wide variety of wheels ranging from small sports coupes to full-size luxury cars. It is available in several exciting colors including hyper black, gloss black, and an all-new limited pearl black. The TY-5 is available in concave and flat face profiles dependent on size and width, and includes Enkei's signature flat center cap.

P	PART NO.						BOLT	BORE	
Stock Code	Hyper	Gloss	Pearl	S	IZE	INSET	PATTERN	DIAMETER	FINISH
Stock Code	Silver	Black	Black				.,	50000000	
498-880-3140	HS	BK	MBM			40	5x108		
498-880-4445	HS	BK	MBM			45	5x112		
498-880-6540	HS	BK	MBM		8	40	5x114.3		
498-880-6550	HS	BK	MBM			50	5x114.3		
498-880-8045	HS	BK	MBM			45	5x100		
498-885-1238	HS	BK	MBM			38	5x120		HYPER SILVER
498-885-4442	HS	BK	MBM		9.5	42	5x112		OR GLOSS
498-885-6525	HS	BK	MBM	18		25	5x114.3		BLACK OR PEARL BLACK
498-885-6535	HS	BK	MBM			35	5x114.3		
498-885-6550	HS	BK	MBM			50	5x114.3	72.6	
498-885-8045	HS	BK	MBM			45	5x100		
498-895-1235	HS	BK	MBM			35	5x120		PEARL BLACK IS MACHINED
498-895-6515	HS	BK	MBM			15	5x114.3		
498-895-6535	HS	BK	MBM		9.5	35	5x114.3		SPOKE WITH
498-895-8045	HS	BK	MBM			45	5x100		BLACK CLEAR COAT
498-980-4445	HS	BK	MBM		8	45	5x112		OOAT
498-980-6540	HS	BK	MBM		0	40	5x114.3		
498-985-1238	HS	BK	MBM			38	5x120		
498-985-4442		BK	MBM	10	8.5	42	5x112		
498-985-6535	HS	BK	MBM	19		35	5x114.3		
498-995-1235	HS	BK	MBM			35	5x120		
498-995-6515	HS	BK	MBM		9.5	15	5x114.3	3	
498-995-6535	HS	BK	MBM			35	5x114.3		

Cap# A476-CAPCP Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





Matte Black

TX5

17 | 18 - Tuning Series

PAR	T NO.					BOLT	BORE	
Stock Code	Matte Black	Platinum Gray	S	IZE	INSET	PATTERN	DIAMETER	FINISH
491-780-1235	BK	GR			35	5x120		
491-780-4445	BK	GR			45	5x112		
491-780-6535	BK	GR		8	35	5x114.3		
491-780-6545	BK	GR	17		45	5x114.3		
491-780-8045	BK	GR	17		45	5x100		
491-790-6535	BK	GR			35	5x114.3		
491-790-6545	BK	GR		9	45	5x114.3		
491-790-8045	BK	GR			45	5x100		
491-880-1232	BK	GR			32	5x120		
491-880-3145	BK	GR			45	5x108		
491-880-4445	BK	GR			45	5x112		MATTE BLACK OR PLATINUM GRAY
491-880-6535	BK	GR		8	35	5x114.3	72.6	
491-880-6545	BK	GR			45	5x114.3		
491-880-6550	BK	GR			50	5x114.3		
491-880-8045	BK	GR			45	5x100		
491-885-1235	BK	GR			35	5x120		
491-885-4442	BK	GR	18		42	5x112		
491-885-6525	BK	GR		8.5	25	5x114.3		
491-885-6535	BK	GR		0.5	35	5x114.3		
491-885-6550	BK	GR			50	5x114.3		
491-885-8045	BK	GR	9.5		45	5x100		
491-895-1235	BK	GR		35	5x120			
491-895-6515	BK	GR		15	5x114.3			
491-895-6530	BK	GR		30	5x114.3			
491-895-8045	BK	GR			45	5x100		

Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





Matte Silver



Matte Black

Gold (Select Sizes)

17 | 18 - Tuning Series

P.F	ART NO).					BOLT	BORE							
Stock Code	Silver	Black	Gold	SI	IZE	INSET	PATTERN	DIAMETER	FINISH						
485-780-4445	SP	BK				45	5x112								
485-780-6535	SP	BK				35	5x114.3								
485-780-6540	SP	BK			8	40	5x114.3								
485-780-6545	SP	BK		17		45	5x114.3								
485-780-8045	SP	BK	GG	17		45	5x100								
485-790-6535	SP	BK				35	5x114.3								
485-790-6545	SP	BK			9	45	5x114.3								
485-790-8045	SP	BK				45	5x100								
485-880-1232	SP	BK				32	5x120								
485-880-1242	SP	BK				42	5x120								
485-880-4435	SP	BK			8	35	5x112		MATTE BLACK						
485-880-4445	SP	BK				45	5x112								
485-880-6535	SP	BK				35	5x114.3	72.6	OR						
485-880-6545	SP	BK					45	5x114.3	72.0	MATTE					
485-880-8045	SP	BK	GG			45	5x100		SILVER						
485-885-1235	SP	BK				35	5x120		SILVLIX						
485-885-4442	SP	BK		18		42	5x112								
485-885-6525	SP	BK		10	8.5	25	5x114.3								
485-885-6535	SP	BK			0.5	35	5x114.3								
485-885-6550	SP	BK				50	5x114.3								
485-885-8045	SP	BK				45	5x100								
485-895-1235	SP	BK				35	5x120								
485-895-4435	SP	BK				35 5x112									
485-895-6515	SP	BK						9.5	9.5	9.5	9.5	9.5	15	5x114.3	
485-895-6530	SP	BK				30	5x114.3								
485-895-8045	SP	BK	GG			45	5x100								

Gold Available in Select Sizes Only

All Black Cap# A476-CAPBK (optional)

Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW





Hyper Silver



Gunmetal

The Enkei TSP6 represents the culmination of Enkei's research and design efforts. Using some of Enkei's own split 6-spoke designs as inspiration, we've modernized the concept with aggressively styled spokes and added concave profiles in select sizes. The TSP6 is also built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The TSP6 comes standard with Enkei's signature flat center cap, which is the perfect finishing touch.

	DT 110							
PAI	RT NO.		0.1		INIOET	BOLT	BORE	EINIOLI
Stock Code	Hyper Silver	Gunmetal	51	ZE	INSET	PATTERN	DIAMETER	FINISH
486-780-4445	-	GM			45	5x112		
486-780-6535	HS	GM	ĺ		35	5x114.3		
486-780-6540	HS	GM		8	40	5x114.3		
486-780-6545	HS	GM	17		45	5x114.3		
486-780-8045	HS	GM			45	5x100		
486-790-6535	HS	GM			35	5x114.3		
486-790-6545	HS	GM		9	45	5x114.3		
486-790-8045	HS				45	5x100		
486-880-1232	HS	GM		8	32	5x120		HYPER SILVER OR GUNMETAL
486-880-1242	HS	GM			42	5x120		
486-880-4435		GM			35	5x112	72.6	
486-880-4445	HS	GM			45	5x112		
486-880-6535	HS	GM			35	5x114.3		
486-880-6545	HS	GM			45	5x114.3		
486-880-8045	HS	GM			45	5x100		
486-885-1235	HS	GM			35	5x120		
486-885-4442		GM	18		42	5x112		
486-885-6525	HS	GM	10	8.5	25	5x114.3		
486-885-6535	HS	GM		0.5	35	5x114.3		
486-885-6550	HS	GM			50	5x114.3		
486-885-8045	HS	GM			45	5x100		
486-895-1235	HS	GM			35	5x120		
486-895-4435	HS	GM			35	5x112		
486-895-6515	HS	GM		9.5	15	5x114.3	3	
486-895-6530	HS	GM		3.5	30	5x114.3		
486-890-8045	HS	GM			45	5x100		

Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW
All Black Cap# A476-CAPBK (optional)





Matte Silver



Matte Black

KOJIN

17 | 18 - Tuning Series

The KOJIN takes the traditional 5-spoke design and adds just the right contours to give it an aggressive tuner look without being too loud about it. The KOJIN is built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The Enkei KOJIN is where art and science meet to create the next big step forward in wheels.

PART	NO.					BOLT	BORE		
Stock Code	Matte Silver	Matte Black	S	IZE	INSET	PATTERN	DIAMETER	FINISH	
476-780-1235	SP	BK			35	5x120			
476-780-4445	SP	BK			45	5x112			
476-780-6535	SP	BK			35	5x114.3			
476-780-6540	SP	BK		8	40	5x114.3			
476-780-6545	SP	BK	17		45	5x114.3			
476-780-8040	SP	BK	١,		40	5x100			
476-780-8045	SP	BK			45	5x100			
476-790-6535	SP	BK			35	5x114.3			
476-790-6545	SP	BK		9	45	5x114.3			
476-790-8045	SP	BK			45	5x100			
476-880-1232	SP	BK			32	5x120			
476-880-1242	SP	BK			42	5x120			
476-880-4435	SP	BK			35	5x112			
476-880-4445	SP	BK		8	45	5x112		MATTE	
476-880-6540	SP	BK			40	5x114.3	72.6	SILVER OR	
476-880-6545	SP	BK				45	5x114.3	72.0	MATTE
476-880-8040	SP	BK			40	5x100		BLACK	
476-880-8045	SP	BK			45	5x100			
476-885-1235	SP	BK			35	5x120			
476-885-4442	SP	BK	18		42	5x112			
476-885-6525	SP	BK	10	8.5	25	5x114.3			
476-885-6535	SP	BK		0.0	35	5x114.3			
476-885-6550	SP	BK			50	5x114.3			
476-885-8045	SP	BK			45	5x100			
476-895-1235	SP	BK			35	5x120			
476-895-1245	SP	BK	9.5	45	5x120				
476-895-4435	SP	BK		35	5x112				
476-895-6515	SP	BK		15	5x114.3				
476-895-6530	SP	BK		30	5x114.3				
476-895-8045	SP	BK			45	5x100			

Cap# A476-CAPCP Cap# for 5x120 A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





17 | 18 - Tuning Series

PAR ⁻	ΓNO.					BOLT	BORE	
Stock Code	Storm	Pearl	S	IZE	INSET	PATTERN	DIAMETER	FINISH
	Gray	Black						
508-780-6535	GR	MBM			35	5x114.3		
508-780-6545	GR	MBM		8	45	5x114.3		
508-780-8045	GR	MBM	17		45	5x100		
508-790-6535	GR	MBM	17		35	5x114.3		
508-790-6545	GR	MBM		9	45	5x114.3		STORM
508-790-8045	GR	MBM			45	5x100		GRAY OR
508-880-4445	GR	MBM			45	5x112		PEARL
508-880-6535	GR	MBM		8	35	5x114.3		BLACK
508-880-6545	GR	MBM		0	45	5x114.3	72.6	(MACHINED
508-880-8045	GR	MBM			45	5x100		SPOKE WITH
508-885-6525	GR	MBM			25	5x114.3		BLACK
508-885-6538	GR	MBM	18	8.5	38	5x114.3		CLEAR
508-885-6545	GR	MBM		0.5	45	5x114.3		COAT)
508-885-8045	GR	MBM			45	5x100		
508-895-6515	GR	MBM	1		15	5x114.3		
508-895-6538	GR	MBM	1	9.5	38	5x114.3		
508-895-8045	GR	MBM			45	5x100		

Cap# A476-CAPCP All Black Cap# A476-CAPBK (optional)





17 | 18 - Tuning Series

PART	NO.					DOLT	BODE	
Stock Code	Storm Gray	Gloss Black	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
507-780-6535	GR	BK			35	5x114.3		
507-780-6545	GR	BK		8	45	5x114.3		
507-780-8045	GR	BK	17		45	5x100		
507-790-6535	GR	BK	17		35	5x114.3		
507-790-6545	GR	BK		9	45	5x114.3		
507-790-8045	GR	BK			45	5x100		STORM
507-880-4445	GR	BK			45	5x112		
507-880-6535	GR	BK		8	35	5x114.3		GRAY OR
507-880-6545	GR	BK		0	45	5x114.3	72.6	GLOSS BLACK
507-880-8045	GR	BK			45	5x100		
507-885-6525	GR	BK			25	5x114.3		
507-885-6538	GR	BK	18	8.5	38	5x114.3		
507-885-6545	GR	BK		0.5	45	5x114.3		
507-885-8045	GR	BK			45	5x100		
507-895-6515	GR	BK			15	5x114.3		
507-895-6538	GR	BK		9.5	38	5x114.3		
507-895-8045	GR	BK			45	5x100		

Cap# A476-CAPCP All Black Cap# A476-CAPBK (optional)



CLASSIC SERIES

Introducing Enkei's Classic Series. Enkei Wheels is reviving four classic wheels associated with the heydays of import car tuning. The Enkei J-Speed, ENKEI 92, Apache II and COMPE are the latest creation from the Japanese wheel manufacturer and promises to bring a new level of excitement to the wheel market.





15 - CLASSIC SERIES





P	ART NC),		CI	IZE	INSET	BOLT	BORE	FINISH
Stock Code	Gold	Silver	Black	51	IZE	INSET	PATTERN	DIAMETER	FINISH
465-570-4838	GG	SP	BK		7	38	4X114.3		
465-570-4938	GG	SP	BK		′	38	4X100		GOLD OR SILVER OR
465-570-6538	-	1	BK	15		38	5x114.3	72.6	BLACK WITH
465-580-4825	GG	SP	BK		8	25	4X114.3		MACHINED LIP
465-580-4925	GG	SP	BK		0	25	4X100		

Cap# A465-CAPCP

SPEC-E





Matte Gunmetal

COMPE

15 | 16 - CLASSIC SERIES

PART NO. Stock Code	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
477-555-1517GM		5.5	17	4x130	87	
477-570-4800GM		0 4x114.3				
477-570-4825GM		7	25	4x114.3		
477-570-4938GM	15	<i>'</i>	38	4x100		
477-570-6538GM	13		38	5x114.3		
477-580-4800GM			0	4x114.3		MATTE GUNMETAL
477-580-4825GM		8	25	4x114.3	72.6	
477-580-4925GM			25	4x100		
477-670-4800GM			0	4x114.3		
477-670-4825GM			25	4x114.3		
477-670-4925GM		7	25	4x100		
477-670-4938GM			38	4x100		
477-670-6538GM	16		38	5x114.3		
477-680-4800GM			0	4x114.3		
477-680-4825GM		٥	25	4x114.3		
477-680-4938GM		8	38	4x100		
477-680-8025GM			25	5x100		

Cap# A477-CAPCP

SPEC-E

PERFORMANCE SERIES

Introducing Enkei's Performance Series. The Enkei performance series represents the absolute best combination of styling, performance, and value in the aftermarket wheel business today. Enkei's expert engineering and world-class manufacturing allow us to offer high quality wheels in a wide range of vehicle applications without breaking the bank.



Pearl Black

split 5-spoke design works perfectly with the wheel's pearl black finish. Enkei creates this signature finish by first painting the wheel black. After machining

the tops of the spokes, we apply a tinted clear coat to create a unique twotone black finish. The Icon is offered in 17" and 18" sizing with fitments for a wide variety of late model vehicles.

PART NO.	SI	ZE	INSET	PATTERN	DIAMETER	FINISH	
524-775-8045MBM			45	5x100			
524-775-6545MBM	17	7.5	45	5x114.3		PEARL BLACK	
524-775-6538MBM			38	5x114.3		IS MACHINED	
524-880-4445MBM			45	5x112	72.6	SPOKE WITH	
524-880-3140MBM	40		40	5x108		BLACK CLEAR	
524-880-1240MBM	18	8	40	5x120		COAT	
524-880-6540MBM			40	5x114.3			

Cap# A481-CAPCP Cap# A481-CAPCP-BMW for 5x120





Gloss Black

PHOENIX

17 | 18 - PERFORMANCE SERIES

The all-new Enkei Phoenix is the perfect choice for those looking to add an aggressively styled wheel to their daily driven car. The Phoenix features a distinctive pentagonal center with 5 sharply cut dual level spokes that create incredible depth while retaining excellent caliper clearance. The spokes split shortly off of the center at an aggressive angle and flare out all the way to the outer flange. The Phoenix is available in 17" and 18" sizing for most sedans, coupes, and small SUVs. The Phoenix is available in our striking new blue gunmetal finish or gloss black and is finished off with our signature flat center cap.

PAI	RT NO.					BOLT	BORE			
Stock Code	Blue Gunmetal	Gloss Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH		
523-775-6538	BGM	BK			38	5x114.3				
523-775-6545	BGM	BK	17	7.5	45	5x114.3				
523-775-8045	BGM	BK			45	5x100		BLUE GUNMETAL		
523-880-1235	BGM	BK		8	35	5x120				
523-880-3140	BGM	BK			40	5x108	72.6	OR GLOSS		
523-880-4445	BGM	BK	18		0	ς ρ	45	5x112		BLACK
523-880-6535	BGM	BK	10		35	35 5x114.3				
523-880-6545	BGM	BK			45	5x114.3				
523-880-8045	BGM	BK			45	5x100				

Cap# A481-CAPBK
Cap# for 5x120 A474-CAPBK-BMW





Anthracite

STORM

7 | 18 | 20 - PERFORMANCE SERIES

SUV/Crossover Fitment Available

The modern crossover is the do-it-all vehicle and Enkei has set out to craft a wheel that can keep up with the do-it-all lifestyle that crossover owners demand. Taking inspiration from the NT03+M Racing wheel, the all-new Storm features 8 broad swept spokes that are tied together with Enkei's signature brace ring to add strength and rigidity. The Storm is available in 17", 18", and 20" sizing in configurations that work well with modern crossover SUVs and large sedans.

PART NO.	SI	ZE	INSET	BOLT PATTER	BORE DIAMETE	FINISH	
525-775-6545AP	17	7.5	45	5x114.3			
525-775-8045AP	17	7.5	45	5x100			
525-880-1240AP			40	5x120			
525-880-3140AP			40	5x108			
525-880-4445AP	18	8	45	5x112	72.6	ANTHRACITE	
525-880-5140AP			40	5x110			
525-880-6540AP			40	5x114.3			
525-285-1240AP	20	8.5	40	5x120			
525-285-6540AP	20	0.5	40	5x114.3			

Cap# A525-CAPBK





Black Machined



Gloss Black

The Enkei Vulcan Performance wheel is the perfect choice for those wanting to add bold style to their sporty coupes, sedans, and crossovers. The Vulcan's unique split spoke design starts with pockets around the center that are not only a styling cue, but a design feature that also helps reduce the weight of the wheel. The Vulcan is available in 17", 18", and 19" sizing in black machined, gloss black, and limited anthracite finishes.

	PART NO	Э.					BOLT	BORE	
Stock Code	Black Machined	Gloss Black	Anthracite	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
517-775-6538	BKM	BK	AP			38	5x114.3		
517-775-6545	BKM	BK	AP	17	7.5	45	5x114.3		
517-775-8045	BKM	BK	AP			45	5x100		GLOSS BLACK
517-880-1240	BKM	BK				40	5x120		MACHINED OR
517-880-4445	BKM	BK	AP			45	5x112		GLOSS BLACK
517-880-6535	BKM	BK	AP	18	8	35	5x114.3	72.6	FULL PAINT
517-880-6545	BKM	BK	AP			45	5x114.3		OR GLOSS
517-880-8045	BKM	BK	AP			45	5x100		ANTHRACITE
517-980-4445	BKM	BK				45	5x112		(Selected sizes)
517-980-6535	BKM	BK		19	8	35	5x114.3		
517-980-6545	BKM	BK				45	5x114.3		

Cap# A481-CAPCP

SPEC-E



Black Machined



Anthracite

The Enkei Phantom is a boldly styled choice with sharp and clean lines for those that want to add flair to their sporty sedans, crossovers, and 5-lug SUVs. Taking styling cues from both traditional mesh wheels and split-spoke styles, the Phantom is sure to make your ride stand out from the crowd. The Phantom is available in 18", 19", and 20" sizing in black machined and anthracite finishes, and is finished off with Enkei's signature flat center cap.

P/	ART NO.					BOLT	BORE	
Stock Code	Black Machined	Anthracite full paint	SIZE		INSET		DIAMETER	FINISH
518-880-1240	BKM	AP			40	5x120		
518-880-3140	BKM	AP	18	8	40	5x108		
518-880-4445	BKM	AP	18	U	45	5x112		BLACK MACHINED
518-880-6540	BKM	AP			40	5x114.3		
518-980-4445	BKM	AP			45	5x112	72.6	OR
518-980-6535	BKM	AP	19	8	35	5x114.3		ANTHRACITE
518-980-6545	BKM	AP			45	5x114.3		FULL PAINT
518-285-1240	BKM	AP	20	8.5	40	5x120		
518-285-6540	BKM	AP	20	0.5	40	5x114.3		

Cap# A481-CAPCP Cap# for 5x120 A474-CAPCP-BMW Optional Domed Cap: #A466-CAPCP









Black Machined

driving. We've taken that philosophy to heart with the all new Enkei Draco. This modern and aggressive V-Spoke wheel is well suited to modern performance sedans and even some small SUVs & Crossovers. It is available 15" through 18" in an all-new anthracite or black machined finish

and comes with a cleanly styled center cap to complete the look.

509-565-6538 ΑP 15 6.5 38 5x114.3 BKM 509-670-6538 AP 5x114.3 16 509-670-6545 ΑP BKM 5x114.3 509-670-8042 ΑP BKM 5x100 509-775-6538 ΑP BKM 5x114.3 17 7.5 509-775-6545 AP BKM 45 5x114.3 ANTHRACITE 72.6 OR BLACK 509-775-8045 ΑP BKM 5x100 MACHINED 509-880-1235 ΑP 5x120 509-880-3140 5x108 AΡ 40 509-880-4445 AP BKM 45 5x112 18 509-880-6535 AP BKM 5x114.3 5x114.3 BKM 509-880-6545 AP 45

45

5x100

Cap# A501-CAPBK Cap# A501-CAPBKBMW for 5x120

BKM

509-880-8045





Hyper Gray



Black Machined

Taking design cues from the classic Enkei FD-05, the SS05 combines sharp and aggressive cuts on the spokes with an iconic split 5-spoke design. With an extra high load-rating, the SS05 is well suited to unibody SUVs and Crossovers, but is also a perfect choice for many modern sedans. The SS05 is available in both black machined and hyper gray in 17", 18", and 20" sizing. Enkei's signature flat center cap finishes off the

clean and understated look of the SS05.

PAR	T NO.					BOLT	BORE	
Stock Code	Hyper Gray	Black Machined	SIZE		INSET	PATTERN	DIAMETER	FINISH
511-775-6540	GR	BKM	17	7.5	40	5x114.3		
511-775-8045	GR	BKM	- 17	7.5	45	5x100		
511-880-1240	GR	BKM			40	5x120		
511-880-3140	GR	BKM			40	5x108		HYPER GRAY OR
511-880-4445	GR	BKM	18	8	45	5x112	72.6	BLACK
511-880-5140	GR	BKM			40	5x110		MACHINED
511-880-6538	GR	BKM			38	5x114.3		
511-285-1240	GR	BKM	20	8.5	40	5x120		
511-285-6538	GR	BKM	20	0.5	38	5x114.3		

Cap# A481-CAPCP
Cap# A474-CAPCP-BMW for 5x120
Optional Domed Cap# A466-CAPCP

SPEC-E



Anthracite Machined



Gloss Black

The Vortex5 is one of Enkei's boldest designs of all time. Featuring a number of sharply angled thinner spokes coming together to create a cohesive broad-spoke look, the Vortex5 is the perfect wheel choice for those looking to make a statement. It works well on uni-body SUV and CUVs and on mid and full-size sedans. The Vortex5 is available 17", 18", and 20" in an all-new anthracite machined or gloss black finish. Enkei's signature flat center cap completes the look.

PAF	RT NO.					BOLT	BORE	
Stock Code	Anthracite Machined	Gloss Black	SIZE		INSET		DIAMETER	FINISH
510-775-6540	AM	BK	17	7.5	40	5x114.3		
510-775-8045	AM	BK	17	7.5	45	5x100		
510-880-1240	AM	BK			40	5x120		ANTHRACITE
510-880-3140	AM	BK	18	8	40	5x108	72.6	MACHINED
510-880-5140	AM	BK	10	0	40	5x110	72.0	OR GLOSS
510-880-6538	AM	BK			38	5x114.3		BLACK
510-285-1240	AM	BK	20	8.5	40	5x120		
510-285-6538	AM	BK	20	0.5	38	5x114.3		

Cap# A481-CAPCP
Cap# A474-CAPCP-BMW for 5x120
Optional Domed Cap# A466-CAPCP





VR5

15|16|17|18- *PERFORMANCE SERIES*

The Enkei VR5 is a new take on a classic design. We start with one of the most classic designs around, a 5-spoke wheel with a bit of lip. The center area is designed to have a very smooth transition to each of the 5-spokes. At the same time, the spokes come off and away from the center area quickly to give the VR5 good brake caliper clearance. The spokes curve back down where they meet the barrel of the wheel.

PART NO.						BOLT	BORE				
Stock Code	Hyper Black	Matte Black	SIZE		INSET	PATTERN	DIAMETER	FINISH			
487-565-6538	-	BK	15	6.5	38	5x114.3					
487-670-6538	НВ	BK	16	7	38	5x114.3					
487-670-6545	HB	BK	10		45	5x114.3					
487-780-3138	HB	BK	17		38	5x108					
487-780-6540	HB	BK		17	17	17	17 8	40	5x114.3		HYPER
487-780-6550	HB	BK		0	50	5x114.3	72.6	SILVER OR MATTE BLACK			
487-780-8045	HB	BK			45	5x100					
487-880-1242	HB	BK	18		42	5X120					
487-880-4445	HB	BK			45	5x112					
487-880-5140	HB	BK		8	40	5x110					
487-880-6540	HB	BK		0	40	5x114.3					
487-880-6550	HB	BK			50	5x114.3					
487-880-8045	НВ	BK			45	5x100					

Cap# A466-CAPCP
Cap# A466-CAPCP-BMW for 5x120

SPEC-E



Matte Black

GT7

16 | 17 | 18 - PERFORMANCE SERIES

The GT7 is all about clean and sporty lines. It's about subtlety. It says more by not saying much at all. The 7-Spoke design available in matte black or silver starts with a sharply angled center area that connects each of the 7 spokes to the outer barrel. The spokes flare slightly as they meet the barrel for added strength.

PART NO.								
Stock Code	Hyper Silver	Matte Black	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
488-670-4938	HS	BK		7	38	4x100	72.6	HYPER SILVER OR MATTE BLACK
488-670-6538	HS	BK	16		38	5x114.3		
488-670-6545	HS	BK			45	5x114.3		
488-775-4942	HS	BK	17	7.5	42	4x100		
488-775-6540	HS	BK			40	5x114.3		
488-775-6550	HS	BK			50	5x114.3		
488-775-8045	HS	BK			45	5x100		
488-775-3138	HS	BK			38	5x108		
488-880-1242	HS	BK	18	8	42	5X120		
488-880-4445	HS	BK			45	5x112		
488-880-8045	HS	BK			45	5x100		
488-880-6540	HS	BK			40	5x114.3		
488-880-6550	HS	BK			50	5x114.3		

Cap# A466-CAPCP
Cap# A466-CAPCP-BMW for 5x120





Silver Machined

SVX

18 | 20 - PERFORMANCE SERIES

The SVX is all-new design territory for Enkei. With SUVs and Crossovers becoming ever more sleek and fluid in design, we created a wheel that would complement the increasingly complex lines of these vehicles. The SVX does that perfectly, utilizing five broad spokes that flare out as they reach toward the outer edge of the wheel. A v-shape milled out of the face of each spoke contours around a split toward the end of each spoke and is painted gloss black or silver to give contrast with the machined surfaces on the wheel. The wheel is finished off with Enkei's signature flat center cap. The SVX is available in black machined or silver machined and fits a wide variety of crossovers, high-offset SUVs, and even some sedans.

PART NO.			0			BOLT	BORE	
Stock Code	Silver Machined	Black Machined	SIZE		INSET	PATTERN	DIAMETER	FINISH
475-880-1240	SM	BKM			40	5x120	72.6	
475-880-6540	SM	BKM	18	8	40	5x114.3	12.0	SILVER
475-880-7350	SM	BKM			50	5x127	71.6	MACHINED
475-285-1240	SM	BKM			40	5x120	72.6	OR BLACK
475-285-6540	SM	BKM	20	8.5	40	5x114.3	72.0	MACHINED
475-285-7350	SM	BKM			50	5x127	71.6	

Cap# A475-CAPCP
Cap# A475-CAPCPBMW for 5x120
Optional Domed Cap #A475-CAPCP-CV



CROSSOVER VEHICLE FITMENTS AVAILABLE



Gloss Black

ONX

SUV/Crossover Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

The ONX is an exciting addition to Enkei's SUV/Crossover lineup. Using the design language of the popular Enkei CUV, we've created a sporty new option for owners of crossovers and small SUVs. The ONXs sharply angled spokes extend all the way to the edge of the wheel to give it the appearance that it is larger than it really is. Offered in a sleek Gloss Black or Gloss Black Machined colors with Enkei's signature flat center cap, the ONX is a great way to add personality to any late model SUV or crossover.

PART NO.						BOLT	BORE	
Stock Code	Black	Black Machined	SIZE		INSET		DIAMETER	FINISH
505-775-6545	BK	BKM	17	7.5	45	5x114.3	72.6	BLACK OR BLACK MACHINED
505-775-8045	BK	BKM			45	5x100		
505-880-1240	BK	BKM	18	8	40	5x120		
505-880-3140	BK	BKM			40	5x108		
505-880-5140	BK	BKM		0	40	5x110		
505-880-6540	BK	BKM			40	5x114.3		
505-285-1240	BK	BKM	20	8.5	40	5x120		
505-285-4435	BK	BKM			35	5x112		
505-285-6540	BK	BKM			40	5x114.3		

Cap# A481-CAPBK
Cap# A474-CAPBK-BMW for 5x120
Optional Domed Cap# A466-CAPCP





CUV

17 | 18 | 20 - PERFORMANCE SERIES

PART N	Ю.				BOLT	BORE		
Stock Code	Black Machined	S	IZE	INSET	PATTERN	DIAMETER	FINISH	
495-775-3145	BK			45	5x108			
495-775-5130	BK	17	7.5	30	5x110			
495-775-6545	BK			45	5x114.3			
495-880-1240	BK			40	5x120			
495-880-3140	BK	40	•		40	5x108		BLACK
495-880-5130	BK	18	8	30	5x110	72.6	MACHINED	
495-880-6540	BK			40	5x114.3	1		
495-285-1240	BK			40	5x120			
495-285-5130	BK	20	8.5	30	5x110	ĺ		
495-285-6540	BK			40	5x114.3			

Cap# A475-CAPCP
Cap# A475-CAPCP-BMW for 5x120
Optional Domed Cap# A475-CAPCP-CV







Matte Black



Hyper Black

YS5

15|16|17|18 - PERFORMANCE SERIES

The YS5 is an all-new take on the classic Split-5 design from Enkei. We've strived to keep the lines composing the spokes and hub area of the wheel as simple and clean as possible. The spokes are as close as possible to perfectly perpendicular, relative to the outer lip. The lines creating the transition from spoke to hub area are equally aggressive. From this transition, there is a vertical drop to the hub area. All of these design cues create a wheel that looks great on almost any car.

PART	NO.					DOL T	DODE	
Stock Code	Matte Black	Hyper Black	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
494-565-4938	BK	-	15	6.5	38	4x100		
494-670-4938	BK	HB			38	4x100		
494-670-6538	BK	НВ	16	7	38	5x114.3		
494-670-6545	BK	HB			45	5x114.3		
494-775-3145	BK	HB			45	5x108		
494-775-4942	BK	НВ			42	4x100	72.6	MATTE BLACK OR HYPER
494-775-6540	BK	HB	17	7.5	40	5x114.3		
494-775-6550	BK	НВ			50	5x114.3		
494-775-8045	BK	HB			45	5x100		
494-880-1242	BK	НВ			42	5x120		BLACK
494-880-3145	BK	HB			45	5x108		
494-880-4445	BK	HB			45	5x112		
494-880-6540	BK	HB	18 8		40	5x114.3	1	
494-880-6550	BK	НВ		50	5x114.3			
494-880-8045	BK	НВ			45	5x100		

Cap# A466-CAPCP
Cap# A466-CAPCP-BMW for 5x120






EDR9

15 | 16 | 17 | 18 - PERFORMANCE SERIES

Cruze & Sonic Fitments Available



Cap# A431-CAPCP





Silver

EV5

17 | 18 - PERFORMANCE SERIES

PAR	PART NO.						BORE	
Stock code	Hyper Black	Bronze	S	IZE	INSET	BOLT PATTERN	DIAMETER	FINISH
446-770-0138	HB	ZP			38	4x100/114.3		
446-770-0145	HB	ZP			45	4x100/114.3		HYPER
446-770-0238	НВ	ZP	17	7	38	5x100/114.3		BLACK OR MATTE BRONZE
446-770-0245	HB	ZP	17	,	45	5x100/114.3		
446-770-1145	НВ	ZP			45	4x100/108	72.6	
446-770-5238	HB	ZP			38	5x105/5x110		WITH
446-875-0238	HB	ZP			38	5x100/114.3		MACHINED
446-875-0245	НВ	ZP	18	7.5	45	5x100/114.3		LIP
446-875-5238	HB	ZP			38	5x105/110		

Cap# A443-CAPCP

Chevy Cruze & Sonic Fitment Available





Gunmetal Machined

PW10

16 | 17 | 18 - PERFORMANCE SERIES

PART NO. Stock Code	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
500-670-6538GMM			38	5x114.3		
500-670-6545GMM	16	7	45	5x114.3		
500-670-8042GMM			42	5x100		
500-775-4942GMM			42	4x100		
500-775-6538GMM	17	7.5	38	5x114.3	72.6	GUNMETAL MACHINED
500-775-6545GMM	17	7.5	45	5x114.3		
500-775-8045GMM			45	5x100		
500-880-1242GMM			42	5x120		
500-880-4445GMM			45	5x112		
500-880-3140GMM	18	8	40	5x108		
500-880-5140GMM	18	8	40	5x110	7	
500-880-6540GMM			40	5x114.3		
500-880-8045GMM			45	5x100		

Cap# A501-CAPBK
Cap# A501-CAPBK-BMW for 5x120





Hyper Gray

PDC

16 | 17 | 18 - PERFORMANCE SERIES

The classic mesh style wheel looks great on nearly everything, but Enkei wanted to add a bit of a twist to this all-new style. The wheel starts with a sharply angled center area from which the spokes come up quickly and split off in the classic style. Look closely though and you'll notice a deep diamond shape cut in to the spokes just before the split. This styling cue and the sharp lines on the PDC make it the ideal choice for anything ranging from a small coupe to a full-size luxury car.

PART	NO.		01	017E		BOLT	BORE	EINHOLL
Stock Code	Black	Gray	SIZE		INSET	PATTERN	DIAMETER	FINISH
502-670-6538	BK	GR	16	7	38	5x114.3		
502-670-6545	BK	GR	10	,	45	5x114.3		
502-775-4942	BK	GR				4x100		
502-775-6540	BK	GR	17	7.5	40	5x114.3		BLACK
502-775-6550	BK	GR		7.5	50	5x114.3		
502-775-8045	BK	GR				5x100	72.6	OR GRAY
502-880-3145	BK	GR				5x108		
502-880-4445	BK	GR			45	5x112	1	
502-880-6540	BK	GR	18	18 8		5x114.3		
502-880-6550	BK	GR				5x114.3		
502-880-8045	BK	GR			45	5x100		

Cap# A501-CAPBK Cap# A501-CAPBKBMW for 5x120





Hyper Black



Matte Black

15|16|17|18 - PERFORMANCE SERIES

The M52 is Enkei's take on the traditional split 5-spoke wheel. Available in 15" through 18" sizing and in hyper black or matte black, the M52 is the perfect choice to add sporty flair to any sporty coupe, sedan, or crossover.

PART	ΓNO.					BOLT	BORE	FINISH
Stock Code	Hyper Black	Matte Black	S	IZE	INSET	PATTERN	DIAMETER	
480-565-4938	1	BK	15	6.5	38	4x100		
480-670-6538	HB	BK			38	5x114.3		
480-670-6545	НВ	BK	16	7	45	5x114.3		
480-670-8038	HB	BK	10	′	38	5x100		
480-670-8045	НВ	BK			45	5x100		
480-775-3138	HB	BK			38	5x108		
480-775-4942	HB	BK			42	4x100	72.6	HYPER BLACK OR MATTE
480-775-6540	HB	BK	17	7.5	40	5x114.3		
480-775-6550	HB	BK			50	5x114.3		
480-775-8045	HB	BK			45	5x100		
480-880-1232	-	BK			32	5x120		BLACK
480-880-1242	HB	BK			42	5x120		
480-880-4435	HB	BK			35	5x112		
480-880-4445	HB	BK	18	8	45	5x112		
480-880-5140	НВ	BK	10	0	40	5x110		
480-880-6540	НВ	BK			40	5x114.3		
480-880-6550	НВ	BK		50	5x114.3			
480-880-8045	НВ	BK			45	5x100		

Cap# A466-CAPCP Cap# for 5x120 A466-CAPCP-BMW





Matte Black with Red Trim

17 | 18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
448-770-0142BK			42	4x100/4x114.3		
448-770-0242BK	17	7	42	5x100/5x114.3		
448-770-1142BK			42	4x100/4x108	72 6	MATTE
448-875-0142BK			42	4x100/4x114.3	72.0	BLACK
448-875-0242BK	18	7.5	42	5x100/5x114.3		
448-875-1142BK			42	4x100/4x108		

Cap# A443-CAPCP

Replacement Trim	Color
A448-TRIRD-SET	Red
A448-TRICP-SET	Chrome

Both red and chrome trims are included with each wheel



Matte Black



Hyper Silver

Silver Machined

RSF5

16|17|18 - PERFORMANCE SERIES

The inspiration for the RSF5 comes from Enkei's own RSF-2 design from the early 2000's. We've cleaned the design up, moved to a single-drill configuration, modified the center area, and changed the spoke design to terminate at the lip. This all results in an ultra-modern, clean, and sporty split 5-spoke design, finished off by a domed center cap with a black background and a chrome Enkei emblem in the middle. It is an incredibly versatile wheel that looks great on almost any car.

	PART N	10.					BOLT	BORE	
Stock Code	Hyper Silver	Matte Black	Silver Machined	S	IZE	INSET	PATTERN	DIAMETER	FINISH
479-670-4938	HS	BK	SM			38	4x100		
479-670-6538	HS	BK	SM			38	5x114.3		
479-670-6545	HS	BK	-	16	7	45	5x114.3		
479-670-8038	HS	BK	•			38	5x100		
479-670-8045	HS	BK	SM			45	5x100		
479-775-3238	HS	BK	SM			38	5x105		HYPER
479-775-6540	HS	BK	SM		7.5	40	5x114.3		SILVER OR MATTE BLACK OR SILVER
479-775-6550	HS	BK	-	17		50	5x114.3	72.6	
479-775-8040	ı	BK	-			40	5x100	72.0	
479-775-8050	HS	BK	SM			50	5x100		
479-880-3140	HS	BK	SM			40	5x108		MACHINED
479-880-6540	HS	BK	SM			40	5x114.3		
479-880-6550	HS	BK	SM	18	8	50	5x114.3		
479-880-8040	HS	BK	SM	18	0	40	5x100		
479-880-8045	HS	BK	SM			45	5x100		
479-880-8050	HS	BK	SM			50	5x100		

Cap# A466-CAPCP

Ford, Volvo, and Chevrolet fitments available.



LUSSO

18 | 20 - PERFORMANCE SERIES

Staggered Fitment Available

PAR	T NO.					BOLT	BORE		
Stock Code	Black	Hyper Silver	S	IZE	INSET	PATTERN	DIAMETER	FINISH	
469-875-5142	BK				42	5X110			
469-875-6542	BK	HS		7.5	42	5X114.3			
469-875-8042	BK	-			42	5X100	72.6	BLACK WITH	
469-880-1240	BK	HS	18		40	5X120			
469-880-4445	BK	HS		8	45	5X112		MACHINED LIP	
469-880-6540	BK	HS			40	5X114.3		OR HYPER	
469-890-6540	BK	HS		9	40	5X114.3		SILVER WITH	
469-285-1240	BK	HS			40	5X120		MACHINED LIP	
469-285-4440	-	HS	20	8.5	40	5X112			
469-285-6540	BK	HS	20		40	5X114.3			
469-295-1235	BK	HS		9.5	35	5X120			

Cap# A449-CAPCP Cap# A449-CAPCPBMW for 5x120





Hyper Silver with Machined Lip



Hyper Silver



Gunmetal

17 7 442-770-6545HS 5X114.3 45 442-770-8045HS 45 5X100 442-875-6538HS 38 5X114.3 7.5 442-875-6545HS 45 5X114.3 442-875-8045HS 45 5X100 **HYPER** 72.6 **SILVER** 442-880-1232HS 32 5X120 18 442-880-1242HS 42 5X120 442-880-4435HS 35 5X112 8 442-880-4445HS 45 5X112 442-880-5140HS 40 5X110 442-880-6540HS 5X114.3 40 442-770-6538GM 38 5X114.3 7 442-770-6545GM 45 5X114.3 17 442-770-8045GM 45 5X100 442-875-6538GM 5X114.3 38 442-875-6545GM 7.5 45 5X114.3 442-875-8045GM 45 5X100 72.6 **GUNMETAL** 442-880-1232GM 32 5X120 442-880-1242GM 5X120 42 18 442-880-4435GM 35 5X112 8 442-880-4445GM 45 5X112 442-880-5140GM 40 5X110 40 442-880-6540GM 5X114.3

Cap# A431-CAPCP



Black Machined

FD-05

15|16|17|18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
434-570-6538BKM	15	7	38	5x114.3		
434-670-4938BKM			38	4x100		
434-670-6538BKM	16	7	38	5x114.3		
434-670-6550BKM	10	'	50	5x114.3		
434-670-8038BKM			38	5x100		BLACK MACHINED
434-770-4450BKM			50	5x112	72.6	
434-770-4940BKM		_	40	4x100		
434-770-6540BKM	4-7		40	5x114.3		
434-770-6550BKM	17	7	50	5x114.3		
434-770-8040BKM			40	5x100		
434-770-8050BKM			50	5x100		
434-875-4453BKM			53	5x112		
434-875-6545BKM	18	7.5	45	5x114.3		
434-875-8045BKM			45	5x100		

Cap# A434-CAPCP

SPEC-E



Silver with Machined Lip



Matte Black with Machined Lip

J10

15|16|17|18 - PERFORMANCE SERIES

PAR	T NO.		0	IZE	INCET	BOLT	BORE	FINISH																							
Stock Code	Black	Silver	0	IZE	INSET	PATTERN	DIAMETER	FIIVISH																							
409-565-01	BK	SP			38	4x100/114.3																									
409-565-02	BK	SP	15	6.5	38	5x100/114.3																									
409-565-03	BK	SP	10	15 0.5	0.0	38	5x108/115																								
409-565-11	BK	SP			38	4x100/108																									
409-670-03	BK	SP			38	5x108/115																									
409-670-10	BK	SP			42	4x100/114.3																									
409-670-11	BK	SP	16	7	42	4x100/108		MATTE DI ACK																							
409-670-12	BK	SP			38 5x100/114.3		MATTE BLACK WITH																								
409-670-26	BK	SP			38	5x112/114.3	70.00	MACHINED LIP																							
409-770-03	BK	SP		7	38	5x108/115	72.62	OR SILVER																							
409-770-10	BK	SP			7	7	42	4x100/114.3		WITH																					
409-770-11	BK	SP	17				7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	42
409-770-12	BK	SP			38	5x100/114.3																									
409-770-16	BK	SP			38	5x112/120																									
409-875-10	BK	SP			42	4x100/114.3																									
409-875-11	BK	SP	18	7.5	42	4x100/108																									
409-875-12	BK	SP	10	7.5	38	5x100/114.3																									
409-875-26	BK	SP			38	5x112/114.3																									

Cap# A385-0000S

TRUCK & SUV SERIES

Introducing Enkei's Truck Series. While Enkei is most well known for its high-performance car wheels, it is proud to offer a range of wheels designed for trucks and SUV's as well. Enkei has applied its unrivaled engineering capabilities to come up with several designs that will stand up to the tough demands that truck and SUV drivers place on their wheels. Utilizing Enkei's world class manufacturing facilities and emphasizing function over flare, the Enkei truck series offers a great way for truck and SUV owners to add some styling to their vehicle, while maintaining the tough and rugged capabilities they count on from their wheels.



Gloss Gunmetal



Gloss Black



Gloss Bronze (Special Order)

MATRIX

7 | 18 | 20 - TRUCK & SUV SERIES

2019 Ford Ranger Fitment Available

Enkei is the most successful brand of all time when it comes to racing wheels. Using all that we've learned about what it makes to make a tough racing wheel, we've set out to raise the bar on truck and SUV wheels. The all-new Enkei Matrix features a classic mesh design with a subtle lip. 17" versions are available in exclusive new brushed gold and brushed black finishes. 18" and 20" Matrix wheels feature genuine stainless steel bolts around the front flange, not vacuum chromed plastic like others. 18" and 20" Matrix wheels are offered in gloss black and gunmetal finishes. All sizes are available in fitments that are perfect for lifted vehicles.

	PART NO.						BOLT	BORE		
	Stock Code	Gloss Black	Gloss GM	SIZE		INSET	PATTERN	DIAMETER	CAP#	FINISH
52	26-890-8410	BK	GM	18	9	10	6x139.7	108.0	A519-CAPBK-T	
520	6-890-84N10	BK	GM	10	9	-10	6x139.7	108.0	A519-CAPBK	
52	26-290-5825	BK	GM			25	5x150	110	A519-CAPBK-T	GLOSS BLACK OR
52	26-290-8325	BK	GM		9	25	6x139.7	78.0	A519-CAPBK	GLOSS
52	26-290-8400	BK	GM	20		0	6x139.7	108.0	A519-CAPBK	GUNMETAL
52	26-290-8415	BK	GM			15	6x139.7	108.0	A519-CAPBK	
52	26-290-9515	BK	GM			15	6x135	87.0	A519-CAPBK	

SPEC-E

PART NO.		0175			BOLT	BORE			
Stock Code	Brushed Gold	Brushed Black	SIZ	ZE	INSET	PATTERN	DIAMETER	CAP#	FINISH
526-780-8030	BG	BB	17	8	30	5x100	71.6	A525-CAPZP A525-CAPBK	
526-780-8330	BG	BB	17	8	30	6x139.7	93.1	A519-CAPZP A519-CAPBK	BRUSHED GOLD OR
526-790-7310	BG	ВВ	17	9	10	5x127	71.6	A519-CAPZP-T A519-CAPBK-T	BRUSHED BLACK
526-790-8410	BG	BB	17	9	10	6x139.7	108.0	A519-CAPZP A519-CAPBK	

Brushed Black (17" only)



Brushed Gold (17" only)

BRUSHED FINISH: The Matrix's new brushed gold and brushed black finishes are an exciting development for customers that are tired of the same old black and silver wheel options. Utilizing a unique process where we apply a base coat, mill the face, apply a special texturizing top coat, and then another tinted top coat results in a truly stunning finish. Both the brushed bronze and brushed black will have admirers everywhere asking where to get the same thing for their trucks!



Black Milling



Bronze

17 | 18 | 20 - TRUCK & SUV SERIES

The Enkei Commander is big and bold just like the trucks it was designed for. With its classic split 6-spoke design that brings the spokes all the way out to the front flange, the Commander is a great way to give your truck an aggressive look. Our new milling process adds a ton of character to black milled versions of the wheel. Don't forget that it comes in a unique bronze finish in select sizes too!

PART			DOLT.	DODE							
Stock Code	Black Milling	Bronze	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH			
519-780-7320	BKM	ZP			20	5x127	71.6				
519-780-8330	BKM		17	8	30	6x139.7	78.0				
519-780-8405	BKM	ZP			5	6x139.7	108.5				
519-885-5825	BKM	ZP			25	5x150	110.0				
519-885-7320	BKM	ZP	18					20	5x127	71.6	
519-885-8330	BKM			8.5	30	6x139.7	78.0	BLACK			
519-885-8410	BKM	ZP	10	0.5	10	6x139.7	108.5	MILLING OR			
519-885-84N10	BKM	ZP			-10	6x139.7	108.5	BRONZE (NO			
519-885-9525	BKM				25	6x135	87.0				
519-290-5825	BKM	ZP			25	5x150	110	MILLING)			
519-290-7320	BKM	ZP	20	20	20		20	5x127	71.6		
519-290-8325	BKM	-				9	25	6x139.7	78.0		
519-290-8405	BKM		20	9	5	6x139.7	108.5				
519-290-8415	BKM	ZP			15	6x139.7	108.5				
519-290-9515	BKM				15	6x135	87.0				

Cap# A519-CAPBK, A519-CAPZP (for Bronze)
Cap# for 5 lug sizes A519-CAPBK-T, A519-CAPZP-T (For Bronze)





Silver Machined

DAD	T NO							
Stock Code	T NO. Silver	Matte Gunmetal	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
470-780-6820	SM	GM		8	20	6x114.3	66.1	
470-780-7310	SM	GM	17		10	5x127	71.6	
470-780-8335	SM	GM	17		35	6x139.7	78.0	
470-780-8410	SM	GM			10	6x139.7	108.5	
470-885-5830	SM	GM	18	8.5	30	5x150	110.0	
470-885-7320	SM	GM			20	5x127	71.6	
470-885-8335	SM	GM			35	6x139.7	78.0	SILVER
470-885-8410	SM	GM	10		10	6x139.7	108.5	MACHINED
470-885-8420	SM	GM			20	6x139.7	108.5	OR MATTE GUNMETAL
470-885-9530	SM	GM			30	6x135	87.0	GONWETAL
470-295-5830	SM	GM			30	5x150	110.0	
470-295-7320	SM	GM			20	5x127	71.6	
470-295-8330	SM	GM	20	9.5	30	6x139.7	78.0	
470-295-8410	SM	GM	20		10	6x139.7	108.5	
470-295-8420	SM	GM			20	6x139.7	108.5	
470-295-9530	SM	GM			30	6x135	87.0	

Cap # A453-CAPCP Cap # A449-CAPCP for 6x114.3 and 5x127



17 | 18 | 20 - TRUCK & SUV SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH					
482-780-6820MF	17	17	17		20	6x114.3	66.1				
482-780-7310MF				8	10	5x127	71.6				
482-780-8335MF	17	0	35	6x139.7	78.0						
482-780-8410MF			10	6x139.7	108.5						
482-885-5830MF	18		30	5x150	110.0						
482-885-6820MF				20	6x114.3	66.1					
482-885-7320MF				20	5x127	71.6					
482-885-8335MF		8.5	35	6x139.7	78.0	MIRROR					
482-885-8410MF								10	6x139.7	108.5	FINISH
482-885-8420MF										20	6x139.7
482-885-9530MF			30	6x135	87.0						
482-290-5830MF			30	5x150	110.0						
482-290-7320MF			20	5x127	71.6						
482-290-8330MF	20		30	6x139.7	78.0						
482-290-8410MF	20	9	10	6x139.7	108.5						
482-290-8420MF			20	6x139.7	108.5						
482-290-9530MF					·	30	6x135	87.0			

CAP # A436-CAPCP CAP # A436-CAPCP
CAP # A431-CAPCP FOR 6X114.3 & 5X127







BLACKHAWK

18 | 20 | 22 - TRUCK & SUV SERIES

The Enkei Blackhawk is an exciting new style from Enkei. We went all-out with this truck wheel, designing it from the ground up to be as tough as possible for the toughest trucks on and off the road. Each of the Blackhawk's six spokes are reinforced as they reach toward the outer edge of the wheel, where they meet with the strengthened barrel. Available in matte black or silver and is finished off with a boldly styled cap that covers the lug nuts.

PART NO.			SIZE		INSET	BOLT	BORE	FINISH			
Stock Code	Black	Silver	SIZE		IIVSET	PATTERN	DIAMETER	FIINISH			
503-885-8330	BK				30	6x139.7	78.0				
503-885-8410	BK	SP	18	8.5	10	6x139.7	108.5				
503-885-9530	BK	SP			30	6x135	87.0				
503-295-5830	BK	SP	20		30	5x150	110.0	MATTE			
503-295-8330	BK	SP		9.5	30	6x139.7	78.0				
503-295-8410	BK		20	9.5	10	6x139.7	108.5	BLACK OR			
503-295-9530	BK				30	6x135	87.0	SILVER			
503-2295-5830	BK				30	5x150	110.0				
503-2295-8330	BK		22	22	22	22	22 9.5	30	6x139.7	78.0	
503-2295-8415	BK			9.0	15	6x139.7	108.5				
503-2295-9530	BK				30	6x135	87.0				

Cap# A503-COVBK Cap# A503-COVSP for Silver





Silver (Limited Sizes)



Warranty: ENKEI stands behind every wheel we sell. All ENKEI products come with a lifetime structural warranty. Our limited warranty guarantees that ENKEI wheels will be free from defects in materials and workmanship under normal and reasonable use. Consult the ENKEI wheel owner's manual for complete warranty information and proper care and maintenance.

©ENKEI CORPORATION 2019. All rights reserved. ENKEI and ENKEI logo are trademarks and properties of ENKEI. No reproduction in whole or in part without written consent from ENKEI CORPORATION.

ENKEl International

1111 Executive Drive, Suite 100 Coppell, TX 75019 800.875.3100