

2020 Wheel Catalog





World Leader in Street and Race Wheels

Custom aftermarket wheels are as much a part of who we are as the clothes we wear, the vehicles we drive and of course the performance that we expect. ENKEl custom wheels deliver the latest in wheel designs, composite alloy technology such as, casting/forged processes, rigid testing that must pass stringent JGTC Standards and unsurpassed manufacturing facilities. Enkei is dedicated to perfection and delivers the best in aftermarket wheels.

Today, the Enkei group is commercially active throughout Asia, North America, Latin America and Europe, supplying all the largest Japanese car manufacturers and General Motors in the OEM market, as well as countless consumers in the automotive aftermarket. Enkei also produces sophisticated high-tech race wheels for a variety of motorsport, including rallying, drift, sportscar racing and single-seater racing including supplying lightweight magnesium Formula 1 race wheels to McLaren Honda. Enkei has been an Official Supplier to McLaren F1 Team since 1995.

ENKEL MOTORSPORTS

Enkei has been racing in top competition championships of the world for three decades. As a result of continuous improvement and technological advances, Enkei continues its winning tradition and constantly challenges new horizons in wheel technology.



ONE STEP FORWARD

Since its formation in 1950, Enkei's history has been continuous challenges and adventures to deliver the most innovative and the highest quality wheels to top racers and car enthusiasts. Today, Enkei has grown to be the number one aluminum wheel manufacturer to satisfy demand from leading automakers and aftermarket wheel users around the world. One step forward. With its courage to take the next step ahead of others, Enkei continues to strive to exceed the expectations of the most demanding drivers.

ENKEI WORLD COMPANIES

ENKEL AMERICA (Indiana, Florida, U.S.)

ENKEI AMERICA MOLDINGS (Indiana, U.S.)

ENKEI INTERNATIONAL (Texas, U.S.)

ENKELTHAL

ENKEI THAI MOLDINGS

ENKEI MALAYSIA

ENKEI ALUMINIUM PRODUCTS (CHINA)

ENKEI MOLDINGS (Kunshan, CHINA)

ENKEI ALUMINIUM (Guangdong, CHINA)

ENKELINDONESIA

PT. ENKEI MARUTOYO PAINTING (INDONESIA)

ENKEL PHILIPPINES

ENKEI WHEELS (INDIA)

ENKEI VIETNAM

JAPAN

ENKEL CORPORATION (HEAD OFFICE)

ENKEI WHEEL CORPORATION (MAUFACTURING)

ENKELENGINNERING

ENBISHI ALUMINIUM WHEELS

ENKEL AUTOMOTIVE

ENKEL PAINTING

ENKEI MAKABE

ENKEI METALS

ENKELTEST AND LABORATORY

ENKEL AUTO ACTIVITY

ENKEI LOGISPORT

ENKEI RELATION (OPERATION)

ENKEL AUDIT AND COMPUTER SERVICES



INDEX BY WHEEL MODEL NUMBER

305	NTU3+M (Racing) 16
379	RPF1(Racing) 12
409	J10 (Performance) 40
434	FD-05 (Performance) 42
441	EDR9 (Performance) 41
442	EKM3 (Performance) 37
446	EV5 (Performance)41
448	GW8 (Performance) 43
460	PF01 (Racing)15,16
465	ENKEl92 (Classic) 30
467	RAIJIN (Tuning)23
469	LUSSO (Performance) 44
475	SVX (Performance) 39
476	KOJIN (Tuning)28
477	COMPE (Classic)30
480	M52 (Performance) 43
482	M6 (Truck/SUV)46
484	RS05RR (Racing) 11
485	T6S (Tuning)26
486	TSP6 (Tuning)

489 PF01 EVO (Racing)	14
490 PF07 (Racing)	13
491 TX5 (Tuning)	26
492 TS9 (Tuning)	24
494 YS5 (Performance)	42
498 TY-5 (Tuning)	25
499 TS-10 (Tuning)	21
502 PDC (Performance)	44
504 GTC01RR(Racing)	09
505 ONX (Performance)	39
507 TM-7(Tuning)	29
508 TD-5 (Tuning)	29
509 DRACO (Performance)	35
510 VORTEX5 (Performance)	37
511 SS05 (Performance)	36
512 NT03RR(Racing)	10
514 RC-T5 (Racing)	14
515 TMS (Tuning)	24
516 TFR (Tuning)	22
517 VULCAN (Performance)	33

618 PHANTOM (Performance)	38
519 COMMANDER (Truck)	46
520 RPT1 (Racing)	07
521 TS-5 (Tuning)	20
522 TS-V (Tuning)	19
523 PHOENIX (Performance)	34
524 ICON (Performance)	40
525 STORM (Performance)	34
526 MATRIX (Truck/SUV)	45
527 PF05 (Racing)	80
528 RPT1 (Racing)	07
529 TSR-X (Tuning)	18
530 TSR-6 (Tuning)	17
531 XM-6 (Performance)	31
532 VICTORY (Performance)	32
533 HORNET (Performance)	32
534 GTC02 (Racing)	06

Engineering Philosophy

What is the most important consideration when building a wheel? What specifications does a performance wheel require? In general, the most recognizable performance aspect for users is light weight. You will know the weight difference by simply picking up a wheel. Most drivers can also feel the difference in steering response. Since an automobile wheel is a rolling object, the lightness of the wheel plays into the inertial weight. Enkei's focus is not limited to the lightness, however. To attain maximum wheel performance, Enkei also focuses on stiffness and strength.

A high quality wheel requires all three elements: light weight, stiffness, and strength.

STIFFNESS

Stiffness is the basis of wheel performance. What is "stiffness"? If a rim is stiff, it will resist deformation when it is subjected to force. Although we consider metal as "hard", metal does have a tendency to deform when force is applied and return to the original shape when the force is eliminated. Stiffness is often confused with strength, but it is different as strength is a measure of tendency toward breakability. To make the best out of today's high-performance tire, wheels need to have high stiffness to keep the proper connection between the chassis and tires. On the other hand, wheels with low-stiffness could easily be deformed by the load from the tires. Enkei recognizes stiffness is the most important element for high performance wheels.

ALUMINUM EXPLAINED: PRODUCTION METHODS WILL NOT AFFECT STIFFNESS

How can we increase the stiffness of wheels? As long as wheels are made of aluminum alloy, using a different production method does not affect the stiffness of the wheel. That's because all aluminum alloys used for forging and casting create same material property with identical stiffness.

Comparison of Wrought aluminum alloy and Cast aluminum alloy

Material	Specific gravity	Young's modulus*
Wrought aluminum alloy	2.70MG/cm3	70GPa
Cast aluminum alloy	2.68MG/cm3	70GPa

^{*} Young's moduls is a measure of elasticity, equal to the ratio of the stress acting on a substance to the strain produced.

You may think forging process creates stronger materials. However, when forged and cast aluminum alloys are measured by the Young's modulus, it shows almost no difference between two methods. Forged and casted aluminum alloys are nearly identical in specific gravity as well. Therefore, if you make an exact same shape of wheels using forging and casting method, the weight of those wheels should be the same. What is the advantage of the forging process, then? It is an ability to produce higher material strength.

Generally speaking, compared with casting, forged material is superior in yield strength and tensile strength. However, no matter how great the material strength, it cannot justify an extreme reduction in weight.

Even with adequate material strength, if wheels lack stiffness, they cannot perform properly even with high-performance tires.





DURVILLE DIE CASTING & MAT PROCESS

Enkei has adopted two technologies – the Durville die casting and MAT process that ensure cast aluminum wheels have strength comparable to forged ones. In the Durville process, molten aluminum alloy is poured into the mold from its inner rim side, with the disc side facing downward. The alloy is rapidly quenched and solidifies, starting at the disc side, creating a finer metallic structure, significantly enhancing tensile strength, yield strength and elongation.

In the MAT process, the wheel rim placed on a mandrel is spun and rolled. This spinning process creates "metal flow" in the metal structure of the aluminum alloy, which is similar to the metal property seen in the forging process.







This hybrid process of casting and forging gives wheel high material strength while keep manufacturing cost more affordable than forged wheels. Additionally, it gives greater freedom of design on the wheel face.

DESIGN CAPABILITY BEHIND THE BEST WHEELS

How does Enkei ensure its wheels have high stiffness? The answer is Enkei's "Design Capability".

To maintain high stiffness under great force, the wheel's cross sectional area in the direction against the force applied needs to be enlarged. Unfortunately, the larger this area is, the heavier the wheel will get. However, if the layout, cross sectional shape of the spokes and the rim profile are designed properly, the wheel can maintain high stiffness without adding weight.

The layout is made possible by Enkei's vast accumulation of wheel design data and the computer aided engineering 3D simulation. In addition, Enkei strives for the largest possible weight reduction by identifying the wheel portions where stress concentration is least likely to occur and shaving down areas that do not affect stiffness.

Enkei's processing techniques ensure the "strength" of its wheels, and its excellent design capability ensures "stiffness" and "lightness." Enkei's design capability is the most-treasured asset and essential for developing the highest performance wheels.



All Enkei wheels are engineered to pass rigorous testing. In fact, Enkei established its own test standard called "Spec-E," which is tougher than JWL requirements. Enkei's Spec-E test setting requires a higher drop point in the impact test and 20% more cycles for the rotary bending fatigue and dynamic radial fatigue tests than JWL standards. The Spec-E standard shows Enkei's confidence in its technology and the quality of Enkei wheels.

ENKEI HERITAGE

Enkei started in Japan as "Enshu Keigokin Co. Ltd.", which translates as "light alloy of the Province of Enshu." Enkei's technical knowledge, developed through the manufacturing of aircraft parts, was later utilized in the initial development of aluminum motorcycle and automobile engines. Today Enkei has established itself as a pioneer of aluminum wheel manufacturing. As the recognized global leader of alloy wheel production, Enkei delivers more than 16,000,000 wheels a year and has manufacturing facilities in Japan, the United States, and many Southeast Asian countries. With new horizons to be conquered, Enkei will always continue to move "one step forward."



RACING SERIES

Introducing Enkei's Racing Series. Enkei's experience in producing wheels for racecars is unrivaled. Enkei is actively involved in supplying wheels for Formula 1, WRC, Japan GT Championship, Super Taikyu, Formula Drift and many others. The racetrack is our laboratory. We've taken what we've learned in racing and are proud to offer the same technology found on racetracks all over the world to auto enthusiasts looking for a no compromise wheel solution for their cars. Enkei's state of the art facilities in Japan utilize MAT technology to achieve the ultimate in lightness and strength for our racing series wheels, while maintaining excellent value. When you demand the very best, look no further than Enkei's racing series.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.





Hyper Silver (shown without stickers applied)



Matte Black

Racing is where all of the best R&D happens. Engineers obsess over every detail looking for the slightest advantage to shave fractions of a second off of lap times. What we learn on the world's premier circuits is eventually implemented into mainstream products and made available to the weekend racer. That's how the new Enkei GTC02 was born. Based on the RA series wheels used in the Super GT racing series, the GTC02 pulls from the same bag of tricks as the RA series to give weekend racers the competitive edge they need to win. Utilizing a 6 split spoke design that disperses stresses efficiently allows us to keep the spokes as thin as possible and make cuts in them on the fronts and sides to shave weight even further. The GTC02 is available in sizing ranging from 18x8 to 19x10.5 in a wide variety of PCD and offset configurations to fit most modern sports cars.

GTC02

18, 19 - Racing Series

PART	NO.					BOLT	BORE	WEIGHT		
Stock Code	Hyper Silver	Matte Black	S	SIZE	INSET	PATTERN	DIAMETER	(lbs.)	FACE	FINISH
534-880-4445	HS	BK			45	5x112	66.5	19.18	F	
534-880-6535	HS	BK			35	5x114.3	75.0		F	
534-880-6545	HS	BK		8	45	5x114.3	75.0		F	
534-880-8035	HS	BK			35	5x100	75.0		F	
534-880-8045	HS	BK			45	5x100	75.0		F	
534-885-1235	HS	BK			35	5x120	72.5		F	
534-885-4443	HS	BK	1		43	5x112	66.5	20.26	F	
534-885-6535	HS	BK		8.5	35	5x114.3	75.0		F	
534-885-6543	HS	BK			43	5x114.3	75.0		F	
534-885-8035	HS	BK			35	5x100	75.0		F	
534-890-4425	HS	BK			25	5x112	66.5		M	
534-890-4442	HS	BK			42	5x112	66.5	20.39	M	
534-890-6530	HS	BK		9	30	5x114.3	75.0		M	
534-890-6542	HS	BK			42	5x114.3	75.0		M	
534-890-8042	HS	BK			42	5x100	75.0		M	
534-895-1245	HS	BK	18		45	5x120	72.5		M	
534-895-4445	HS	BK			45	5x112	66.5	20.79	M	
534-895-6500	HS	BK		9.5	0	5x114.3	75.0		R	
534-895-6515	HS	BK			15	5x114.3	75.0	20.41	R	
534-895-6540	HS	BK			40	5x114.3	75.0		M	
534-810-4432	HS	BK			32	5x112	66.5	20.50	R	
534-810-4435	HS	BK			35	5x112	66.5		M	
534-810-4445	HS	BK		10	45	5x112	66.5	21.12	M	
534-810-6525	HS	BK			25	5x114.3	75.0		R	
534-810-6545	HS	BK			45	5x114.3	75.0		M	
534-8105-4435	HS	BK			35	5x112	66.5	04.54	R	
534-8105-4445	HS	BK			45	5x112	66.5	21.54	M	
534-8105-6515	HS	BK		10.5	15	5x114.3	75.0		R	LIVEED
534-8105-6522	HS	BK			22	5x114.3	75.0	00.00	R	HYPER
534-8105-6535 534-8105-6545	HS HS	BK BK			35 45	5x114.3 5x114.3	75.0 75.0	20.92	R M	SILVER
	HS	BK			45		75.0		F	OR MATTE BLACK
534-980-6545 534-980-8045	HS	BK		8	45	5x114.3 5x100	75.0		F	BLACK
534-985-1227	HS	BK			27	5x100	72.5		M	
534-985-1235	HS	BK			35	5x120	72.5		F	
534-985-1242	HS	BK			42	5x120	72.5		F	
534-985-4427	HS	BK		8.5	27	5x120	66.5		M	
534-985-4445	HS	BK		0.0	45	5x112	66.5		F	
534-985-6527	HS	BK			27	5x114.3	75.0		M	
534-985-6535	HS	BK			35	5x114.3	75.0		F	
534-990-1230	HS	BK			30	5x120	72.5		M	
534-990-1245	HS	BK			45	5x120	72.5		F	
534-990-4440	HS	BK			40	5x112	66.5		M	
534-990-4445	HS	BK		9	45	5x112	66.5		F	
534-990-6530	HS	BK			30	5x114.3	75.0		M	
534-990-6540	HS	BK	19		40	5x114.3	75.0		M	
534-990-6545	HS	BK			45	5x114.3	75.0		F	
534-995-1227	HS	BK			27	5x120	72.5		M	
534-995-1245	HS	BK			45	5x120	72.5		М	
534-995-4427	HS	BK		0.5	27	5x112	66.5		M	
534-995-4440	HS	BK		9.5	40	5x112	66.5		R	
534-995-4445	HS	BK			45	5x112	66.5		M	
534-995-6545	HS	BK			45	5x114.3	75.0		M	
534-910-1240	HS	BK			40	5x120	72.5		R	
534-910-4440	HS	BK		10	40	5x112	66.5		R	
534-910-6520	HS	BK		'0	20	5x114.3	75.0		R	
534-910-6540	HS	BK			40	5x114.3	75.0		R	
534-9105-1234	HS	BK			34	5x120	72.5		R	
534-9105-4434	HS	BK		10.5	34	5x112	66.5		R	
534-9105-6515	HS	BK			15	5x114.3	75.0		R	

Valve Stem # V429-0000SP for Hyper Silver, V429-0000BK for Black

Visit Enkei.com for cap part numbers - Each GTC02 includes two Racing Prototype stickers









17x9 w/cap Matte Dark Gunmetal



Matte Dark Gunmetal

The Enkei RPF1 was first introduced to the world in 2002 and it was an instant hit thanks to its high strength, low weight, and no-nonsense design. Truck and SUV owners have often asked for Enkei to develop an RPF1 for them and we listened. The all-new Enkei RPT1 features the same clean split spoke design as the RPF1, but is built to higher loading capacities to suit 6-lug trucks and SUVs. Available in 16", 17" and 18" applications and a variety of colors, the RPT1 is one of the lightest weight and toughest truck wheels on the market today.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
528-680-8400GM	16	8	0	6x139.7	106.1	
528-790-8400GM	17	9	0	6x139.7	106.1	Matte Dark
528-790-9512GM	17	9	12	6x135	87.1	Gunmetallic
520-890-8400GM	18 9		0	6x139.7	106.1	

Cap# A528-CAPBK

PART NO.	SIZ	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
520-680-8400GM	16	8	0	6x137.9	108.5	Matte Dark
520-890-8400GM	18	9	0	6x137.9	106.0	Gunmetallic

No Cap available for Style 520 RPT1. Valve Stem # V429-0000BK









Dark Silver



Gold (Special Order)

Blue (Special Order)



	PART NO.	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH	
	527-670-4945DS	16	7	45	4x100	67.0	15.45			
	527-670-8048DS		•	48	5x100	07.10	N.A			
	527-770-4945DS		7	45	4x100		17.95	F		
ı	527-770-6545DS		•	45	5x114.3		N.A	F		
	527-775-4448DS		7.5	48	5x112		N.A	F		
Ī	527-775-8045DS		7.5	45	5x100		18.41	F		
Ī	527-780-6535DS			35	5x114.3		N.A	F		
ı	527-780-8038DS		8	38	5x100		19.86	F		
ľ	527-785-6538DS	17		38	5x114.3		19.75	F		
H	527-785-6548DS	17	8.5	48	5x114.3	ļ	N.A	F		
ŀ	527-785-8048DS		0.0	48	5x100		N.A	F		
h	527-790-6520DS			20	5x114.3		19.64	R		
ŀ	527-790-6540DS		9	40	5x114.3		N.A	R		
ı	527-790-8040DS			40	5x100	Į.	N.A	R		
ľ	527-795-6512DS			12	5x114.3		20.59	R		
ı	527-795-6535DS		9.5	35	5x114.3		N.A	R		
Ī	527-875-6548DS		7.5	48	5x114.3		N.A	F		
Ī	527-875-8048DS	 		7.5	48	5x100		19.69	F	
Ī	527-880-4435DS			35	5x112		20.26	F		
	527-880-4450DS		8	50	5x112		N.A	F		
	527-880-6545DS			45	5x114.3		20.44	F		
	527-880-8045DS			45	5x100		20.44	F		
	527-885-6538DS			38	5x114.3		N.A	F	DARK	
Į	527-885-6545DS		8.5	45	5x114.3	75.0	N.A	F	SILVER	
L	527-885-8045DS			45	5x100	70.0	21.83	F		
L	527-890-6528DS			28	5x114.3		N.A	F		
Ļ	527-890-6538DS	18	9	38	5x114.3		21.23	F		
ļ	527-890-6545DS			45	5x114.3		N.A	F		
L	527-890-8040DS			40	5x100		N.A	F		
ļ	527-895-6500DS			0	5x114.3		22.05	R		
ŀ	527-895-6515DS		9.5	15	5x114.3		N.A	R		
ŀ	527-895-6525DS			25	5x114.3	ļ	22.31	R		
ŀ	527-895-6538DS			38	5x114.3		N.A	R		
ŀ	527-810-6512DS		10	12	5x114.3		22.91	R		
H	527-810-6525DS 527-8105-6515DS			25 15	5x114.3 5x114.3		N.A 24.27	R R		
ŀ	527-8105-6523DS		10.5	23	5x114.3		N.A	R		
h	527-980-6545DS			45	5x114.3		N.A	F		
ŀ	527-980-8045DS		8	45	5x100		22.93	F		
ı	527-985-4438DS			38	5x112		23.79	F		
ľ	527-985-6538DS	19	8.5	38	5x114.3		23.79	F		
ı	527-990-6525DS		9	25	5x114.3	Į.	24.34	R		
ľ	527-995-6522DS			22	5x114.3		23.30	R		
j	527-995-6545DS		9.5	45	5x114.3		N.A	R		
Ţ	527-910-6520DS		10	20	5x114.3	•	N.A	R		
j	527-910-6528DS			10	28	5x114.3		25.07	R	
ſ	527-9110-6510DS		11	10	5x114.3		26.98	R		
_					_					

Racing Revolution



Matte Gunmetal



Titanium Gold (Limited Sizes / Special Order)

GTC01RR

18 - Racing Series

The GTC01RR is made after one of our strongest wheels, the GTC01. After vast research, we were able to keep the high rigidity while making it light weight, comparable to the RPF1. The GTC01RR has been tested in high performance categories including cornering, braking, acceleration, deceleration, and steering response. The GTC01RR is available in three different concave faces as displayed below.

PART NO. Stock Code	9	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	Cap #	FINISH															
504-880-4645GM			45	5x112	66.5	N.A.	F	A484-CAPBK-VW																
504-880-6545GM		8	45	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-880-8045GM			45	5x100	75.0	N.A.	F	A484-CAPBK																
504-885-1235GM			35	5x120	72.5	N.A.	F	A484-CAPBK-BMW																
504-885-1245GM				45	5x120	72.5	N.A.	F	A484-CAPBK-BMW															
504-885-4435GM 504-885-4445GM			35 45	5x112 5x112	66.5 66.5	N.A. 19.42	F	A484-CAPBK-MB A484-CAPBK-MB																
504-885-4535GM			35	5x112	66.5	N.A.	F	A484-CAPBK-WB																
504-885-4545GM		0.5	45	5x112	66.5	N.A.	F	A484-CAPBK-VW																
504-885-4635GM		8.5	35	5x112	66.5	N.A.	F	A484-CAPBK-AD																
504-885-6535GM			35	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-885-6542GM			42	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-885-6550GM			50	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-885-8042GM			42	5x100	75.0	N.A.	F	A484-CAPBK-AD																
504-890-1250GM			50	5x120	72.5	19.51	F	A484-CAPBK-BMW																
504-890-6525GM			25	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-890-6535GM		9	35	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-890-6540GM			40	5x114.3	75.0	N.A.	F	A484-CAPBK																
504-890-8040GM			40	5x100	75.0	N.A.	F	A484-CAPBK-AD	MATTE															
504-895-1222GM	18		22	5x120	72.5	N.A.	М	A484-CAPBK-BMW	GUNMETAL															
504-895-1235GM					35	5x120	72.5	N.A.	М	A484-CAPBK-BMW														
504-895-4445GM																					45	5x112	66.5	20.37
504-895-4545GM			45	5x112	66.5	20.37	М	A484-CAPBK-VW																
504-895-4645GM		9.5	45	5x112	66.5	20.37	М	A484-CAPBK-AD																
504-895-6522GM			22	5x114.3	75.0	N.A.	М	A484-CAPBK																
504-895-6535GM			35	5x114.3	75.0	N.A.	М	A484-CAPBK																
504-895-6545GM			45	5x114.3	75.0	N.A.	М	A484-CAPBK																
504-895-8035GM			35	5x100	75.0	N.A.	М	A484-CAPBK-AD																
504-810-6522GM		4.0	22	5x114.3	75.0	21.05	R	A484-CAPBK																
504-810-6530GM		10	30	5x114.3	75.0	21.36	М	A484-CAPBK																
504-8105-1223GM			23	5x120	72.5	N.A.	R	A484-CAPBK-BMW																
504-8105-6515GM			15	5x114.3	75.0	N.A.	R	A484-CAPBK																
504-8105-6522GM	10.5	10.5	22	5x114.3	75.0	22.57	М	A484-CAPBK																
504-8105-6525GM			25	5x114.3	75.0	N.A.	R	A484-CAPBK																
504-8105-6535GM			35	5x114.3	75.0	21.27	R	A484-CAPBK																
504-8110-1230GM		11	30	5x120	72.5	22.11	R	A484-CAPBK-BMW																
504-8110-6516GM			16	5x114.3	75.0	N.A.	R	A484-CAPBK																

Valve # V429-0000BK

FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design



SPEC-E



Racing Revolution NTO3RR

17, 18 - Racing Series




Matte Silver (Limited Sizes / Special Order)



Matte Gunmetal





Valve # V429-0000BK for Gunmetal finish, V429-0000SP for Silver finish

FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design.









White (Limited Sizes)





Designed to look incredible while retaining Enkei's racing spirit & functionality. The light weight RS05RR is made using Enkei's MAT-DURA flow forming method. With the RS05RR, there's no need to choose between form or function, you can simply have both. Made in 18x8.5-18x11 with 3 different concave face designs. In Silver or Matte Gunmetal.

PART	NO.		C)	ZE	INSET	BOLT	BORE	WEIGHT	FACE	FINISH
Stock Code	Gunmetal	Silver	31	25	IIVOEI	PATTERN	DIAMETER	(lbs.)	FACE	FINISH
484-885-1235	GM	SP			35	5X120	72.5	N.A.	F	
484-885-4435	GM	SP			35	5X112	66.5	N.A.	F	
484-885-4445	GM	SP			45	5X112	66.5	18.07	F	
484-885-4535	GM	SP		8.5	35	5X112	66.5	N.A.	F	
484-885-4545	GM	SP			45	5X112	66.5	18.07	F	
484-885-4635	GM	SP			35	5X112	66.5	N.A.	F	
484-885-8042	GM	SP			42	5X100	75	N.A.	F	
484-885-8050	GM	SP			50	5X100	75	18.12	F	
484-890-1250	GM	SP			50	5X120	72.5	18.82	F	
484-890-4625	GM	-			25	5X112	66.5	N.A.	F	
484-890-6525	GM	SP		9	25	5X114.3	75	N.A.	F	
484-890-6535	GM	SP	1	9	35	5X114.3	75	N.A.	F	
484-890-6540	GM	SP			40	5X114.3	75	N.A.	F	
484-890-8040	GM	SP			40	5x100	75	N.A.	F	
484-895-1222	GM	SP			22	5X120	72.5	N.A.	M	MATTE GUNMETAL
484-895-1235	GM	SP	18		35	5X120	72.5	N.A.	M	OR
484-895-4445	GM	SP	10		45	5X112	66.5	19.29	M	SPARKLE
484-895-4545	GM	SP		9.5	45	5X112	66.5	19.29	M	SILVER
484-895-4645	GM	SP			45	5X112	66.5	19.29	M	0.272.1
484-895-6522	GM	SP			22	5x114.3	75	N.A.	M	
484-895-6535	GM	SP			35	5x114.3	75	N.A.	M	
484-895-8043	GM	SP	l		43	5x100	75	N.A.	М	
484-810-4632	GM	-			32	5x112	66.5	N.A.	М	
484-810-6522	GM	SP	l	10	22	5x114.3	75	19.81	R	
484-810-6530	GM	SP			30	5x114.3	75	20.43	М	
484-8105-1223	GM	SP	l		23	5x120	72.5	N.A.	R	
484-8105-6515	GM	SP		l '	15	5x114.3	75	N.A.	R	
484-8105-6522	GM	SP	l	10.5	22	5x114.3	75	21.25	М	
484-8105-6525	GM	SP			25	5x114.3	72.5	N.A.	R	
484-8105-6535	GM	SP	l		35	5x114.3	72.5	19.7	R	
484-8110-1230	GM	SP		11	30	5X120	72.5	20.54	R	
484-8110-6516	GM	SP		11	16	5x114.3	75	N.A.	R	

Valve # V429-0000SP (Silver), V429-0000BK (Black)
FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design.
Visit Enkei.com for cap part numbers





F1 Silver






Black (Limited Sizes)

SBC (Limited Sizes)







Gold (Limited Sizes)



RPF1

Now available in 15X8!

14 | 15 | 16 | 17 | 18 - Racing Series

PART NO.	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH	
3794704928SP	14	-	28	4x100	F.4	8.40		
3794704919SP	14	7	19	4x100	54	8.70		
3795704935SP		7	35	4x100	70	9.85	F1 SILVER	
3795704941SP	4-	7	41	4x100	73	9.65		
3795804928SP	15		28	4x100	7.5	11.35		
3795804928GG		8	28	4x100	75	11.35	GOLD	
3796704843SP			43	4x114.3		N.A		
3796704935SP			35	4x100		13.70		
3796704943SP			43	4x100		N.A		
3796706530SP		7	30	5x114.3		14.30		
3796706535SP	16		35	5x114.3		N.A		
3796706543SP			43	5x114.3		13.70		
3796708035SP			35	5x100		N.A		
3796804938SP			38	4x100	73	N.A	F1 SILVER	
3796806538SP		8	38	5x114.3		N.A		
3797704935SP			35	4x100		N.A		
3797704943SP		7	43	4x100		15.15		
3797706545SP			45	5x114.3		14.90		
3797754448SP			48	5x112		15.25		
3797756548SP		7.5	48	5x114.3		15.25		
3797758048SP			48	5x100		15.25		
3797806535SP			35	5x114.3		16.10		
3797806545GG			45	5x114.3		16.05	GOLD	
3797806545SP			45	5x114.3		16.05	E4 OILVED	
3797808035SP		8	35	5x100	70	16.10	F1 SILVER	
3797808045GG			45	5x100	73	16.05	GOLD	
3797808045SP			45	5x100		16.05		
3797856530SP	17	0.5	30	5x114.3		17.05		
3797856540SP		8.5	40	5x114.3		16.30	F1 SILVER	
3797906522SP			22	5x114.3		16.35		
3797906535SP			35	5x114.3		N.A		
3797906535GG			35	5x114.3		N.A	GOLD	
3797906545SP		9	45	5x114.3		15.65	F1 SILVER	
3797906545GG			45	5x114.3	73	15.65	GOLD	
3797908045SP			45	5x100		15.65	F1 SILVER	
3797908045GG			45	5x100		15.65	GOLD	
3797956518SP		0.5	18	5x114.3		16.75		
3797956538SP		9.5	38	5x114.3		16.25		
3797106518SP		-10	18	5x114.3		17.25		
3797106538SP		10	38	5x114.3		16.90		
3798753138SP			38	5x108	65	16.90		
3798754448SP		٦.	48	5x112		16.90	F1 SILVER	
3798756548SP		7.5	48	5x114.3		16.90		
3798758048SP			48	5x100	70	16.90		
3798804435SP			35	5x112	73	18.00		
3798806535SP			35	5x114.3		18.00		
3798808035SP		8	35	5x100		18.00		
3798808045GG			45	5x100		17.95	GOLD	
3798808045SP			45	5x100	56	17.95	G022	
3798851240SP			40	5x120	72.5	18.85		
3798856530SP	18		30	5x114.3	72.0	18.95	F1 SILVER	
3798856540SP	1	8.5	40	5x114.3	73	N.A		
3798856540GG			40	5x114.3		N.A	GOLD	
3798904435SP			35	5x112	66.5	N.A	LD	
3798906535SP		9	35	5x114.3	00.0	17.10		
3798956515SP			15	5x114.3		18.20		
3798956538SP		9.5	38	5x114.3		N.A	F1 SILVER	
3798956545SP		0.0	45	5x114.3	73	17.40		
3798106538SP		10	38	5x114.3		18.45		
37981056515SP		10.5	15	5x114.3		19.05		
5, 50 10303 133F		10.0	10	UA 1 14.0		10.00		

CAP NOT INCLUDED

Cap # A379-0000SP is optional for 15x8, 16", 17" and 18" wheels Valve Stem # A379-VALVEBLACK, A379-VALVEBLUE, A379-VALVERED Matte Black and SBC finish are limited sizes and special order only











Dark Silver






Seven dynamic spokes reach toward the edge of the flange in a concave fashion to give the wheel additional depth and the appearance of being one size larger. The sides of the spokes are thinned to make them lighter while emphasizing the concave shape. This is combined with a double-lipped flange for an especially aggressive look. The concepts of toughness and sport serve as inspiration for these design features. The wheel's rim is formed with MAT technology to achieve a high level of strength, rigidity, and light weight. The face is engineered to accommodate a large brake caliper and to enhance brake cooling performance during high speed driving.

PART NO. SIZE INSET PATTERN DIAMETER (lbs.) FINISH	DART NO		SIZE INSET	BOLT	BORE	WEIGHT	FINISH	
490-775-4942DS 490-775-6545DS 490-775-6545DS 490-775-8045DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-790-6536DS 490-890-6540DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-880-6536DS 490-890-6540DS 490-895-6554DS 490-895-6554DS 490-895-6554DS 490-895-6554DS 490-890-6540DS 490-895-6554DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-895-6535DS 490-980-6545DS 490-990-6553DS 490-990-6553DS 490-990-6545DS 490-	PART NO.		JIZL	IINSET	PATTERN	DIAMETER	(lbs.)	FIINISH
490-775-6545DS	490-775-4450DS			50	5x112		19.20	
490-775-6545DS 490-775-8045DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-780-6535DS 490-785-6555DS 490-790-6520DS 490-790-6520DS 490-790-6530DS 490-795-6540DS 490-795-6540DS 490-795-6540DS 490-880-6535DS 490-890-6540DS 490-895-6555DS 490-890-6545DS 490-895-6555DS 490-980-6545DS 490-990-6553DS 490-990-6553DS 490-990-6535DS 490-900-6535DS 490-	490-775-4942DS		7.5	42	4x100		N.A.	
490-780-6535DS	490-775-6545DS		7.0	45	5x114.3			
490-780-6548DS 490-780-8038DS 38 5x114.3 19.75 490-785-6555DS 490-785-6555DS 75 N.A. 490-796-6520DS 490-790-6520DS 9 38 5x114.3 N.A. 490-790-6538DS 490-790-6538DS 9 38 5x114.3 N.A. 490-795-6530DS 9 38 5x114.3 N.A. 490-795-6540DS 490-795-6540DS 30 5x114.3 N.A. 490-795-6540DS 490-795-6540DS 40 5x114.3 N.A. 490-875-6548DS 490-880-4450DS 490-880-4450DS 490-880-4450DS 48 5x114.3 N.A. 490-880-6545DS 490-880-6545DS 490-880-6540DS 45 5x114.3 N.A. DARK 490-890-6540DS 490-895-6515DS 490-895-6515DS 490-895-6515DS 40 5x114.3 N.A. DARK 490-895-654DS 490-895-654DS 40 5x114.3 N.A. N.A. 490-895-654DS 490-895-654DS 40 5x114.3 N.A. N.A.	490-775-8045DS			45	5x100			
38 5x100 N.A.	490-780-6535DS			35	5x114.3		N.A.	
490-785-6535DS	490-780-6548DS		8	48	5x114.3		19.75	
R	490-780-8038DS			38	5x100		N.A.	
490-786-655DS 490-790-653DS 490-790-653DS 490-790-653DS 490-790-653BDS 490-795-651BDS 490-795-651BDS 490-795-654DDS 490-875-654DDS 490-875-654DDS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-880-6545DS 490-895-654DDS 490-895-654DDS 490-895-654DDS 490-890-654DDS 490-990-654DDS 490-900-654DDS 490-900-654DDS 490-900-	490-785-6535DS	17	8.5		5x114.3	75	N.A.	
490-790-6538DS 9 38 5x114.3 N.A. 490-795-6518DS 490-795-6518DS 18 5x114.3 N.A. 490-795-6518DS 490-795-6540DS 40 5x114.3 N.A. 490-875-6548DS 490-875-8048DS 40 5x114.3 N.A. 490-875-8048DS 490-880-6450DS 48 5x100 20.94 490-880-645DS 490-880-6535DS 490-880-6545DS 490-880-6545DS N.A. N.A. 490-880-6545DS 490-880-6545DS 45 5x114.3 N.A. 490-890-6530DS 490-890-654DS 45 5x114.3 N.A. 490-890-654DS 490-890-654DS 40 5x114.3 N.A. 490-895-654DS 490-895-654DS 40 5x114.3 N.A. 490-895-654DS 490-895-654DS 40 5x114.3 N.A. 490-895-654DS 490-980-654DS 40 5x114.3 N.A. 490-980-654DS 490-985-654DS 45 5x114.3 N.A. 490-995-654DS 490-995-654DS	490-785-6555DS		0.0	55	5x114.3		19.99	
38 5x100 19.81 N.A.					5x114.3			
18 5x114.3 N.A.			9					
490-795-6530DS 490-795-6540DS 490-875-6548DS 490-875-6548DS 490-875-6548DS 490-880-4435DS 490-880-4435DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-880-6535DS 490-890-6540DS 490-890-6540DS 490-895-6525DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-895-6545DS 490-895-6535DS 490-895-6535DS 490-895-6535DS 490-980-6540DS 490-895-6535DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6540DS 490-980-6545DS 490-980-6545DS 490-980-6540DS 490-985-6532DS 490-980-6540DS 490-995-6535DS 490-								
490-795-6540DS 40 5x114.3 20.21 490-875-6548DS 490-875-6548DS 48 5x114.3 N.A. 490-880-4435DS 490-880-4450DS 48 5x112 N.A. 490-880-6535DS 490-880-6535DS 490-880-6545DS N.A. N.A. 490-880-6545DS 490-885-6545DS 45 5x114.3 N.A. 490-880-6530DS 490-890-6540DS 45 5x114.3 N.A. 490-890-6540DS 490-890-6540DS 40 5x114.3 75 DARK 490-895-6515DS 490-895-6540DS 40 5x114.3 75 N.A. 490-895-6540DS 490-810-653BDS 40 5x114.3 N.A. N.A. 490-810-6515DS 490-980-4445DS 40 5x114.3 22.24 490-980-654DS 8 45 5x114.3 22.34 490-985-654DS 8 45 5x114.3 N.A. 490-980-654DS 8 45 5x114.3 N.A. 490-990-654DS 490-995-653DS 490-996-654DS				_				
490-875-6548DS			9.5					
490-875-8048DS								
490-875-8048DS 490-880-4435DS 490-880-4435DS 35 5x112 490-880-4450DS 8 35 5x112 490-880-6535DS 490-880-6545DS 45 5x114.3 N.A. 490-885-6545DS 490-885-6545DS 45 5x114.3 N.A. DARK 490-885-6545DS 490-890-6530DS 40 5x114.3 75 21.64 N.A. 490-890-6540DS 490-895-6515DS 40 5x114.3 75 N.A. N.A. 490-895-652DS 490-895-652DS 40 5x114.3 N.A. N.A. 490-810-653BDS 40 5x114.3 22.24 490-810-653DS 40 5x114.3 22.24 490-980-4445DS 490-980-6540DS 8 45 5x114.3 22.24 490-985-653DS 490-985-653DS 8 45 5x114.3 N.A. 490-980-654DS 8 45 5x114.3 N.A. 490-990-652DS 490-990-6540DS 40 5x114.3 N.A. <			7.5		5x114.3			
Record R								
8 35 5x114.3 18.56 1								
490-880-6545DS 490-880-8045DS 490-885-6535DS 490-885-6535DS 490-890-6530DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-895-6545DS 490-980-6540DS 490-895-6545DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-			8					
490-880-8045DS 490-885-6535DS 490-885-6535DS 490-890-6530DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-985-6535DS 490-995-6535DS 490-995-6535DS 490-995-6545DS 490-								
490-885-6535DS 490-885-6545DS 490-890-6530DS 490-890-6540DS 490-890-8040DS 490-895-6515DS 490-895-6540DS 490-8105-6515DS 490-8105-6515DS 490-980-4445DS 490-980-6545DS 490-985-6532DS 490-985-6532DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6540DS 490-990-6545DS 490-990-6545DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-6535DS 490-995-654								
8.5 490-885-6545DS 490-890-6540DS 490-895-6545DS 490-890-6540DS 490-890-6540DS 490-895-6545DS 490-895-6545DS 490-895-6545DS 490-995-6535DS								
490-885-6545DS 18 45 5x114.3 75 21.64 490-890-6530DS 490-890-6540DS 40 5x114.3 20.92 490-895-6515DS 40 5x114.3 N.A. 490-895-652DS 40 5x114.3 N.A. 490-895-652DS 40 5x114.3 N.A. 490-895-6540DS 40 5x114.3 21.53 490-810-653BDS 10 38 5x114.3 22.24 490-810-6515DS 10.5 15 5x114.3 22.24 490-980-4445DS 8 45 5x114.3 23.52 490-985-654DS 8 45 5x112 N.A. 490-985-652DS 490-995-652DS 42 5x114.3 N.A. 490-995-654DS 490-996-654DS 40 5x114.3 75 N.A. 490-995-653DS 490-995-653DS 40 5x114.3 75 N.A. 490-995-653DS 490-995-653DS 40 5x114.3 75 N.A. 490-995-653DS 490-995			8.5					SILVER
490-890-6540DS 9 40 5x114.3 20.92 490-890-8040DS 490-895-6515DS 40 5x100 N.A. 490-895-6525DS 490-895-6540DS 15 5x114.3 N.A. 490-810-6538DS 40 5x114.3 21.53 490-8105-6515DS 40 5x114.3 22.24 490-8105-6525DS 10 38 5x114.3 N.A. 490-980-4445DS 490-980-4445DS 8 45 5x112 N.A. 490-980-6545DS 490-985-6532DS 45 5x114.3 22.33 490-990-6527DS 490-990-6527DS 490-990-6520DS 42 5x114.3 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 40 5x114.3 23.03 490-9910-6518DS 45 5x114.3 N.A. 490-910-6518DS 45 5x114.3 N.A.		18				75		
490-895-8040DS 40 5x100 N.A. 490-895-6515DS 15 5x114.3 N.A. 490-895-652DS 490-895-6540DS 40 5x114.3 N.A. 490-810-653BDS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 25 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-985-643DS 8 45 5x114.3 22.33 490-985-6542DS 8 45 5x114.3 N.A. 490-990-6527DS 49 38 5x112 N.A. 490-990-6540DS 42 5x114.3 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 75 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 490-9910-651BDS 45 5x114.3 N.A. 490-9910-651BDS 45 5x114.3 N.A. 40 5x114.3 <								
490-895-6515DS 9.5 5x114.3 N.A. 490-895-6525DS 490-895-6525DS 40 5x114.3 21.53 490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 10.5 25 5x114.3 N.A. 490-980-4445DS 8 45 5x112 N.A. 490-985-654DS 8 45 5x114.3 22.33 490-985-6532DS 490-985-6532DS 38 5x112 N.A. 490-990-6527DS 49 42 5x114.3 N.A. 490-990-6540DS 40 5x114.3 23.03 490-995-6535DS 40 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 N.A. 490-995-6545DS 490-995-6545DS 45 5x114.3 N.A. 490-910-6518DS 45 5x114.3 N.A.			9					
490-895-6525DS 9.5 25 5x114.3 N.A. 490-895-6540DS 40 5x114.3 21.53 490-8105-6515DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-980-4445DS 25 5x114.3 23.52 490-980-6545DS 45 5x112 N.A. 490-985-6542DS 490-985-6532DS 38 5x112 N.A. 490-990-6527DS 49 42 5x114.3 N.A. 490-990-6540DS 490-995-6535DS 40 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 N.A. 23.08 490-995-6535DS 490-995-6535DS 45 5x114.3 N.A. 23.50 490-9910-6518DS 10 18 5x114.3 N.A. N.A.								
490-895-6540DS 40 5x114.3 21.53 490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 25 5x114.3 N.A. 490-980-6445DS 490-986-6545DS 8 45 5x112 N.A. 490-985-643DS 38 5x112 N.A. N.A. 490-985-6532DS 490-996-6527DS 8 42 5x114.3 N.A. 490-990-6527DS 490-990-6540DS 490-995-6535DS 400 5x114.3 75 N.A. 490-995-6535DS 490-995-6545DS 45 5x114.3 N.A. 23.08 490-910-6518DS 10 18 5x114.3 N.A. N.A.								
490-810-6538DS 10 38 5x114.3 22.24 490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 25 5x114.3 23.52 490-980-4445DS 490-980-6545DS 45 5x112 N.A. 490-985-4438DS 38 5x112 N.A. 490-985-6532DS 490-985-6542DS 42 5x114.3 N.A. 490-990-6527DS 490-990-6540DS 42 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 N.A. 23.08 490-9910-6518DS 45 5x114.3 N.A. N.A. 490-910-6518DS 10 18 5x114.3 N.A.			9.5					
490-8105-6515DS 10.5 15 5x114.3 N.A. 490-8105-6525DS 490-980-4445DS 8 45 5x112 N.A. 490-980-6545DS 490-985-643DS 45 5x112 N.A. 490-985-6532DS 38 5x112 N.A. 490-985-6542DS 490-990-6527DS 49 75 N.A. 490-990-6540DS 490-995-6535DS 400 5x114.3 75 N.A. 490-995-6545DS 490-995-6545DS 9.5 35 5x114.3 N.A. 23.08 490-910-6518DS 10 18 5x114.3 N.A. N.A.								
490-8105-6525DS 10.5 25 5x114.3 23.52 490-980-4445DS 8 45 5x112 N.A. 490-985-6545DS 490-985-643BDS 38 5x112 N.A. 490-985-6532DS 490-985-6542DS 42 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 49 27 5x114.3 75 N.A. 490-995-6535DS 490-995-6535DS 40 5x114.3 N.A. 23.08 490-995-6545DS 490-910-6518DS 10 18 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.			10					
490-980-4445DS 8 45 5x112 N.A. 490-980-6545DS 490-985-643BDS 38 5x114.3 22.33 490-985-6532DS 490-985-6542DS 42 5x114.3 N.A. 490-990-6527DS 490-990-6527DS 49 40 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.03 490-995-6535DS 40 5x114.3 N.A. 490-995-6545DS 45 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.		1	10.5					
490-980-6545DS 490-985-4438DS 490-985-6532DS 38 5x114.3 N.A. 490-985-6542DS 490-995-6527DS 42 5x114.3 N.A. 490-990-6527DS 49 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.03 490-995-6535DS 40 5x114.3 N.A. 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.								
490-985-4438DS 38 5x112 N.A. 490-985-6532DS 490-985-6532DS 42 5x114.3 N.A. 490-990-6527DS 19 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.03 490-995-6535DS 40 5x114.3 N.A. 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.			8					
490-985-6532DS 8.5 32 5x114.3 N.A. 490-985-6542DS 42 5x114.3 23.03 490-990-6527DS 19 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 9.5 35 5x114.3 N.A. 490-9910-6518DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.								
490-985-6542DS 490-990-6527DS 19 27 5x114.3 75 N.A. 490-990-6540DS 490-995-6535DS 40 5x114.3 23.03 490-995-6535DS 490-995-6545DS 9.5 35 5x114.3 N.A. 490-910-6518DS 10 18 5x114.3 N.A.								
490-990-6527DS 19 9 27 5x114.3 75 N.A. 490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.		19	8.5					
490-990-6540DS 40 5x114.3 23.08 490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.						7.5		
490-995-6535DS 9.5 35 5x114.3 N.A. 490-995-6545DS 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.			9	_		75		
490-995-6545DS 9.5 45 5x114.3 23.50 490-910-6518DS 10 18 5x114.3 N.A.								
490-910-6518DS 10 18 5x114.3 N.A.			9.5					
			9.5					
490-910-6540DS			10					
Lize I I I I I I I I I I I I I I I I I I I	490-910-6540DS			40	5x114.3		24.29	

Cap # A489-CAPBK, Valve Stem # A460-VLV-BK









RC-T5

18 - Racing Series

PART NO.	SIZ	ΖE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
514-890-6540DS	18	9	40	5x114.3	75	20.2	DARK
514-895-6538DS	18	9.5	38	5x114.3	75	20.7	SILVER

Cap not included





Dark Silver



SBK



Pearl White

Matte Black

PF01 EV0

17 | 18 - Racing Series

From time attack to drifting, the PF01EVO wheel is designed to maximize the performance of 17 and 18-inch tires, which are popular among these circuit racers fans. When mounted on a vehicle with over fenders, the minimum inset starts from 0 mm, widening the settable tread width range.

The PF01EVO wheel adopts ENKEI's proprietary MAT process technology to ensure both the high rigidity and lightness required for an uncompromising sport wheel.

Р	PART NO.				SIZE	INSET	BOLT	BORE	WEIGHT	FACE	FINISH		
Stock Code	Black	Pearl White	SBK)IZL	IIVSEI	PATTERN	DIAMETER	(lbs.)	FACE	FINISH		
489-790-6500	BK	WP	SBK			0	5X114.3	75	19.00	R			
489-790-6512	BK	WP	SBK		9	12	5X114.3	75	19.00	R			
489-790-6522	BK	WP	SBK			22	5X114.3	75	19.00	R			
489-795-6500	BK	WP	SBK	17		0	5X114.3	75	19.05	R			
489-795-6512	BK	WP	SBK		9.5	12	5X114.3	75	19.05	R			
489-795-6522	BK	WP	SBK		3.3	22	5X114.3	75	19.05	R			
489-795-6535	BK	WP	SBK			35	5X114.3	75	19.05	R			
489-890-6525	BK	WP	SBK			25	5X114.3	75	18.50	F			
489-890-6535	BK	WP	SBK		9	9	9	35	5X114.3	75	18.50	F	MATTE
489-890-6545	BK	WP	SBK			45	5X114.3	75	18.50	F	BLACK,		
489-895-1215	BK	WP	SBK			15	5X120	72.5	19.10	R	PEARL		
489-895-1220	BK	WP	SBK			20	5X120	72.5	19.85	R	WHITE,		
489-895-4445	BK	WP	SBK			45	5X112	75	19.85	R	OR SBK		
489-895-6500	BK	WP	SBK	18	9.5	0	5X114.3	75	19.85	R			
489-895-6512	BK	WP	SBK	10	3.3	12	5X114.3	75	19.10	R			
489-895-6522	BK	WP	SBK			22	5X114.3	75	19.85	R			
489-895-6535	BK	WP	SBK			35	5X114.3	75	19.85	F			
489-895-6545	BK	WP	SBK			45	5X114.3	75	19.85	F			
489-8105-1222	BK	WP	SBK		ĺ	22	5X120	72.5	20.65	R			
489-8105-6515		WP	SBK		10.5	15	5X114.3	75	20.65	R			
489-8105-6522	BK	WP	SBK			22	5x114.3	75	20.65	R			

Cap # A489-CAPBK for Black and SBK Wheels Cap # A489-CAPSP for Pearl White Wheels









Matte Black (Limited Sizes)

WIDE APPLICATION

Responding to popular demand, the PF01 offers a wide variety of applications ranging from 15x7 through 18x10.5. This wheel also has a large brake caliper clearance to meet car enthusiasts' needs.

ROULETTE PATTERN

Our unique roulette pattern is grooved on the rim to reduce the slippage ratio between tire and rim. The roulette-pattern maintains the best condition of the wheel and tire assembly, thus achieving the highest performance during extreme acceleration and deceleration. The roulette pattern is also used for McLaren Honda Formula One racing wheels.







	PART NO.	S	IZE	INSET	BOLT	BORE DIAMETER	WEIGHT (lbs.)	FINISH
	460-570-4935SP			35	4x100	DIAMETER	12.35	
	460-570-4941SP	15	7	41	4x100	75	12.35	
	460-580-4935SP	13	8	35	4x100	/3	13.15	
	460-670-4943SP	16	7	43	4x100	75	14.00	
	460-770-4938SP	10		38	4x100	73	15.50	
	460-770-4945SP		7	45	4x100		N.A.	
	460-770-6548SP		-	48	5x114.3		15.90	
	460-775-6538SP			38	5x114.3		17.15	
	460-775-6545SP			45	5x114.3		16.75	
	460-775-8038SP		7.5	38	5x100		17.15	
	460-775-8045SP			45	5x100		16.75	
	460-780-4435SP	17		35	5x112	75	18.20	
	460-780-4450SP			50	5x112		16.95	
	460-780-6545SP			45	5x114.3		N.A.	
	460-780-6550SP		8	50	5x114.3		16.95	
	460-780-8035SP			35	5x100		18.20	
	460-780-8050SP			45	5x100		N.A.	
	460-785-1240SP		8.5	40	5x120		18.35	
	460-785-6540SP		0.5	40	5x114.3		18.35	
	460-875-6538SP			38	5x114.3		17.50	SILVER
	460-875-6545SP		7.5	45	5x114.3		17.65	
	460-875-8038SP		, .0	38	5x100		17.50	
	460-875-8045SP			45	5x100		17.65	0.212
	460-880-1235SP			35	5x120		19.20	
	460-880-1242SP			42	5x120		N.A.	
	460-880-4435SP			35	5x112		19.20	
	460-880-4445SP		8	45	5x112		18.56	
	460-880-5140SP			40	5X110		N.A.	
	460-880-6640SP			40	5x114.3		N.A.	
	460-880-6645SP			45	5x114.3		18.56	
	460-880-6650SP			50	5x114.3		17.95	
	460-885-6630SP	18		30	5x114.3	75	19.65	
	460-885-6635SP		8.5	35	5x114.3		N.A.	
	460-885-6648SP			48	5x114.3		18.30	
	460-885-8048SP			48	5x100		N.A.	
	460-890-4435SP		9	35	5x112	-	20.10	
	460-890-6635SP		9	35 45	5x114.3		20.10	
	460-890-6645SP 460-895-6615SP			15	5x114.3		19.20 N.A.	
	460-895-6635SP			35	5x114.3 5x114.3		20.65	
	460-895-6645SP		9.5	45	5x114.3		20.85	
	460-895-8045SP			45	5x114.3		N.A.	
	460-8105-6615SP			15	5x114.3		23.15	
	460-8105-6638SP		10.5	38	5x114.3		22.05	
ı	.55 0100 000001			00	5X111.0		LL.00	

Cap # A423-0000SP, Valve Stem# A460-VLV-SP for Silver finish wheel Matte Black finish is for selected sizes and special order only For 17x8 and 17x9 Matte Black finish, see Please see PF01 SS Cap # A461-CAPCP, Valve Stem# A460-VLV-BK for Matte Black finish wheel



F1 Silver

NT03+M

18 - Racing Series

Designed with a perimeter brace ring that enhances the wheel strength so it's able to resist deformation or distortion from outer forces, resulting in highly accurate steering response and strength. The NT03+M also features a racing twin valve design which allows for accurate monitoring while adjusting the pressure.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
3658756537SP		7.5	37	5x114.3		18.5	
3658808035SP		8	35	5x100	72.6	19.4	
3658856538SP		8.5	38	5x114.3		19.6	
365885PO50SP		5.	50	5x130	71.6	19.2	
3658956527SP	18	9.5	27	5x114.3	72.6	19.9	F1 SILVER
3658956540SP		5.	40	5x114.3	72.0	19.4	
3658101225SP		10	25	5x120	72.6	20.5	
365810PO60SP		10	60	5x130	71.6	21.0	
36581056530SP		10.5	30	5x114.3	72.6	21.0	

Cap # A365-0000SP Cap Screw # ASCREW04-070-12SA Valve Stem # V365-0000CE







Matte Black



White with Machined Lip



PF01SS

17 - Racing Series

We've taken our successful PF01 racing wheel one step further with a lip and two new color configurations to add a bit of flare to its super sport design. Available in matte black, silver, black machined, and white machined finishes.

PART NO.	SIZE II		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
460-780-6550SP				5x114.3		17.24	SILVER
460-780-6550BK		8	50	5x114.3		17.24	MATTE BLACK
460-780-6550WM				5x114.3	75	17.24	WHITE with MACHINED LIP
460-790-6535SP			35	5x114.3		19.18	SILVER
460-790-6535BK			35	5x114.3		19.18	MATTE BLACK
460-790-6548SP	17		48	5x114.3		18.85	SILVER
460-790-6548BK		9	40	5x114.3		18.85	MATTE BLACK
460-790-6560SP				5x114.3		17.41	SILVER
460-790-6560BK			60	5x114.3	3	17.41	MATTE BLACK
460-790-6560WM				5x114.3		17.41	WHITE with MACHINED LIP

Cap # A423-0000SP, Valve Stem # A460-VLV-SP for Silver finish wheel
Cap # A461-CAPCP, Valve Stem # A460-VLV-BK for Black finish and White finish wheels







TUNING SERIES

Introducing Enkei's Tuning Series. Contemporary wisdom says that you've got to give one good thing up if you want another. Not so with the Enkei Tuning Series! Enkei is proud to offer light weight and strong wheels that won't leave your pocketbook empty. Utilizing Enkei's world class manufacturing abilities, Enkei has lowered the cost of the MAT spin forging production process even further, allowing us to produce a new line of wheels built using the same methods as the Racing series, but at a lower price point.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, the MAT process, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.



Titanium Gray

TSR-6

18 - Tuning Series

We're literally putting a new twist on an old style. Taking inspiration from the iconic and super-light RPF1, we developed the all new TSR-6. With its twin 6-spoke design, it achieves an open look that promotes airflow to the brakes, but without sacrificing strength and rigidity. The TSR-6 is available in sizes ranging from 18x8 to 18x9.5 with PCD and offset configurations for a wide variety of high-performance cars.

P/	PART NO.					INSET	BOLT	BORE	FINISH
Stock Code	Gray	Black	Bronze	٠	IZE	INSLI	PATTERN	DIAMETER	TINISTI
530-880-4445	GR	BK	ZP			45	5x112		
530-880-6540	GR	BK	ZP		8	40	5x114.3		TITANIUM
530-880-8045	GR	BK	ZP			45	5x100		GRAY OR
530-885-6538	GR	BK	ZP	18	8.5	38	5x114.3	72.6	MATTE BLACK
530-885-8045	GR	BK	ZP		0.5	45	5x100		OR MATTE
530-895-6538	GR	BK	ZP		9.5	38	5x114.3		BRONZE
530-895-8045	GR	BK	ZP		9.5	45	5x100		

Cap# A476-CAPBK









Matte Black



Gloss Black



Storm Gray (Select Sizes)

Introducing Enkei's first ever Tuning Series Wheel available in 20". Enkei's Tuning Series wheels have taken the market by storm thanks to their high-strength MAT construction and competitive pricing. Due to increasing customer demand for a lightweight 20" wheel in this series, we are proud to introduce the all-new TSR-X. Available in Gloss Black, Bronze, and Storm Grey, the TSR-X is the perfect option for those looking to go big while keeping weight down on their late model sports coupes, sedans, and even crossovers.

P.A	ART NO.			SIZE		INSET	BOLT	BORE	FINISH
Stock Code	Black	Gray	Bronze	31	ZE	INSET	PATTERN	DIAMETER	FINISH
529-880-4445	BK	GR				45	5x112		
529-880-6535	BK	GR			8	35	5x114.3		
529-880-6545	BK	GR			0	45	5x114.3		01.000
529-880-8045	BK	GR				45	5x100		GLOSS
529-885-1238	BK					38	5x120		BLACK
529-885-6538	BK		ZP	18	0.5	38	5x114.3		
529-885-6545	BK				8.5	45	5x114.3	72.6	
529-885-8045	BK					45	5x100		STORM
529-895-1240	BK					40	5x120		GRAY AND
529-895-6538	BK		ZP		9.5	38	5x114.3		GLOSS
529-895-8045	BK		ZP			45	5x100		BRONZE
529-285-1240	BK				0.5	40	5x120		IN
529-285-6540	BK		ZP	20	8.5	40	5x114.3		SELECTED
529-295-1240	BK			20	9.5	40	5x120		SIZES
529-295-6540	BK		ZP		9.5	40	5x114.3		

Cap# A476-CAPBK For 5x120, A476-CAPBK-BMW





Storm Gray



Gloss Black

Gloss Bronze (Selected Sizes)



Building on the success of the Enkei M52 and YS5 as inspiration for a light-weight new tuning wheel led us to create the all-new TSV. The TSV features 10 paired spokes that are spaced perfectly to even distribute the loads and stresses placed on wheels at the track. Doing this allows us to reduce the weight on the wheel without sacraficing rigidity. The result is a classic and clean wheel design that works beautifully with late model sports sedans and coupes. The TSV comes in 17" and 18" sizing and widths up to 9.5", and is available in Storm Gray, Gloss Black, and limited Gloss Bronze.

		-							
PA Stock Code	ART NC). Black	Bronze	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
522-780-6535	GR	BK	Bronzo			35	5x114.3		
522-780-6545	GR	BK			8	45	5x114.3		
522-780-8045	GR	ВК		17		45	5x100		
522-790-6540	GR	BK			9	40	5x114.3		
522-790-8045	GR	BK				45	5x100		
522-880-4445	GR	BK				45	5x112		
522-880-6535	GR	BK				35	5x114.3		STORM
522-880-6545	GR	BK			8	45	5x114.3	72.6	GRAY OR GLOSS BLACK OR GLOSS BRONZE (selected sizes)
522-880-8045	GR	ВК				45	5x100		
522-885-1238	GR	BK				38	5x120		
522-885-3140	GR	BK				40	5x108		
522-885-6525	GR	BK		18	8.5	25	5x114.3		
522-885-6538	GR	BK	ZP		0.0	38	5x114.3		,
522-885-6545	GR	BK	ZP			45	5x114.3		
522-885-8045	GR	BK				45	5x100		
522-895-1240	GR	BK				40	5x120		
522-895-6515	GR	ВК			9.5	15	5x114.3		
522-895-6538	GR	BK	ZP		9.5	38	5x114.3		
522-895-8045	GR	BK				45	5x100		

Cap# A476-CAPBK
Cap# for 5x120 BMW size, Cap# A476-CAPBK BMW



Gloss Black



Storm Gray

for words because it just does everything right. It is remarkably simple and clean, relying on the tried and true 5-spokes and a lip formula, but the TS-5 gets the aesthetics just right. It is the golden ratio in wheel form. It screams motorsports and whispers class at the same time. It is just as much at home on track as it is on the street. With 17" and 18" sizing and widths up to 9.5", the TS-5 will suit a remarkable variety of sport

sedans and coupes.

P.A	ART NC).		SIZE		INIOET	BOLT	BORE	FINITOLI
Stock Code	Gray	Black	Bronze	SI	ΖE	INSET	PATTERN	DIAMETER	FINISH
521-780-6540	GR	BK	ZP		8	40	5x114.3		
521-780-8045	GR	BK	ZP	17	0	45	5x100		
521-790-6540	GR	BK	ZP	17	9	40	5x114.3		
521-790-8045	GR	BK	ZP		מ	45	5x100		STORM
521-880-4445	GR	BK				45	5x112		GRAY
521-880-6540	GR	BK	ZP		8	40	5x114.3		OR
521-880-8045	GR	BK	ZP			45	5x100	72.6	GLOSS BLACK
521-885-3140	GR	BK				40	5x108		OR
521-885-6538	GR	BK	ZP	18	8.5	38	5x114.3		MATTE
521-885-8045	GR	BK	ZP			45	5x100	1	BRONZE
521-895-1245		BK	ZP			45	5x120		
521-895-6538	GR	BK	ZP		9.5	38	5x114.3		
521-895-8045	GR	BK	ZP			45	5x100		

Cap# A476-CAPBK

Sticker # A521-STICKBK for Gray and Bronze wheel Sticker # A521-STICKGM for Black wheel





Storm Gray







Gold (Select Sizes)

The Enkei TS-10 takes the simplest approach to achieving Enkei's philosophy in creating a lightweight and strong wheel. Its 10 cleanly cut spokes reach the very edge of the wheel, creating the illusion that the wheel is bigger than its true size. The TS-10 is available in concave and flat face profiles dependent on size and width. The TS-10 is finished off with Enkei's signature flat center cap and is available in new storm gray, gloss black, or limited gold paint.

PA	RT NO						BOLT	BORE	
Stock Code	Storm Gray	Gloss Black	Gold	0)	SIZE	INSET	PATTERN	DIAMETER	FINISH
499-780-4940	GR	BK				40	4x100		
499-780-6535	GR	BK			8	35	5x114.3		
499-780-6545	GR	BK			0	45	5x114.3		
499-780-8045	GR	BK	GG	17		45	5x100		
499-790-6535	GR	BK				35	5x114.3		
499-790-6545	GR	BK			9	45	5x114.3		STORM
499-790-8045	GR	BK				45	5x100		GRAY OR
499-880-4445	GR	BK				45	5x112		GLOSS
499-880-6540	GR	BK			8	40	5x114.3	72.6	BLACK
499-880-6550	GR	BK				50	5x114.3		
499-880-8045	GR	BK	GG			45	5x100		
499-885-6525	GR	BK				25	5x114.3		GOLD IN
499-885-6535	GR	BK		18	8.5	35	5x114.3		SELECTED
499-885-6550	GR	BK	GG		0.5	50	5x114.3		SIZES
499-885-8045	GR	BK				45	5x100		
499-895-6515	GR	BK				15	5x114.3		
499-895-6535	GR	BK			9.5	35	5x114.3		
499-895-8045	GR	BK				45	5x100		
499-8105-6525	GR	BK			10.5	25	5x114.3		

Cap# A476-CAPCP
All Black Cap# A476-CAPBK (optional)





Storm Gray



Copper

Simplify and add lightness. That's the approach Enkei has taken with the TFR Tuning Series wheel. Seven perfectly contoured spokes start from a center with carefully placed cuts to save every ounce possible. The TFR is the wheel you can autocross with on the weekends and drive to work with during the week. It is truly versatile. The TFR is available in 17", 18", and 19" sizing in all new Copper, Storm Gray, and limited Gunmetal finishes. The wheel is finished off with Enkei's signature flat center cap.

F	PART NO.						BOLT	BORE	
Stock Code	Storm Gray	Copper	Matte Gunmetal	SIZE		INSET	PATTERN	DIAMETER	FINISH
516-780-4445	GR	ZP				45	5x112		
516-780-6535	GR	ZP			8	35	5x114.3		
516-780-6545	GR	ZP		17	0	45	5x114.3		
516-780-8045	GR	ZP		.,		45	5x100		
516-790-6540	GR	ZP	GM		9	40	5x114.3		
516-790-8045	GR	ZP	GM		9	45	5x100		
516-880-4445	GR	ZP				45	5x112		
516-880-6540	GR	ZP			8.5	40	5x114.3		STORM GRAY OR COPPER OR MATTE GUNMETAL (Selected sizes)
516-880-8045	GR	ZP				45	5x100		
516-885-6538	GR	ZP	GM	18		38	5x114.3	72.6	
516-885-6545	GR	ZP	GM	10		45	5x114.3		
516-885-8045	GR	ZP	GM			45	5x100		
516-895-6538	GR	ZP	GM		9.5	38	5x114.3		
516-895-8045	GR	ZP	GM		5.	45	5x100		
516-985-4435	GR	ZP				35	5x112		
516-985-6535	GR	ZP			8.5	35	5x114.3		
516-985-6545	GR	ZP		19		45	5x114.3		
516-995-6515	GR	ZP			9.5	15	5x114.3		
516-995-6535	GR	ZP			3.	35	5x114.3		

Cap# A476-CAPBK





fits. Named
O help you
Optional flat cap can be used on all Raijins.

18" come with Cap # A468-CAPCP; 19" come with Flat Cap # A476-CAPCPBMW
Optional flat cap can be used on all Raijins.

Titanium Gray finish is available for selected 18" sizes
All Black Cap# A476-CAPBK (optional)

Most Advanced Technology

SPEC-E

driver but with added MAT technology performance benefits. Named after the Japanese god of thunder, the RAIJIN is bound to help you bolt through traffic not only with style but with better overall performance. Having a light weight wheel helps brake more efficiently, helps accelerate quicker and can even help with fuel economy. You'd be surprised how much difference a few pounds makes.



TIMS 17 | 18 - Tuning Series

PAR ⁻	ΓNO.		SIZE			BOLT	BORE	
Stock Code	Storm Gray	Glossy Black			INSET	PATTERN	DIAMETER	FINISH
515-780-8045	GR	BK			45	5x100		
515-780-6545	GR	BK		8	45	5x114.3		
515-780-6535	GR	BK	17		35	5x114.3		
515-790-8045	GR	BK		9	45	5x100		
515-790-6540	GR	BK		3	40	5x114.3		
515-880-8045	GR	BK			45	5x100		STORM GRAY OR GLOSS BLACK
515-880-4445	GR	BK		8	45	5x112	72.6	
515-880-6545	GR	BK			45	5x114.3		
515-880-6535	GR	BK			35	5x114.3		
515-885-8045	GR	BK			45	5x100		
515-885-4445	GR	BK	18		45	5x112		
515-885-6545	GR	BK	10	8.5	45	5x114.3		
515-885-6538	GR	BK			38	5x114.3		
515-885-6525	GR	BK			25	5x114.3		
515-895-8045	GR	BK	9.5		45	5x100		
515-895-6538	GR	BK		9.5	38	5x114.3		
515-895-6515	GR	BK			15	5x114.3		

Cap# A476-CAPBK





Matte Silver



Matte Black

Platinum Gray

TS9

17 | 18 - Tuning Series

Р	ART N	<u> </u>							
Р	Matte	Platinum	Matte	9	ΙΖΕ	INSET	BOLT	BORE	FINISH
Stock Code	Black	Gray	Silver		ZL	INSLI	PATTERN	DIAMETER	1 1141511
492-780-4445	BK	GR	-			45	5x112		
492-780-6535	BK	GR	-			35	5x114.3		
492-780-6545	BK	GR	-	1	8	45	5x114.3		
492-780-8045	BK	GR	SP	17		45	5x100		
492-790-6535	BK	GR	SP			35	5x114.3		
492-790-6545	BK	GR	SP		9	45	5x114.3		
492-790-8045	BK	GR	SP			45	5x100		
492-880-3145	BK	GR	•			45	5x108		
492-880-4445	BK	GR	•			45	5x112		
492-880-6535	BK	GR	SP		8	35	5x114.3	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE
492-880-6545	BK	GR	SP			45	5x114.3		
492-880-6550	BK	GR	SP			50	5x114.3		
492-880-8045	BK	GR	SP			45	5x100		
492-885-4442	BK	GR	ı			42	5x112		SILVER
492-885-6525	BK	GR	SP	18		25	5x114.3		
492-885-6535	BK	GR	SP	10	8.5	35	5x114.3		
492-885-6550	BK	GR	•		0.5	50	5x114.3		
492-885-8040	BK	GR	SP			40	5x100		
492-885-8045	BK	GR	SP			45	5x100		
492-895-6515	BK	GR	-			15	5x114.3		
492-895-6530	BK	GR	SP		0.5	30	5x114.3		
492-895-8040	BK	GR	SP		9.5	40	5x100		
492-895-8045	BK	GR	SP			45	5x100		

Cap# A476-CAPCP





Hyper Silver



Gloss Black

The Enkei TY-5 is an exciting entry in Enkei's lightweight Tuning series. Utilizing a sleek combination of a split 5-spoke style with the center styling cues of a mesh wheel, the TY-5 is a great choice for a wide variety of wheels ranging from small sports coupes to full-size luxury cars. It is available in several exciting colors including hyper black, gloss black, and an all-new limited pearl black. The TY-5 is available in concave and flat face profiles dependent on size and width, and includes Enkei's signature flat center cap.

P	ART NO.						BOLT	BORE	
Stock Code	Hyper	Gloss	Pearl	S	IZE	INSET	PATTERN	DIAMETER	FINISH
Stock Code	Silver	Black	Black				.,	5,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
498-880-3140	HS	BK	MBM			40	5x108		
498-880-4445	HS	BK	MBM			45	5x112		
498-880-6540	HS	BK	MBM		8	40	5x114.3		
498-880-6550	HS	BK	MBM			50	5x114.3		
498-880-8045	HS	BK	MBM			45	5x100		
498-885-1238	HS	BK	MBM			38	5x120		HYPER SILVER
498-885-4442	HS	BK	MBM			42	5x112		OR GLOSS
498-885-6525	HS	BK	MBM	18	8.5	25	5x114.3		BLACK OR
498-885-6535	HS	BK	MBM		0.5	35	5x114.3		PEARL BLACK
498-885-6550	HS	BK	MBM			50	5x114.3		
498-885-8045	HS	BK	MBM			45	5x100		
498-895-1235	HS	BK	MBM			35	5x120	72.6	PEARL BLACK
498-895-6515	HS	BK	MBM		9.5	15	5x114.3		IS MACHINED
498-895-6535	HS	BK	MBM		9.5	35	5x114.3		SPOKE WITH BLACK CLEAR
498-895-8045	HS	BK	MBM			45	5x100		COAT
498-980-4445	HS	BK	MBM		8	45	5x112		OOAT
498-980-6540	HS	BK	MBM		0	40	5x114.3		
498-985-1238	HS	BK	MBM			38	5x120		
498-985-4442		BK	MBM	19	8.5	42	5x112		
498-985-6535	HS	BK	MBM	19		35	5x114.3		
498-995-1235	HS	BK	MBM			35	5x120		
498-995-6515	HS	BK	MBM		9.5	15	5x114.3		
498-995-6535	HS	BK	MBM			35	5x114.3		

Cap# A476-CAPCP Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





Matte Black

TX5

17 | 18 - Tuning Series

PAR	PART NO.					BOLT	BORE	
Stock Code	Matte Black	Platinum Gray	S	IZE	INSET	PATTERN	DIAMETER	FINISH
491-780-1235	BK	GR			35	5x120		
491-780-4445	BK	GR			45	5x112		
491-780-6535	BK	GR		8	35	5x114.3		
491-780-6545	BK	GR	17		45	5x114.3		
491-780-8045	BK	GR	17		45	5x100		
491-790-6535	BK	GR			35	5x114.3		
491-790-6545	BK	GR		9	45	5x114.3		
491-790-8045	BK	GR			45	5x100		
491-880-1232	BK	GR			32	5x120		
491-880-3145	BK	GR			45	5x108		
491-880-4445	BK	GR			45	5x112		
491-880-6535	BK	GR		8	35	5x114.3		MATTE BLACK OR
491-880-6545	BK	GR			45	5x114.3	72.6	PLATINUM
491-880-6550	BK	GR			50	5x114.3		GRAY
491-880-8045	BK	GR			45	5x100		
491-885-1235	BK	GR			35	5x120		
491-885-4442	BK	GR	18		42	5x112		
491-885-6525	BK	GR		8.5	25	5x114.3		
491-885-6535	BK	GR		0.5	35	5x114.3		
491-885-6550	BK	GR			50	5x114.3		
491-885-8045	BK	GR			45	5x100		
491-895-1235	BK	GR			35	5x120		
491-895-6515	BK	GR	9.5	9.5	15	5x114.3		
491-895-6530	BK	GR		5.5	30	5x114.3		
491-895-8045	BK	GR			45	5x100		

Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





Matte Silver



Matte Black

Gold (Select Sizes)

17 | 18 - Tuning Series

P/	ART NO).		SIZE		INIOET	BOLT	BORE	FINIOLI
Stock Code	Silver	Black	Gold	S	IZE	INSET	PATTERN	DIAMETER	FINISH
485-780-4445	SP	BK				45	5x112		
485-780-6535	SP	BK				35	5x114.3		
485-780-6540	SP	BK			8	40	5x114.3		
485-780-6545	SP	BK		17		45	5x114.3		
485-780-8045	SP	BK	GG	17		45	5x100		
485-790-6535	SP	BK				35	5x114.3		
485-790-6545	SP	BK			9	45	5x114.3		
485-790-8045	SP	BK				45	5x100		
485-880-1232	SP	BK				32	5x120		
485-880-1242	SP	BK				42	5x120		
485-880-4435	SP	BK				35	5x112		MATTE
485-880-4445	SP	BK			8	45	5x112		BLACK
485-880-6535	SP	BK				35	5x114.3	72.6	OR
485-880-6545	SP	BK				45	5x114.3	72.0	MATTE
485-880-8045	SP	BK	GG			45	5x100		SILVER
485-885-1235	SP	BK				35	5x120		SILVLIX
485-885-4442	SP	BK		18		42	5x112		
485-885-6525	SP	BK		10	8.5	25	5x114.3		
485-885-6535	SP	BK			0.5	35	5x114.3		
485-885-6550	SP	BK				50	5x114.3		
485-885-8045	SP	BK				45	5x100		
485-895-1235	SP	BK				35	5x120		
485-895-4435	SP	BK				35	5x112		
485-895-6515	SP	BK			9.5	15	5x114.3		
485-895-6530	SP	BK				30	5x114.3		
485-895-8045	SP	BK	GG			45	5x100		

Gold Available in Select Sizes Only

All Black Cap# A476-CAPBK (optional)

Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW





Hyper Silver



Gunmetal

The Enkei TSP6 represents the culmination of Enkei's research and design efforts. Using some of Enkei's own split 6-spoke designs as inspiration, we've modernized the concept with aggressively styled spokes and added concave profiles in select sizes. The TSP6 is also built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The TSP6 comes standard with Enkei's signature flat center cap, which is the perfect finishing touch.

-								
PAF	RT NO.					BOLT	BORE	
Stock Code	Hyper Silver	Gunmetal	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
486-780-4445	-	GM			45	5x112		
486-780-6535	HS	GM			35	5x114.3		
486-780-6540	HS	GM		8	40	5x114.3		
486-780-6545	HS	GM	17		45	5x114.3		
486-780-8045	HS	GM	17		45	5x100		
486-790-6535	HS	GM			35	5x114.3		
486-790-6545	HS	GM		9	45	5x114.3		
486-790-8045	HS				45	5x100		
486-880-1232	HS	GM			32	5x120		
486-880-1242	HS	GM			42	5x120		
486-880-4435	-	GM		8	35	5x112		HYPER SILVER OR GUNMETAL
486-880-4445	HS	GM			45	5x112		
486-880-6535	HS	GM			35	5x114.3	72.6	
486-880-6545	HS	GM			45	5x114.3	72.0	
486-880-8045	HS	GM			45	5x100		
486-885-1235	HS	GM			35	5x120		
486-885-4442	-	GM	18		42	5x112		
486-885-6525	HS	GM	10	8.5	25	5x114.3		
486-885-6535	HS	GM		0.5	35	5x114.3		
486-885-6550	HS	GM			50	5x114.3		
486-885-8045	HS	GM			45	5x100		
486-895-1235	HS	GM			35	5x120		
486-895-4435	HS	GM			35	5x112		
486-895-6515	HS	GM		9.5	15	5x114.3		
486-895-6530	HS	GM			30	5x114.3		
486-890-8045	HS	GM			45	5x100		

Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW

All Black Cap# A476-CAPBK (optional)





Matte Silver



Matte Black

KOJIN

17 | 18 - Tuning Series

The KOJIN takes the traditional 5-spoke design and adds just the right contours to give it an aggressive tuner look without being too loud about it. The KOJIN is built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The Enkei KOJIN is where art and science meet to create the next big step forward in wheels.

PART	NO.					BOLT	BORE	
Stock Code	Matte Silver	Matte Black	S	IZE	INSET	PATTERN	DIAMETER	FINISH
476-780-1235	SP	BK			35	5x120		
476-780-4445	SP	BK			45	5x112		
476-780-6535	SP	BK			35	5x114.3		
476-780-6540	SP	BK		8	40	5x114.3		
476-780-6545	SP	BK	17		45	5x114.3		
476-780-8040	SP	BK	17		40	5x100		
476-780-8045	SP	BK			45	5x100		
476-790-6535	SP	BK			35	5x114.3		
476-790-6545	SP	BK		9	45	5x114.3		
476-790-8045	SP	BK			45	5x100		
476-880-1232	SP	BK			32	5x120		
476-880-1242	SP	BK			42	5x120		
476-880-4435	SP	BK			35	5x112		
476-880-4445	SP	BK		8	45	5x112		MATTE
476-880-6540	SP	BK		0	40	5x114.3	72.6	SILVER OR MATTE BLACK
476-880-6545	SP	BK			45	5x114.3	72.0	
476-880-8040	SP	BK			40	5x100		
476-880-8045	SP	BK			45	5x100		
476-885-1235	SP	BK			35	5x120		
476-885-4442	SP	BK	18		42	5x112		
476-885-6525	SP	BK	10	8.5	25	5x114.3		
476-885-6535	SP	BK		0.0	35	5x114.3		
476-885-6550	SP	BK			50	5x114.3		
476-885-8045	SP	BK			45	5x100		
476-895-1235	SP	BK			35	5x120		
476-895-1245	SP	BK			45	5x120		
476-895-4435	SP	BK	9.5	35	5x112			
476-895-6515	SP	BK		15	5x114.3			
476-895-6530	SP	BK		30	5x114.3			
476-895-8045	SP	BK			45	5x100		

Cap# A476-CAPCP Cap# for 5x120 A476-CAPCP BMW All Black Cap# A476-CAPBK (optional)





TD-5 17 | 18 - Tuning Series

PAR ⁻	ΓNO.					BOLT	BORE	
Stock Code	Storm	Pearl	S	IZE	INSET	PATTERN	DIAMETER	FINISH
	Gray	Black						
508-780-6535	GR	MBM			35	5x114.3		
508-780-6545	GR	MBM		8	45	5x114.3		
508-780-8045	GR	MBM	17		45	5x100		
508-790-6535	GR	MBM	17		35	5x114.3		
508-790-6545	GR	MBM		9	45	5x114.3		STORM
508-790-8045	GR	MBM			45	5x100		GRAY OR
508-880-4445	GR	MBM			45	5x112		PEARL
508-880-6535	GR	MBM		8	35	5x114.3		BLACK
508-880-6545	GR	MBM		0	45	5x114.3	72.6	(MACHINED
508-880-8045	GR	MBM			45	5x100		SPOKE WITH
508-885-6525	GR	MBM			25	5x114.3		BLACK
508-885-6538	GR	MBM	18	8.5	38	5x114.3		CLEAR
508-885-6545	GR	MBM		0.0	45	5x114.3		COAT)
508-885-8045	GR	MBM	Ì		45	5x100]	
508-895-6515	GR	MBM			15	5x114.3		
508-895-6538	GR	MBM		9.5	38	5x114.3		
508-895-8045	GR	MBM			45	5x100		

Cap# A476-CAPCP
All Black Cap# A476-CAPBK (optional)





TW-7 17 | 18 - Tuning Series

PART	PART NO.					BOLT	BORE	
Stock Code	Storm	Gloss	S	IZE	INSET		DIAMETER	FINISH
Glock Gode	Gray	Black				1711121114	DI/ (IVIE I EI I	
507-780-6535	GR	BK			35	5x114.3		
507-780-6545	GR	BK		8	45	5x114.3		
507-780-8045	GR	BK	17		45	5x100		
507-790-6535	GR	BK	17		35	5x114.3		
507-790-6545	GR	BK		9	45	5x114.3		
507-790-8045	GR	BK			45	5x100		
507-880-4445	GR	BK			45	5x112		STORM
507-880-6535	GR	BK		8	35	5x114.3		GRAY OR
507-880-6545	GR	BK		0	45	5x114.3	72.6	GLOSS
507-880-8045	GR	BK			45	5x100		BLACK
507-885-6525	GR	BK			25	5x114.3		BLACK
507-885-6538	GR	BK	18	8.5	38	5x114.3		
507-885-6545	GR	BK		0.5	45	5x114.3		
507-885-8045	GR	BK			45	5x100		
507-895-6515	GR	BK			15	5x114.3		
507-895-6538	GR	BK		9.5	38	5x114.3		
507-895-8045	GR	BK			45	5x100		

Cap# A476-CAPCP
All Black Cap# A476-CAPBK (optional)



CLASSIC SERIES

Introducing Enkei's Classic Series. Enkei Wheels is reviving four classic wheels associated with the heydays of import car tuning. The Enkei J-Speed, ENKEI 92, Apache II and COMPE are the latest creation from the Japanese wheel manufacturer and promises to bring a new level of excitement to the wheel market.





15 - CLASSIC SERIES





P.	PART NO.						BOLT	BORE	
Stock Code	Gold	Silver	Black	S	IZE	INSET	PATTERN	DIAMETER	FINISH
465-570-4838	GG	SP	BK		7	38	4X114.3		
465-570-4938	GG	SP	BK		· ·	38	4X100		GOLD OR SILVER OR
465-570-6538		1	BK	15		38	5x114.3	72.6	BLACK WITH
465-580-4825	GG	SP	BK		8	25	4X114.3		MACHINED LIP
465-580-4925	GG	SP	BK		0	25	4X100		

Cap# A465-CAPCP

SPEC-E





Matte Gunmetal

COMPE

15 | 16 - CLASSIC SERIES

PART NO.	S.I	ZE	INSET	BOLT	BORE	FINISH
Stock Code	SIZL		INSET	PATTERN	DIAMETER	FINISH
477-555-1517GM		5.5	17	4x130	87	
477-570-4800GM			0	4x114.3		
477-570-4825GM		7	25	4x114.3		
477-570-4938GM	15	′	38	4x100		
477-570-6538GM	15		38	5x114.3		MATTE GUNMETAL
477-580-4800GM			0	4x114.3		
477-580-4825GM		8	25	4x114.3		
477-580-4925GM			25	4x100		
477-670-4800GM			0	4x114.3	72.6	
477-670-4825GM			25	4x114.3		
477-670-4925GM		7	25	4x100		
477-670-4938GM			38	4x100		
477-670-6538GM	16		38	5x114.3		
477-680-4800GM			0	4x114.3		
477-680-4825GM		0	25	4x114.3		
477-680-4938GM		8	38	4x100		
477-680-8025GM			25	5x100		

Cap# A477-CAPCP

SPEC-E

PERFORMANCE SERIES

Introducing Enkei's Performance Series. The Enkei performance series represents the absolute best combination of styling, performance, and value in the aftermarket wheel business today. Enkei's expert engineering and world-class manufacturing allow us to offer high quality wheels in a wide range of vehicle applications without breaking the bank.



Storm Gray



Gloss Black

XM-6

17 | 18 | 20 - PERFORMANCE SERIES

SUV/Crossover Fitment Available

The automotive landscape is changing. Our mid-size sedans have been replaced with versatile SUVs. That doesn't mean that we have to give up cool wheels though. Introducing the all new Enkei XM6. Its clean and concave mesh design can dramatically improve the look of any modern unibody SUV or even large sedan. Available in sizing starting at 17x7.5 and going all the way up to 20x9.5, the XM6 is available in fitments for a wide variety of cars and SUVs.

PAR	T NO.		0	IZE	INSET	BOLT	BORE	FINISH
Stock Code	Gray	Black	3	IZE	INSEI	PATTERN	DIAMETER	ГІМІЗП
531-775-6540	GR	BK			40	5x114.3	72.6	
531-775-6540	GRH	BKH	17	7.5	40	5x114.3	64.1	
531-775-8045	GR	BK			45	5x100		
531-880-1240	GR	BK			40	5x120		STORM
531-880-4445	GR	BK	18	8	45	5x112		GRAY
531-880-6535	GR	BK	10	0	35	5x114.3		OR
531-880-6540	GR	BK			40	5x114.3	72.6	GLOSS
531-285-1240	GR	BK			40	5x120	72.0	BLACK
531-285-4440	GR	BK		8.5	40	5x112		BLACK
531-285-6540	GR	BK	20		40	5x114.3		
531-295-1240	GR	BK		9.5	40	5x120		
531-295-6540	GR	BK		9.5	40	5x114.3		

Cap# A476-CAPBK For 5x120, A476-CAPBK-BMW







Black Machined

VICTORY

18 | 19 | 20 - PERFORMANCE SERIES

SUV/Crossover Fitment Available

Introducing the all-new Enkei Victory. Designed with sporty sedans and even small SUVs in mind, the Victory will transform your ride's style in a flash. Featuring a classic split 5-spoke design, each set of spokes form a stylish V as they approach the sculpted hub area of the wheel. The Victory is available in 18", 19", and 20" configurations to fit a wide variety of modern cars and SUVs.

PA	RT NO.					BOLT	BORE	
Stock Code	Black Machined	Anthracite	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
532-880-1240	BKM	AP			40	5x120		
532-880-4445	BKM	AP	18	8	45	5x112		
532-880-6540	BKM	AP			40	5x114.3		BLACK
532-980-4445	BKM	AP			45	5x112	72.6	MACHINED
532-980-6535	BKM	AP	19	8	35	5x114.3	72.0	OR
532-980-6545	BKM	AP			45	5x114.3		ANTHRACITE
532-285-1240	BKM	AP	20	8.5	40	5x120		
532-285-6540	BKM	AP	20	0.5	40	5x114.3		

Cap# A481-CAPBK
Cap# A474-CAPBK-BMW for 5x120





Anthracite



Gloss Black



Anthracite

HORNET

17 | 18 | 19 - PERFORMANCE SERIES

The all-new Enkei Hornet is the perfect choice for those looking to add some aggressive flair to their daily driver. Featuring 5 paired and sharply cut spokes that converge on a minimalist center, the Hornet packs a big punch. The Hornet is available 17", 18", and 19" in gloss black and anthracite finishes for a wide variety of modern cars and SUVs.

PART NO.						BOLT	BORE			
Stock Code	Gloss Black	Anthracite	SIZE		INSET		DIAMETER	FINISH		
533-775-6540	BK	AP	17 7.5		40	5x114.3				
533-775-8045	BK	AP			45	5x100				
533-880-1240	BK	AP	18 8	8	40	5x120				
533-880-4445	BK	AP					45	5x112		
533-880-6535	BK	AP			35	5x114.3	70.0	GLOSS		
533-880-6545	BK	AP			45	5x114.3	72.6	BLACK OR ANTHRACITE		
533-880-8045	BK	AP		45	5x100		ANTINACITE			
533-980-4445	BK	AP	19	8	45	5x112				
533-980-6535	BK	AP			35	5x114.3				
533-980-6545	BK	AP			45	5x114.3				

Cap# A481-CAPBK Cap# A474-CAPBK-BMW for 5x120





Black Machined



Gloss Black

The Enkei Vulcan Performance wheel is the perfect choice for those wanting to add bold style to their sporty coupes, sedans, and crossovers. The Vulcan's unique split spoke design starts with pockets around the center that are not only a styling cue, but a design feature that also helps reduce the weight of the wheel. The Vulcan is available in 17", 18", and 19" sizing in black machined, gloss black, and limited anthracite finishes.

PART NO.							BOLT	BORE					
Stock Code	Black Machined	Gloss Black	Anthracite	SIZE		INSET		DIAMETER	FINISH				
517-775-6538	BKM	BK	AP			38	5x114.3						
517-775-6545	BKM	BK	AP	17	7.5	45	5x114.3						
517-775-8045	BKM	BK	AP			45	5x100		GLOSS BLACK				
517-880-1240	BKM	BK				40	5x120		MACHINED OR				
517-880-4445	BKM	BK	AP	18		45	5x112		GLOSS BLACK				
517-880-6535	BKM	BK	AP		18 8	18 8	18	18 8	8	35	5x114.3	72.6	FULL PAINT
517-880-6545	BKM	BK	AP			45	5x114.3		OR GLOSS				
517-880-8045	BKM	BK	AP			45	5x100		ANTHRACITE				
517-980-4445	BKM	BK				45	5x112		(Selected sizes)				
517-980-6535	BKM	BK		19	8	35	5x114.3						
517-980-6545	BKM	BK				45	5x114.3						

Cap# A481-CAPCP

SPEC-E



Gloss Black

PHOENIX

17 | 18 - PERFORMANCE SERIES

The all-new Enkei Phoenix is the perfect choice for those looking to add an aggressively styled wheel to their daily driven car. The Phoenix features a distinctive pentagonal center with 5 sharply cut dual level spokes that create incredible depth while retaining excellent caliper clearance. The spokes split shortly off of the center at an aggressive angle and flare out all the way to the outer flange. The Phoenix is available in 17" and 18" sizing for most sedans, coupes, and small SUVs. The Phoenix is available in our striking new blue gunmetal finish or gloss black and is finished off with our signature flat center cap.

PART NO.						BOLT	BORE			
Stock Code	Blue Gunmetal	Gloss Black	SIZE		INSET	PATTERN	DIAMETER	FINISH		
523-775-6538	BGM	BK			38	5x114.3				
523-775-6545	BGM	BK	17	7.5	45	5x114.3		BLUE		
523-775-8045	BGM	BK			45	5x100				
523-880-1235	BGM	BK		8	35	5x120				
523-880-3140	BGM	BK			0	40	5x108	72.6	GUNMETAL OR GLOSS	
523-880-4445	BGM	BK	18			Ω	8	45	45 5x112	
523-880-6535	BGM	BK	10		35	5x114.3				
523-880-6545	BGM	BK			45	5x114.3				
523-880-8045	BGM	BK			45	5x100				

Cap# A481-CAPBK
Cap# for 5x120 A474-CAPBK-BMW





Anthracite

STORM

SUV/Crossover Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

The modern crossover is the do-it-all vehicle and Enkei has set out to craft a wheel that can keep up with the do-it-all lifestyle that crossover owners demand. Taking inspiration from the NT03+M Racing wheel, the all-new Storm features 8 broad swept spokes that are tied together with Enkei's signature brace ring to add strength and rigidity. The Storm is available in 17", 18", and 20" sizing in configurations that work well with modern crossover SUVs and large sedans.

PART NO.	SI	ZE	INSET	BOLT PATTER	BORE DIAMETE	FINISH		
525-775-6545AP	17	7.5	45	5x114.3				
525-775-8045AP	17	1.5	45	5x100				
525-880-1240AP			40	5x120				
525-880-3140AP					40	5x108		
525-880-4445AP	18	8	45	5x112	72.6	ANTHRACITE		
525-880-5140AP			40	5x110				
525-880-6540AP			40	5x114.3				
525-285-1240AP	20	8.5	40	5x120				
525-285-6540AP	20		40	5x114.3				

Cap# A525-CAPBK





Anthracite



Black Machined

From day one, Enkei has always been about offering stylish and sporty wheels that are also tough enough to stand up to the rigors of high-speed driving. We've taken that philosophy to heart with the all new Enkei Draco. This modern and aggressive V-Spoke wheel is well suited to modern performance sedans and even some small SUVs & Crossovers. It is available 15" through 18" in an all-new anthracite or black machined finish and comes with a cleanly styled center cap to complete the look.

PART NO.						BOLT	BORE	
Stock Code	Anthracite	Black Machined	SIZE		INSET	PATTERN	DIAMETER	FINISH
509-565-6538	AP	-	15	6.5	38	5x114.3		
509-670-6538	AP	BKM			38	5x114.3		
509-670-6545	AP	BKM	16	7	45	5x114.3	72.6	ANTHRACITE OR BLACK
509-670-8042	AP	BKM			42	5x100		
509-775-6538	AP	BKM	17	7.5	38	5x114.3		
509-775-6545	AP	BKM			45	5x114.3		
509-775-8045	AP	BKM			45	5x100		
509-880-1235	AP				35	5x120		MACHINED
509-880-3140	AP	-		8	40	5x108		
509-880-4445	AP	BKM	18		45	5x112		
509-880-6535	AP	BKM			35	5x114.3		
509-880-6545	AP	BKM			45	5x114.3		
509-880-8045	AP	BKM			45	5x100		

Cap# A501-CAPBK Cap# A501-CAPBKBMW for 5x120





Hyper Gray



Black Machined

Taking design cues from the classic Enkei FD-05, the SS05 combines sharp and aggressive cuts on the spokes with an iconic split 5-spoke design. With an extra high load-rating, the SS05 is well suited to unibody SUVs and Crossovers, but is also a perfect choice for many modern sedans. The SS05 is available in both black machined and hyper gray in 17", 18", and 20" sizing. Enkei's signature flat center cap finishes off the

PAR	T NO.					BOLT	BORE	
Stock Code	Hyper Gray	Black Machined	SIZE		INSET	PATTERN		FINISH
511-775-6540	GR	BKM	17	7.5	40	5x114.3		
511-775-8045	GR	BKM	17	7.5	45	5x100		
511-880-1240	GR	BKM			40	5x120		
511-880-3140	GR	BKM			40	5x108		HYPER GRAY OR
511-880-4445	GR	BKM	18	8	45	5x112	72.6	BLACK
511-880-5140	GR	BKM			40	5x110		MACHINED
511-880-6538	GR	BKM			38	5x114.3		
511-285-1240	GR	BKM	20	8.5	40	5x120		
511-285-6538	GR	BKM	20	5.5	38	5x114.3		

Cap# A481-CAPCP
Cap# A474-CAPCP-BMW for 5x120
Optional Domed Cap# A466-CAPCP

clean and understated look of the SS05.

SPEC-E



EKM3

17 | 18 - PERFORMANCE SERIES

PART NO.	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
442-770-6538HS			38	5X114.3	DIAMETER	
442-770-6545HS	17	7	45	5X114.3		
442-770-8045HS			45	5X100		
442-875-6538HS			38	5X114.3		
442-875-6545HS		7.5	45	5X114.3		
442-875-8045HS			45	5X100	70.6	HYPER
442-880-1232HS			32	5X120	72.6	SILVER
442-880-1242HS	18		42	5X120		
442-880-4435HS		8	35	5X112		
442-880-4445HS		0	45	5X112		
442-880-5140HS			40	5X110		
442-880-6540HS			40	5X114.3		
442-770-6538GM			38	5X114.3		
442-770-6545GM	17	7	45	5X114.3		
442-770-8045GM			45	5X100		
442-875-6538GM			38	5X114.3		
442-875-6545GM		7.5	45	5X114.3		
442-875-8045GM			45	5X100		
442-880-1232GM			32	5X120	72.6	GUNMETAL
442-880-1242GM	18		42	5X120		
442-880-4435GM			35	5X112		
442-880-4445GM		8	45	5X112		
442-880-5140GM			40	5X110		
442-880-6540GM			40	5X114.3		

Cap# A431-CAPCP





Gloss Black

VORTEX 5

SUV/Crossover Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

The Vortex5 is one of Enkei's boldest designs of all time. Featuring a number of sharply angled thinner spokes coming together to create a cohesive broad-spoke look, the Vortex5 is the perfect wheel choice for those looking to make a statement. It works well on uni-body SUV and CUVs and on mid and full-size sedans. The Vortex5 is available 17", 18", and 20" in an all-new anthracite machined or gloss black finish. Enkei's signature flat center cap completes the look.

PAF	RT NO.					BOLT	BORE	
Stock Code	Anthracite Machined	Gloss Black	SI	ZE	INSET		DIAMETER	FINISH
510-775-6540	AM	BK	17	7.5	40	5x114.3		
510-775-8045	AM	BK	17	7.5	45	5x100		
510-880-1240	AM	BK			40	5x120		ANTHRACITE
510-880-3140	AM	BK	18	8	40	5x108	72.6	MACHINED
510-880-5140	AM	BK	10	0	40	5x110	72.0	OR GLOSS
510-880-6538	AM	BK			38	5x114.3		BLACK
510-285-1240	AM	BK	20	8.5	40	5x120		
510-285-6538	AM	BK	20	0.5	38	5x114.3		

Cap# A481-CAPCP
Cap# A474-CAPCP-BMW for 5x120
Optional Domed Cap# A466-CAPCP





Black Machined

Anthracite

The Enkei Phantom is a boldly styled choice with sharp and clean lines for those that want to add flair to their sporty sedans, crossovers, and 5-lug SUVs. Taking styling cues from both traditional mesh wheels and split-spoke styles, the Phantom is sure to make your ride stand out from the crowd. The Phantom is available in 18", 19", and 20" sizing in black machined and anthracite finishes, and is finished off with Enkei's signature flat center cap.

P/	ART NO.					BOLT	BORE	
Stock Code	Black Machined	Anthracite full paint	S	ZE	INSET		DIAMETER	FINISH
518-880-1240	BKM	AP			40	5x120		
518-880-3140	BKM	AP	18	8	40	5x108		
518-880-4445	BKM	AP	10	"	45	5x112		BLACK
518-880-6540	BKM	AP			40	5x114.3		MACHINED
518-980-4445	BKM	AP			45	5x112	72.6	OR
518-980-6535	BKM	AP	19	8	35	5x114.3		ANTHRACITE
518-980-6545	BKM	AP			45	5x114.3		FULL PAINT
518-285-1240	BKM	AP	20	8.5	40	5x120		
518-285-6540	BKM	AP	20	0.5	40	5x114.3		

Cap# A481-CAPCP Cap# for 5x120 A474-CAPCP-BMW Optional Domed Cap: #A466-CAPCP





Black Machined

SVX

18 | 20 - PERFORMANCE SERIES

The SVX is all-new design territory for Enkei. With SUVs and Crossovers becoming ever more sleek and fluid in design, we created a wheel that would complement the increasingly complex lines of these vehicles. The SVX does that perfectly, utilizing five broad spokes that flare out as they reach toward the outer edge of the wheel. A v-shape milled out of the face of each spoke contours around a split toward the end of each spoke and is painted gloss black or silver to give contrast with the machined surfaces on the wheel. The wheel is finished off with Enkei's signature flat center cap. The SVX is available in black machined or silver machined and fits a wide variety of crossovers, high-offset SUVs, and even some sedans.

PART NO.	S	IZE	INSET	BOLT	BORE	FINISH	
Stock Code				PATTERN	DIAMETER		
475-880-1240BKM			40	5x120			
475-880-6540BKM	18	8	40	5x114.3		BLACK	
475-880-7350BKM			50	5x127	72.6		
475-285-1240BKM			40	5x120	72.0	MACHINED	
475-285-6540BKM	20	8.5	40	5x114.3			
475-285-7350BKM			50	5x127			

Cap# A475-CAPCP



SUV/Crossover

CROSSOVER VEHICLE FITMENTS AVAILABLE



Gloss Black

ONX

Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

The ONX is an exciting addition to Enkei's SUV/Crossover lineup. Using the design language of the popular Enkei CUV, we've created a sporty new option for owners of crossovers and small SUVs. The ONXs sharply angled spokes extend all the way to the edge of the wheel to give it the appearance that it is larger than it really is. Offered in a sleek Gloss Black or Gloss Black Machined colors with Enkei's signature flat center cap, the ONX is a great way to add personality to any late model SUV or crossover.

PAF	RT NO.					BOLT	BORE	
Stock Code	Black	Black Machined	SI	IZE	INSET	PATTERN	DIAMETER	FINISH
505-775-6545	BK	BKM	17	7.5	45	5x114.3		
505-775-8045	BK	BKM	17	7.5	45	5x100		
505-880-1240	BK	BKM			40	5x120		
505-880-3140	BK	BKM	18	8	40	5x108		BLACK OR
505-880-5140	BK	BKM	10	0	40	5x110	72.6	BLACK
505-880-6540	BK	BKM			40	5x114.3		MACHINED
505-285-1240	BK	BKM			40	5x120		
505-285-4435	BK	BKM	20	8.5	35	5x112		
505-285-6540	BK	BKM			40	5x114.3		

Cap# A481-CAPBK
Cap# A474-CAPBK-BMW for 5x120
Optional Domed Cap# A466-CAPCP





Silver with Machined Lip



Matte Black with Machined Lip

J10

15|16|17|18- *PERFORMANCE SERIES*

PAR	T NO.			IZE	INSET	BOLT	BORE	FINISH																								
Stock Code	Black	Silver	י	IZL	INSLI	PATTERN	DIAMETER	1 1101311																								
409-565-01	BK	SP			38	4x100/114.3																										
409-565-02	BK	SP	15	6.5	38	5x100/114.3																										
409-565-11	BK	SP			38	4x100/108																										
409-670-03	BK	SP			38	5x108/115																										
409-670-10	BK	SP			42	4x100/114.3																										
409-670-11	BK	SP	16	7	42	4x100/108																										
409-670-12	BK	SP			38	5x100/114.3		MATTE BLACK WITH																								
409-670-26	вк	SP			38	5x112/114.3		MACHINED																								
409-770-03	BK	SP			38	5x108/115	72.62	LIP OR																								
409-770-10	BK	SP			42	4x100/114.3		SILVER WITH																								
409-770-11	BK	SP	17	7	42	4x100/108		MACHINED LIP																								
409-770-12	BK	SP																							Ī				38	5x100/114.3		LII
409-770-16	BK	SP			38	5x112/120																										
409-875-10	BK	SP			42	4x100/114.3																										
409-875-11	BK	SP	1Ω	7.5	42	4x100/108																										
409-875-12	BK	SP	18	18 7	7.5	7.5	7.5	18 7.5	38	5x100/114.3	1																					
409-875-26	BK	SP			38	5x112/114.3																										

Cap# A385-0000S





Pearl Black

ICON

17 | 18 - PERFORMANCE SERIES

The Enkei Icon is the perfect choice for those that want to add a subtle bit of flair to their sporty sedan, coupe, or small SUV. The Icon's clean split 5-spoke design works perfectly with the wheel's pearl black finish. Enkei creates this signature finish by first painting the wheel black. After machining the tops of the spokes, we apply a tinted clear coat to create a unique two-tone black finish. The Icon is offered in 17" and 18" sizing with fitments for a wide variety of late model vehicles.

	PART NO.	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	524-775-8045MBM			45	5x100		
	524-775-6545MBM	17	7.5	45	5x114.3		PEARL BLACK
	524-775-6538MBM			38	5x114.3		IS MACHINED
	524-880-4445MBM			45	5x112	72.6	SPOKE WITH
	524-880-3140MBM	10		40	5x108		BLACK CLEAR
	524-880-1240MBM	18	8	40	5x120		COAT
I	524-880-6540MBM			40	5x114.3		

Cap# A481-CAPCP Cap# A481-CAPCP-BMW for 5x120








EDR9

15|16|17|18 - PERFORMANCE SERIES

Cruze & Sonic Fitments Available



Cap# A431-CAPCP





Silver

EV5

17 | 18 - PERFORMANCE SERIES

PAR	T NO.						BORE	
Stock code	Hyper Black	Bronze	S	IZE	INSET	BOLT PATTERN	DIAMETER	FINISH
446-770-0138	HB	ZP			38	4x100/114.3		
446-770-0145	HB	ZP			45	4x100/114.3		HYPER
446-770-0238	НВ	ZP	17	7	38	5x100/114.3		BLACK OR
446-770-0245	HB	ZP	17	,	45	5x100/114.3		MATTE
446-770-1145	НВ	ZP			45	4x100/108	72.6	BRONZE
446-770-5238	HB	ZP			38	5x105/5x110		WITH
446-875-0238	HB	ZP			38	5x100/114.3		MACHINED
446-875-0245	НВ	ZP	18	7.5	45	5x100/114.3		LIP
446-875-5238	HB	ZP			38	5x105/110		

Cap# A443-CAPCP

Chevy Cruze & Sonic Fitment Available





Black Machined

Matte Black



Hyper Black

FD-05

16 | 17 | 18 - PERFORMANCE SERIES

PART NO. Stock Code	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
434-670-4938BKM			38	4x100		
434-670-6538BKM			38	5x114.3		
434-670-6550BKM	16	7	50	5x114.3		
434-670-8038BKM			38	5x100		
434-670-8050BKM			50	5x100		
434-770-4450BKM			50	5x112		
434-770-4940BKM			40	4x100		
434-770-6540BKM	17	7	40	5x114.3		BLACK
434-770-6550BKM	17		50	5x114.3	72.6	MACHINED
434-770-8040BKM			40	5x100		WACHINED
434-770-8050BKM			50	5x100		
434-875-4453BKM			53	5x112		
434-875-4945BKM			45	4x100		
434-875-6545BKM	18	7.5	45	5x114.3		
434-875-6553BKM	10	7.3	53	5x114.3		
434-875-8045BKM			45	5x100		
434-875-8053BKM			53	5x100		

Cap# A434-CAPCP

SPEC-E

YS5

16|17|18 - PERFORMANCE SERIES

The YS5 is an all-new take on the classic Split-5 design from Enkei. We've strived to keep the lines composing the spokes and hub area of the wheel as simple and clean as possible. The spokes are as close as possible to perfectly perpendicular, relative to the outer lip. The lines creating the transition from spoke to hub area are equally aggressive. From this transition, there is a vertical drop to the hub area. All of these design cues create a wheel that looks great on almost any car.

PART	NO.					BOLT	BORE	
Stock Code	Matte Black	Hyper Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
494-670-4938	BK	HB			38	4x100		
494-670-6538	BK	HB	16	7	38	5x114.3		
494-670-6545	BK	HB			45	5x114.3		
494-775-3145	BK	HB			45	5x108		
494-775-4942	BK	HB			42	4x100		
494-775-6540	BK	HB	17	7.5	40	5x114.3		MATTE
494-775-6550	BK	HB			50	5x114.3		BLACK OR
494-775-8045	BK	HB			45	5x100	72.6	HYPER
494-880-1242	BK	HB			42	5x120		BLACK
494-880-3145	BK	HB			45	5x108		
494-880-4445	BK	HB			45	5x112		
494-880-6540	BK	HB	18	8	40	5x114.3		
494-880-6550	BK	НВ			50	5x114.3		
494-880-8045	BK	НВ			45	5x100		

Cap# A466-CAPCP Cap# A466-CAPCPBMW for 5x120



Hyper Black



Matte Black

M52

15|16|17|18 - PERFORMANCE SERIES

The M52 is Enkei's take on the traditional split 5-spoke wheel. Available in 15" through 18" sizing and in hyper black or matte black, the M52 is the perfect choice to add sporty flair to any sporty coupe, sedan, or crossover.

PART	ΓNO.					BOLT	BORE							
Stock Code	Hyper Black	Matte Black	S	IZE	INSET	PATTERN	DIAMETER	FINISH						
480-565-4938	-	BK	15	6.5	38	4x100								
480-670-6538	НВ	BK			38	5x114.3								
480-670-6545	HB	BK	16	7	45	5x114.3								
480-670-8038	HB	BK	10	'	38	5x100								
480-670-8045	HB	BK			45	5x100								
480-775-3138	HB	BK			38	5x108								
480-775-4942	HB	BK		7 7.5	7.5						42	4x100		
480-775-6540	HB	BK	17			40	5x114.3		HYPER					
480-775-6550	HB	BK			50	5x114.3	72.6	BLACK OR						
480-775-8045	HB	BK			45	5x100	72.0	MATTE BLACK						
480-880-1232		BK			32	5x120								
480-880-1242	HB	BK			42	5x120								
480-880-4435	HB	BK			35	5x112								
480-880-4445	HB	BK	1	8	45	5x112								
480-880-5140	HB	BK	18	0	40	5x110								
480-880-6540	НВ	BK			40	5x114.3								
480-880-6550	НВ	BK			50	5x114.3								
480-880-8045	НВ	BK			45	5x100								

Cap# A466-CAPCP Cap# for 5x120 A466-CAPCP-BMW





Matte Black with Red Trim

GW8

17 | 18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
448-770-0142BK			42	4x100/4x114.3		
448-770-0242BK	17	7	42	5x100/5x114.3		
448-770-1142BK			42	4x100/4x108	72.6	MATTE
448-875-0142BK			42	4x100/4x114.3	72.0	BLACK
448-875-0242BK	18	7.5	42	5x100/5x114.3		
448-875-1142BK			42	4x100/4x108		

Cap# A443-CAPCP

Replacement Trim	Color
A448-TRIRD-SET	Red
A448-TRICP-SET	Chrome

Both red and chrome trims are included with each wheel.





Hyper Gray

PDC

16 | 17 | 18 - PERFORMANCE SERIES

The classic mesh style wheel looks great on nearly everything, but Enkei wanted to add a bit of a twist to this all-new style. The wheel starts with a sharply angled center area from which the spokes come up quickly and split off in the classic style. Look closely though and you'll notice a deep diamond shape cut in to the spokes just before the split. This styling cue and the sharp lines on the PDC make it the ideal choice for anything ranging from a small coupe to a full-size luxury car.

PART	NO.		CIZE		INSET	BOLT	BORE	FINISH
Stock Code	Black	Gray	5	SIZE		PATTERN	DIAMETER	FINISH
502-670-6538	BK	GR	16	7	38	5x114.3		
502-670-6545	BK	GR	2	'	45	5x114.3		
502-775-4942	BK	GR			42	4x100		BLACK OR GRAY
502-775-6540	BK	GR	17	7.5	40	5x114.3		
502-775-6550	BK	GR	''		50	5x114.3		
502-775-8045	BK	GR			45	5x100	72.6	
502-880-3145	BK	GR			45	5x108		
502-880-4445	BK	GR			45	5x112		
502-880-6540	BK	GR	18	8	40	5x114.3		
502-880-6550	BK	GR			50	5x114.3		
502-880-8045	BK	GR			45	5x100		

Cap# A501-CAPBK
Cap# A501-CAPBKBMW for 5x120





Black with Machined Lip

LUSS0

18 | 20 - PERFORMANCE SERIES

Staggered Fitment Available

PART NO. Stock Code	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH									
469-875-5142BK			42	5X110											
469-875-6542BK		7.5	42	5X114.3	72.6	BLACK WITH MACHINED									
469-875-8042BK	18		42	5X100											
469-880-1240BK			40	5X120											
469-880-4445BK		8	45	5X112											
469-880-6540BK			40	5X114.3											
469-890-6540BK		9	40	5X114.3											
469-285-1240BK												40	5X120	Ī	LIP
469-285-4440BK		8.5	40	5X112											
469-285-6540BK	20		40	5X114.3											
469-295-1235BK		0.5	35	5X120											
469-295-6540BK		9.5	40	5X114.3											

Cap# A449-CAPCP Cap# A449-CAPCPBMW for 5x120



TRUCK & SUV SERIES

Introducing Enkei's Truck Series. While Enkei is most well known for its high-performance car wheels, it is proud to offer a range of wheels designed for trucks and SUV's as well. Enkei has applied its unrivaled engineering capabilities to come up with several designs that will stand up to the tough demands that truck and SUV drivers place on their wheels. Utilizing Enkei's world class manufacturing facilities and emphasizing function over flare, the Enkei truck series offers a great way for truck and SUV owners to add some styling to their vehicle, while maintaining the tough and rugged capabilities they count on from their wheels.



Gloss Gunmetal



Gloss Black



Gloss Bronze (Special Order)

MATRIX

7 | 18 | 20 - TRUCK & SUV SERIES

2019 Ford Ranger Fitment Available

Enkei is the most successful brand of all time when it comes to racing wheels. Using all that we've learned about what it makes to make a tough racing wheel, we've set out to raise the bar on truck and SUV wheels. The all-new Enkei Matrix features a classic mesh design with a subtle lip. 17" versions are available in exclusive new brushed gold and brushed black finishes. 18" and 20" Matrix wheels feature genuine stainless steel bolts around the front flange, not vacuum chromed plastic like others. 18" and 20" Matrix wheels are offered in gloss black and gunmetal finishes. All sizes are available in fitments that are perfect for lifted vehicles.

PAR	T NO.					BOLT	BORE		
Stock Code	Gloss Black	Gloss GM	SIZ	ZE	INSET	PATTERN	DIAMETER	CAP#	FINISH
526-890-8410	BK	GM	18	9	10	6x139.7	108.0	A519-CAPBK-T	
526-890-84N10	BK	GM	10	0 9	-10	6x139.7	108.0	A519-CAPBK	01.000
526-290-5825	BK	GM			25	5x150	110	A519-CAPBK-T	GLOSS BLACK OR
526-290-8325	BK	GM			25	6x139.7	78.0	A519-CAPBK	GLOSS
526-290-8400	BK	GM	20	9	0	6x139.7	108.0	A519-CAPBK	GUNMETAL
526-290-8415	BK	GM			15	6x139.7	108.0	A519-CAPBK	
526-290-9515	BK	GM			15	6x135	87.0	A519-CAPBK	

SPEC-E

PART NO.					BOLT	BORE			
Stock Code	Brushed Gold	Brushed Black	SIZ	ŹΕ	INSET	PATTERN	DIAMETER	CAP#	FINISH
526-780-8030	BG	BB	17	8	30	5x100	71.6	A525-CAPZP A525-CAPBK	
526-780-8330	BG	BB	17	8	30	6x139.7	93.1	A519-CAPZP A519-CAPBK	BRUSHED GOLD OR
526-790-7310	BG	ВВ	17	9	10	5x127	71.6	A519-CAPZP-T A519-CAPBK-T	BRUSHED BLACK
526-790-8410	BG	ВВ	17	9	10	6x139.7	108.0	A519-CAPZP A519-CAPBK	

Brushed Black (17" only)



Brushed Gold (17" only)

BRUSHED FINISH: The Matrix's new brushed gold and brushed black finishes are an exciting development for customers that are tired of the same old black and silver wheel options. Utilizing a unique process where we apply a base coat, mill the face, apply a special texturizing top coat, and then another tinted top coat results in a truly stunning finish. Both the brushed bronze and brushed black will have admirers everywhere asking where to get the same thing for their trucks!

Black Milling



COMMANDER

17 | 18 | 20 - TRUCK & SUV SERIES

The Enkei Commander is big and bold just like the trucks it was designed for. With its classic split 6-spoke design that brings the spokes all the way out to the front flange, the Commander is a great way to give your truck an aggressive look. Our new milling process adds a ton of character to black milled versions of the wheel. Don't forget that it comes in a unique bronze finish in select sizes too!

PART NO.						BOLT	BORE	
Stock Code	Black Milling	Bronze	Ø	IZE	INSET	PATTERN	DIAMETER	FINISH
519-780-7320	BKM	ZP		8	20	5x127	71.6	
519-780-8330	BKM		17		30	6x139.7	78.0	
519-780-8405	BKM	ZP			5	6x139.7	108.5	
519-885-5825	BKM	ZP	18		25	5x150	110.0	
519-885-7320	BKM	ZP			20	5x127	71.6	BLACK MILLING OR BRONZE (NO
519-885-8330	BKM			8.5	30	6x139.7	78.0	
519-885-8410	BKM	ZP	10		10	6x139.7	108.5	
519-885-84N10	BKM	ZP			-10	6x139.7	108.5	
519-885-9525	BKM				25	6x135	87.0	
519-290-5825	BKM	ZP			25	5x150	110	MILLING)
519-290-7320	BKM	ZP			20	5x127	71.6	
519-290-8325	BKM		20	9	25	6x139.7	78.0	
519-290-8405	BKM		20	9	5	6x139.7	108.5	
519-290-8415	BKM	ZP			15	6x139.7	108.5	
519-290-9515	BKM	-			15	6x135	87.0	

Cap# A519-CAPBK, A519-CAPZP (for Bronze)
Cap# for 5 lug sizes A519-CAPBK-T, A519-CAPZP-T (For Bronze)

SPEC-E

M6

17 | 18 | 20 - TRUCK & SUV SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
482-780-6820MF			20	6x114.3	66.1	
482-780-7310MF	17	8	10	5x127	71.6	
482-780-8335MF	17	0	35	6x139.7	78.0	
482-780-8410MF			10	6x139.7	108.5	
482-885-5830MF	18	8.5	30	5x150	110.0	MIRROR FINISH
482-885-7320MF			20	5x127	71.6	
482-885-8335MF			35	6x139.7	78.0	
482-885-8410MF			10	6x139.7	108.5	TINIOTT
482-885-9530MF			30	6x135	87.0	
482-290-7320MF			20	5x127	71.6	
482-290-8330MF	20	9	30	6x139.7	78.0	
482-290-8410MF			10	6x139.7	108.5	
482-290-8420MF			20	6x139.7	108.5	

CAP # A436-CAPCP CAP # A431-CAPCP FOR 6X114.3 & 5X127







Matte Black (Limited Sizes)



Warranty: ENKEI stands behind every wheel we sell. All ENKEI products come with a lifetime structural warranty. Our limited warranty guarantees that ENKEI wheels will be free from defects in materials and workmanship under normal and reasonable use. Consult the ENKEI wheel owner's manual for complete warranty information and proper care and maintenance.

©ENKEI CORPORATION 2020. All rights reserved. ENKEI and ENKEI logo are trademarks and properties of ENKEI. No reproduction in whole or in part without written consent from ENKEI CORPORATION.

ENKEl International

1111 Executive Drive, Suite 100 Coppell, TX 75019 800.875.3100