



2021/2022 Wheel Catalog



Visit our website at Enkei.com | @enkeiwheels



World Leader in Street and Race Wheels

Custom aftermarket wheels are as much a part of who we are as the clothes we wear, the vehicles we drive and of course the performance that we expect. ENKEI custom wheels deliver the latest in wheel designs, composite alloy technology such as, casting/forged processes, rigid testing that must pass stringent JGTC Standards and unsurpassed manufacturing facilities. Enkei is dedicated to perfection and delivers the best in aftermarket wheels.

Today, the Enkei group is commercially active throughout Asia, North America, Latin America and Europe, supplying all the largest Japanese car manufacturers and General Motors in the OEM market, as well as countless consumers in the automotive aftermarket. Enkei also produces sophisticated high-tech race wheels for a variety of motorsport, including rallying, drift, sportscar racing and single-seater racing – including supplying lightweight magnesium Formula 1 race wheels to McLaren Honda. Enkei has been an Official Supplier to McLaren F1 Team since 1995.

ENKEI MOTORSPORTS

Enkei has been racing in top competition championships of the world for three decades. As a result of continuous improvement and technological advances, Enkei continues its winning tradition and constantly challenges new horizons in wheel technology.

ONE STEP FORWARD

Since its formation in 1950, Enkei's history has been continuous challenges and adventures to deliver the most innovative and the highest quality wheels to top racers and car enthusiasts. Today, Enkei has grown to be the number one aluminum wheel manufacturer to satisfy demand from leading automakers and aftermarket wheel users around the world. One step forward. With its courage to take the next step ahead of others, Enkei continues to strive to exceed the expectations of the most demanding drivers.

ENKEI WORLD COMPANIES

ENKEI AMERICA (Indiana, Florida, U.S.)
ENKEI AMERICA MOLDINGS (Indiana, U.S.)
ENKEI INTERNATIONAL (Texas, U.S.)
ENKEI THAI
ENKEI THAI MOLDINGS
ENKEI MALAYSIA
ENKEI ALUMINIUM PRODUCTS (CHINA)
ENKEI MOLDINGS (Kunshan, CHINA)
ENKEI ALUMINIUM (Guangdong, CHINA)
ENKEI INDONESIA
PT. ENKEI MARUTOYO PAINTING (INDONESIA)
ENKEI PHILIPPINES
ENKEI WHEELS (INDIA)
ENKEI VIETNAM

JAPAN

ENKEI CORPORATION (HEAD OFFICE)
ENKEI WHEEL CORPORATION (MANUFACTURING)
ENKEI ENGINEERING
ENBISHI ALUMINIUM WHEELS
ENKEI AUTOMOTIVE
ENKEI PAINTING
ENKEI MAKABE
ENKEI METALS
ENKEI TEST AND LABORATORY
ENKEI AUTO ACTIVITY
ENKEI LOGISPORT
ENKEI RELATION (OPERATION)
ENKEI AUDIT AND COMPUTER SERVICES





INDEX BY WHEEL MODEL NUMBER

365 NT03+M (Racing).....16	492 TS9 (Tuning).....24	522 TS-V (Tuning)19
379 RPF1(Racing)12	494 YS5 (Performance).....38	523 PHOENIX (Performance)31
409 J10 (Performance).....40	498 TY-5 (Tuning)25	524 ICON (Performance)35
434 FD-05 (Performance)38	499 TS-10 (Tuning).....21	526 MATRIX (Truck/SUV).....42
441 EDR9 (Performance).....37	502 PDC (Performance).....40	527 PF05 (Racing)08
442 EKM3 (Performance).....36	504 GTC01RR(Racing).....09	528 RPT1 (Racing)07
446 EV5 (Performance).....37	505 ONX (Performance).....35	529 TSR-X (Tuning).....18
448 GW8 (Performance)46	507 TM-7(Tuning)27	530 TSR-6 (Tuning)19
460 PF01 (Racing)15,16	508 TD-5 (Tuning)27	531 XM-6 (Performance).....33
465 ENKEI92 (Classic)28	509 DRACO (Performance)32	532 VICTORY (Performance).....34
467 RAIJIN (Tuning).....23	510 VORTEX5 (Performance)33	533 HORNET (Performance)30
469 LUSSO (Performance)39	511 SS05 (Performance).....32	534 GTC02 (Racing)06
476 KOJIN (Tuning).....26	512 NT03RR(Racing).....10	535 TS-7 (Tuning).....17
477 COMPE (Classic)28	514 RC-T5 (Racing)14	536 PX-10 (Performance)29
480 M52 (Performance)39	515 TMS (Tuning)24	537 YX-5 (Performance).....30
482 M6 (Truck/SUV).....41	516 TFR (Tuning)22	538 CYCLONE (Truck/SUV)41
484 RS05RR (Racing)11	517 VULCAN (Performance)31	539 T6R (Tuning).....18
485 T6S (Tuning).....21	518 PHANTOM (Performance).....34	540 PF09 (Racing)05
489 PF01 EVO (Racing).....14	520 RPT1 (Racing)07	
490 PF07 (Racing)13	521 TS-5 (Tuning).....20	

See all Enkei Wheels and size options at ENKEI.COM

Engineering Philosophy

What is the most important consideration when building a wheel? What specifications does a performance wheel require? In general, the most recognizable performance aspect for users is light weight. You will know the weight difference by simply picking up a wheel. Most drivers can also feel the difference in steering response. Since an automobile wheel is a rolling object, the lightness of the wheel plays into the inertial weight. Enkei's focus is not limited to the lightness, however. To attain maximum wheel performance, Enkei also focuses on stiffness and strength.

A high quality wheel requires all three elements: light weight, stiffness, and strength.

STIFFNESS

Stiffness is the basis of wheel performance. What is "stiffness"? If a rim is stiff, it will resist deformation when it is subjected to force. Although we consider metal as "hard", metal does have a tendency to deform when force is applied and return to the original shape when the force is eliminated. Stiffness is often confused with strength, but it is different as strength is a measure of tendency toward breakability. To make the best out of today's high-performance tire, wheels need to have high stiffness to keep the proper connection between the chassis and tires. On the other hand, wheels with low-stiffness could easily be deformed by the load from the tires. Enkei recognizes stiffness is the most important element for high performance wheels.

ALUMINUM EXPLAINED: PRODUCTION METHODS WILL NOT AFFECT STIFFNESS

How can we increase the stiffness of wheels? As long as wheels are made of aluminum alloy, using a different production method does not affect the stiffness of the wheel. That's because all aluminum alloys used for forging and casting create same material property with identical stiffness.

Comparison of Wrought aluminum alloy and Cast aluminum alloy

Material	Specific gravity	Young's modulus*
Wrought aluminum alloy	2.70MG/cm ³	70GPa
Cast aluminum alloy	2.68MG/cm ³	70GPa

* Young's modulus is a measure of elasticity, equal to the ratio of the stress acting on a substance to the strain produced.

You may think forging process creates stronger materials. However, when forged and cast aluminum alloys are measured by the Young's modulus, it shows almost no difference between two methods. Forged and casted aluminum alloys are nearly identical in specific gravity as well. Therefore, if you make an exact same shape of wheels using forging and casting method, the weight of those wheels should be the same. What is the advantage of the forging process, then? It is an ability to produce higher material strength.

Generally speaking, compared with casting, forged material is superior in yield strength and tensile strength. However, no matter how great the material strength, it cannot justify an extreme reduction in weight.

Even with adequate material strength, if wheels lack stiffness, they cannot perform properly even with high-performance tires.



DURVILLE DIE CASTING & MAT PROCESS

Enkei has adopted two technologies – the Durville die casting and MAT process that ensure cast aluminum wheels have strength comparable to forged ones. In the Durville process, molten aluminum alloy is poured into the mold from its inner rim side, with the disc side facing downward. The alloy is rapidly quenched and solidifies, starting at the disc side, creating a finer metallic structure, significantly enhancing tensile strength, yield strength and elongation.

In the MAT process, the wheel rim placed on a mandrel is spun and rolled. This spinning process creates "metal flow" in the metal structure of the aluminum alloy, which is similar to the metal property seen in the forging process.



This hybrid process of casting and forging gives wheel high material strength while keep manufacturing cost more affordable than forged wheels. Additionally, it gives greater freedom of design on the wheel face.

DESIGN CAPABILITY BEHIND THE BEST WHEELS

How does Enkei ensure its wheels have high stiffness? The answer is Enkei's "Design Capability".

To maintain high stiffness under great force, the wheel's cross sectional area in the direction against the force applied needs to be enlarged. Unfortunately, the larger this area is, the heavier the wheel will get. However, if the layout, cross sectional shape of the spokes and the rim profile are designed properly, the wheel can maintain high stiffness without adding weight.

The layout is made possible by Enkei's vast accumulation of wheel design data and the computer aided engineering 3D simulation. In addition, Enkei strives for the largest possible weight reduction by identifying the wheel portions where stress concentration is least likely to occur and shaving down areas that do not affect stiffness.

Enkei's processing techniques ensure the "strength" of its wheels, and its excellent design capability ensures "stiffness" and "lightness." Enkei's design capability is the most-treasured asset and essential for developing the highest performance wheels.

SPEC-E

All Enkei wheels are engineered to pass rigorous testing. In fact, Enkei established its own test standard called "Spec-E," which is tougher than JWL requirements. Enkei's Spec-E test setting requires a higher drop point in the impact test and 20% more cycles for the rotary bending fatigue and dynamic radial fatigue tests than JWL standards. The Spec-E standard shows Enkei's confidence in its technology and the quality of Enkei wheels.

ENKEI HERITAGE

Enkei started in Japan as "Enshu Keigokin Co. Ltd.", which translates as "light alloy of the Province of Enshu." Enkei's technical knowledge, developed through the manufacturing of aircraft parts, was later utilized in the initial development of aluminum motorcycle and automobile engines. Today Enkei has established itself as a pioneer of aluminum wheel manufacturing. As the recognized global leader of alloy wheel production, Enkei delivers more than 16,000,000 wheels a year and has manufacturing facilities in Japan, the United States, and many Southeast Asian countries. With new horizons to be conquered, Enkei will always continue to move "one step forward."



RACING SERIES

Introducing Enkei's Racing Series. Enkei's experience in producing wheels for racecars is unrivaled. Enkei is actively involved in supplying wheels for Formula 1, WRC, Japan GT Championship, Super Taikyu, Formula Drift and many others. The racetrack is our laboratory. We've taken what we've learned in racing and are proud to offer the same technology found on racetracks all over the world to auto enthusiasts looking for a no compromise wheel solution for their cars. Enkei's state of the art facilities in Japan utilize MAT technology to achieve the ultimate in lightness and strength for our racing series wheels, while maintaining excellent value. When you demand the very best, look no further than Enkei's racing series.



MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.

**NEW
2021**



Matte Gunmetal



Dark Silver

PF09

16, 17, 18 - Racing Series

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (Lbs.)	FINISH	
Stock Code	Dark Silver	Gunmetal	16	7	45	4x100	67.0	14.88	DARK SILVER OR MATTE GUNMETAL	
540-670-4945	DS	GM	16	7	48	5x100	75.0	17.42		
540-670-8048	DS	GM			45	5x112				
540-770-4445	DS	GM			38	4x100				
540-770-4938	DS	GM			45	4x100				
540-770-4945	DS	GM			45	5x114.3				
540-770-6545	DS	GM			45	5x100				
540-770-8045	DS	GM			45	5x112				
540-775-4445	DS	GM	17	7.5	45	5x114.3	75.0	17.86		
540-775-6545	DS	GM			45	5x100				
540-775-8045	DS	GM			25	5x112				
540-780-4425	DS	GM			33	5x114.3				
540-780-6533	DS	GM			35	5x114.3				
540-780-6535	DS	GM			40	5x100				
540-780-8040	DS	GM			25	5x114.3				
540-790-6525	DS	GM	18	8	35	5x114.3	75.0	18.74		
540-790-6535	DS	GM			45	5x114.3				
540-790-6545	DS	GM			45	5x100				
540-790-8045	DS	GM			48	5x112				
540-875-4448	DS	GM			48	5x114.3				
540-875-6548	DS	GM			48	5x100				
540-875-8048	DS	GM			35	5x120	75.0	19.2		
540-880-1235	DS	GM	18	8.5	25	5x112				
540-880-4425	DS	GM			35	5x112				
540-880-4435	DS	GM			50	5x112				
540-880-4450	DS	GM			45	5x114.3				
540-880-6545	DS	GM			45	5x100				
540-880-8045	DS	GM			45	5x120				
540-885-4438	DS	GM			38	5x112				
540-885-4445	DS	GM	18	9	45	5x112	75.0	20.17		
540-885-6538	DS	GM			38	5x114.3				
540-885-6545	DS	GM			45	5x114.3				
540-885-8045	DS	GM			45	5x100				
540-890-4425	DS	GM			25	5x112				
540-890-4442	DS	GM			42	5x112				
540-890-6530	DS	GM			30	5x114.3				
540-890-6542	DS	GM	18	9.5	42	5x114.3	75.0	20.83		
540-890-8042	DS	GM			42	5x100				
540-895-4440	DS	GM			40	5x112				
540-895-6515	DS	GM			15	5x114.3				
540-895-6527	DS	GM			27	5x114.3				
540-895-6540	DS	GM			40	5x114.3				
540-8105-6515	DS	GM			15	5x114.3				
540-8105-6538	DS	GM	10.5	10.5	38	5x114.3	20.71	27.27		

Cap# A489-CAPBK Valve Part# A460-VALVE-BK



Hyper Silver



Matte Black

Racing is where all of the best R&D happens. Engineers obsess over every detail looking for the slightest advantage to shave fractions of a second off of lap times. What we learn on the world's premier circuits is eventually implemented into mainstream products and made available to the weekend racer. That's how the new Enkei GTC02 was born. Based on the RA series wheels used in the Super GT racing series, the GTC02 pulls from the same bag of tricks as the RA series to give weekend racers the competitive edge they need to win. Utilizing a 6 split spoke design that disperses stresses efficiently allows us to keep the spokes as thin as possible and make cuts in them on the fronts and sides to shave weight even further. The GTC02 is available in sizing ranging from 18x8 to 19x10.5 in a wide variety of PCD and offset configurations to fit most modern sports cars.

GTC02									
18, 19 - Racing Series									
PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH
Stock Code	Hyper Silver	Matte Black							
534-880-4445	HS	BK	8	45	5x112	66.5	19.18	F	HYPER SILVER OR MATTE BLACK
534-880-6535	HS	BK		35	5x114.3	75.0		F	
534-880-6545	HS	BK		45	5x114.3	75.0		F	
534-880-8035	HS	BK		35	5x100	75.0		F	
534-880-8045	HS	BK		45	5x100	75.0		F	
534-885-1235	HS	BK	8.5	35	5x120	72.5		F	
534-885-4443	HS	BK		43	5x112	66.5	20.26	F	
534-885-6535	HS	BK		35	5x114.3	75.0		F	
534-885-6543	HS	BK		43	5x114.3	75.0		F	
534-885-8035	HS	BK		35	5x100	75.0		F	
534-890-4425	HS	BK	9	25	5x112	66.5		M	
534-890-4442	HS	BK		42	5x112	66.5	20.39	M	
534-890-6530	HS	BK		30	5x114.3	75.0		M	
534-890-6542	HS	BK		42	5x114.3	75.0		M	
534-890-8042	HS	BK		42	5x100	75.0		M	
534-895-1245	HS	BK	9.5	45	5x120	72.5		M	
534-895-4445	HS	BK		45	5x112	66.5	20.79	M	
534-895-6500	HS	BK		0	5x114.3	75.0		R	
534-895-6515	HS	BK		15	5x114.3	75.0	20.41	R	
534-895-6540	HS	BK		40	5x114.3	75.0		M	
534-810-4432	HS	BK	10	32	5x112	66.5	20.50	R	
534-810-4435	HS	BK		35	5x112	66.5		M	
534-810-4445	HS	BK		45	5x112	66.5	21.12	M	
534-810-6525	HS	BK		25	5x114.3	75.0		R	
534-810-6545	HS	BK		45	5x114.3	75.0		M	
534-8105-4435	HS	BK	10.5	35	5x112	66.5		R	
534-8105-4445	HS	BK		45	5x112	66.5	21.54	M	
534-8105-6515	HS	BK		15	5x114.3	75.0		R	
534-8105-6522	HS	BK		22	5x114.3	75.0		R	
534-8105-6535	HS	BK		35	5x114.3	75.0	20.92	R	
534-8105-6545	HS	BK	8	45	5x114.3	75.0		M	
534-980-6545	HS	BK		45	5x114.3	75.0		F	
534-980-8045	HS	BK		45	5x100	75.0	21.5	F	
534-985-1227	HS	BK		27	5x120	72.5		M	
534-985-1235	HS	BK		35	5x120	72.5		F	
534-985-1242	HS	BK	8.5	42	5x120	72.5		F	
534-985-4427	HS	BK		27	5x112	66.5		M	
534-985-4445	HS	BK		45	5x112	66.5		F	
534-985-6527	HS	BK		27	5x114.3	75.0		M	
534-985-6535	HS	BK		35	5x114.3	75.0		F	
534-990-1230	HS	BK	9	30	5x120	72.5		M	
534-990-1245	HS	BK		45	5x120	72.5		F	
534-990-4440	HS	BK		40	5x112	66.5		M	
534-990-4445	HS	BK		45	5x112	66.5		F	
534-990-6530	HS	BK		30	5x114.3	75.0		M	
534-990-6540	HS	BK	9.5	40	5x114.3	75.0		M	
534-990-6545	HS	BK		45	5x114.3	75.0		F	
534-995-1227	HS	BK		27	5x120	72.5		M	
534-995-1245	HS	BK		45	5x120	72.5		M	
534-995-4427	HS	BK		27	5x112	66.5		M	
534-995-4440	HS	BK	10	40	5x112	66.5		R	
534-995-4445	HS	BK		45	5x112	66.5		M	
534-995-6545	HS	BK		45	5x114.3	75.0		M	
534-910-1240	HS	BK		40	5x120	72.5		R	
534-910-4440	HS	BK		40	5x112	66.5		R	
534-910-6520	HS	BK	10.5	20	5x114.3	75.0		R	
534-910-6540	HS	BK		40	5x114.3	75.0		R	
534-9105-1234	HS	BK		34	5x120	72.5		R	
534-9105-4434	HS	BK		34	5x112	66.5		R	
534-9105-6515	HS	BK		15	5x114.3	75.0		R	

Valve Stem # V429-0000SP for Hyper Silver, V429-0000BK for Black

Visit Enkei.com for cap part numbers - Each GTC02 includes two Racing Prototype stickers



SPEC-E

F1 Racing-Grade



17x9 w/cap Matte Dark Gunmetal



Matte Dark Gunmetal

RPT1

16, 17, 18 - Racing Series

Truck
Application

The Enkei RPF1 was first introduced to the world in 2002 and it was an instant hit thanks to its high strength, low weight, and no-nonsense design. Truck and SUV owners have often asked for Enkei to develop an RPF1 for them and we listened. The all-new Enkei RPT1 features the same clean split spoke design as the RPF1, but is built to higher loading capacities to suit 6-lug trucks and SUVs. Available in 16", 17" and 18" applications and a variety of colors, the RPT1 is one of the lightest weight and toughest truck wheels on the market today.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
528-680-8400GM	16	8	0	6x139.7	106.1	Matte Dark Gunmetallic
528-790-8400GM		9	0	6x139.7	106.1	
528-790-9512GM			12	6x135	87.1	
528-890-8400GM		9	0	6x139.7	106.1	

Cap# A528-CAPBK

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
520-680-8400GM	16	8	0	6x137.9	108.5	Matte Dark Gunmetallic
520-890-8400GM		9	0	6x137.9	106.0	

No Cap available for Style 520 RPT1.

Valve Stem # V429-0000BK

MAT
Most Advanced Technology

SPEC-E



PF05

16, 17, 18, 19 - Racing Series



Dark Silver



Gold
(Special Order)



Matte Gunmetal
(Special Order)

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH
527-670-4945DS	16	7	45 4x100	67.0	15.45	--	DARK SILVER
527-670-8048DS		48	5x100		N.A.	--	
527-770-4945DS	17	7	45 4x100	75.0	17.95	F	DARK SILVER
527-770-6545DS		45	5x114.3		N.A.	F	
527-775-4448DS	7.5	48	5x112	75.0	N.A.	F	DARK SILVER
527-775-8045DS		45	5x100		18.41	F	
527-780-6535DS	8	35	5x114.3	75.0	N.A.	F	DARK SILVER
527-780-8038DS		38	5x100		19.86	F	
527-785-6538DS	8.5	38	5x114.3	75.0	19.75	F	DARK SILVER
527-785-6548DS		48	5x114.3		N.A.	F	
527-785-8048DS	9	48	5x100	75.0	N.A.	F	DARK SILVER
527-790-6520DS		20	5x114.3		19.64	R	
527-790-6540DS	9	40	5x114.3	75.0	N.A.	R	DARK SILVER
527-790-8040DS		40	5x100		N.A.	R	
527-795-6512DS	9.5	12	5x114.3	75.0	20.59	R	DARK SILVER
527-795-6535DS		35	5x114.3		N.A.	R	
527-875-6548DS	7.5	48	5x114.3	75.0	N.A.	F	DARK SILVER
527-875-8048DS		48	5x100		19.69	F	
527-880-4435DS	8	35	5x112	75.0	20.26	F	DARK SILVER
527-880-4450DS		50	5x112		N.A.	F	
527-880-6545DS	8.5	45	5x114.3	75.0	20.44	F	DARK SILVER
527-880-8045DS		45	5x100		20.44	F	
527-885-6538DS	9	38	5x114.3	75.0	N.A.	F	DARK SILVER
527-885-6545DS		45	5x114.3		N.A.	F	
527-885-8045DS	9.5	45	5x100	75.0	21.83	F	DARK SILVER
527-890-6528DS		28	5x114.3		N.A.	F	
527-890-6538DS	9	38	5x114.3	75.0	21.23	F	DARK SILVER
527-890-6545DS		45	5x114.3		N.A.	F	
527-890-8040DS	9.5	40	5x100	75.0	N.A.	F	DARK SILVER
527-895-6500DS		0	5x114.3		22.05	R	
527-895-6515DS	10	15	5x114.3	75.0	N.A.	R	DARK SILVER
527-895-6525DS		25	5x114.3		22.31	R	
527-895-6538DS	10.5	38	5x114.3	75.0	N.A.	R	DARK SILVER
527-810-6512DS		12	5x114.3		22.91	R	
527-810-6525DS	10.5	25	5x114.3	75.0	N.A.	R	
527-8105-6515DS		15	5x114.3		24.27	R	
527-8105-6523DS	11	23	5x114.3	75.0	N.A.	R	DARK SILVER
527-980-6545DS		45	5x114.3		N.A.	F	
527-980-8045DS	8	45	5x100	75.0	22.93	F	DARK SILVER
527-985-4438DS		38	5x112		23.79	F	
527-985-6538DS	8.5	38	5x114.3	75.0	23.79	F	DARK SILVER
527-990-6525DS		25	5x114.3		24.34	R	
527-995-6522DS	9.5	22	5x114.3	75.0	23.30	R	DARK SILVER
527-995-6545DS		45	5x114.3		N.A.	R	
527-910-6520DS	10	20	5x114.3	75.0	N.A.	R	DARK SILVER
527-910-6528DS		28	5x114.3		25.07	R	
527-9110-6510DS	11	10	5x114.3	75.0	26.98	R	DARK SILVER

Racing Revolution



Matte Gunmetal



Titanium Gold
(Limited Sizes / Special Order)

GTC01RR

18 - Racing Series

The GTC01RR is made after one of our strongest wheels, the GTC01. After vast research, we were able to keep the high rigidity while making it light weight, comparable to the RPF1. The GTC01RR has been tested in high performance categories including cornering, braking, acceleration, deceleration, and steering response. The GTC01RR is available in three different concave faces as displayed below.

PART NO. Stock Code	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	Cap #	FINISH
504-880-4645GM	18	45	5x112	66.5	N.A.	F	A484-CAPBK-VW	MATTE GUNMETAL
504-880-6545GM		45	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-880-8045GM		45	5x100	75.0	N.A.	F	A484-CAPBK	
504-885-1235GM		35	5x120	72.5	N.A.	F	A484-CAPBK-BMW	
504-885-1245GM		45	5x120	72.5	N.A.	F	A484-CAPBK-BMW	
504-885-4435GM		35	5x112	66.5	N.A.	F	A484-CAPBK-MB	
504-885-4445GM		45	5x112	66.5	19.42	F	A484-CAPBK-MB	
504-885-4535GM		35	5x112	66.5	N.A.	F	A484-CAPBK-VW	
504-885-4545GM		45	5x112	66.5	N.A.	F	A484-CAPBK-VW	
504-885-4635GM		35	5x112	66.5	N.A.	F	A484-CAPBK-AD	
504-885-6535GM		35	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-885-6542GM		42	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-885-6550GM		50	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-885-8042GM		42	5x100	75.0	N.A.	F	A484-CAPBK-AD	
504-890-1250GM		50	5x120	72.5	19.51	F	A484-CAPBK-BMW	
504-890-6525GM		25	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-890-6535GM		35	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-890-6540GM		40	5x114.3	75.0	N.A.	F	A484-CAPBK	
504-890-8040GM		40	5x100	75.0	N.A.	F	A484-CAPBK-AD	
504-895-1222GM	10.5	22	5x120	72.5	N.A.	M	A484-CAPBK-BMW	MATTE GUNMETAL
504-895-1235GM		35	5x120	72.5	N.A.	M	A484-CAPBK-BMW	
504-895-4445GM		45	5x112	66.5	20.37	M	A484-CAPBK-MB	
504-895-4545GM		45	5x112	66.5	20.37	M	A484-CAPBK-VW	
504-895-4645GM		45	5x112	66.5	20.37	M	A484-CAPBK-AD	
504-895-6522GM		22	5x114.3	75.0	N.A.	M	A484-CAPBK	
504-895-6535GM		35	5x114.3	75.0	N.A.	M	A484-CAPBK	
504-895-6545GM	11	45	5x114.3	75.0	N.A.	M	A484-CAPBK	TITANIUM GOLD
504-895-8035GM		35	5x100	75.0	N.A.	M	A484-CAPBK-AD	
504-810-6522GM		22	5x114.3	75.0	21.05	R	A484-CAPBK	
504-810-6530GM		30	5x114.3	75.0	21.36	M	A484-CAPBK	
504-8105-1223GM		23	5x120	72.5	N.A.	R	A484-CAPBK-BMW	
504-8105-6515GM	10	15	5x114.3	75.0	N.A.	R	A484-CAPBK	TITANIUM GOLD
504-8105-6522GM		22	5x114.3	75.0	22.57	M	A484-CAPBK	
504-8105-6525GM		25	5x114.3	75.0	N.A.	R	A484-CAPBK	
504-8105-6535GM		35	5x114.3	75.0	21.27	R	A484-CAPBK	
504-8110-1230GM	11	30	5x120	72.5	22.11	R	A484-CAPBK-BMW	TITANIUM GOLD
504-8110-6516GM		16	5x114.3	75.0	N.A.	R	A484-CAPBK	

Valve # V429-0000BK

FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design.



SPEC-E

Front Face



Mid Face



Rear Face





NT03RR

17, 18 - Racing Series

PART NO. Stock Code	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	Cap #	FINISH
512-770-6548GM	7	48	5x114.3	75.0	16.97	F	A484-CAPBK	MATTE GUNMETAL
512-770-8040GM		40	5x100	75.0	N.A.	F	A484-CAPBK-AD	
512-775-6535GM		35	5x114.3	75.0	N.A.	F	A484-CAPBK	
512-775-6550GM		50	5x114.3	75.0	17.48	F	A484-CAPBK	
512-775-8040GM		40	5x100	75.0	N.A.	F	A484-CAPBK-AD	
512-780-1245GM		45	5x120	72.5	N.A.	F	A484-CAPBK-BMW	
512-780-4445GM		45	5x112	66.5	N.A.	F	A484-CAPBK-AD	
512-780-6535GM		35	5x114.3	75.0	N.A.	F	A484-CAPBK	
512-780-6548GM		48	5x114.3	75.0	17.68	F	A484-CAPBK	
512-780-8048GM		48	5x100	75.0	N.A.	F	A484-CAPBK-AD	
512-790-1250GM	17	50	5x120	72.5	18.63	R	A484-CAPBK-BMW	MATTE GUNMETAL
512-790-4450GM		50	5x112	66.5	N.A.	R	A484-CAPBK-AD	
512-790-6512GM		12	5x114.3	75.0	N.A.	R	A484-CAPBK	
512-790-6535GM		35	5x114.3	75.0	N.A.	R	A484-CAPBK	
512-790-6545GM		45	5x114.3	75.0	N.A.	R	A484-CAPBK	
512-790-6563GM		63	5x114.3	75.0	18.99	F	A484-CAPBK	
512-790-8040GM		40	5x100	75.0	N.A.	R	A484-CAPBK-AD	
512-790-8052GM		52	5x100	75.0	N.A.	F	A484-CAPBK	
512-880-1234GM		34	5x120	72.5	N.A.	F	A484-CAPBK-BMW	
512-880-4445GM		45	5x112	66.5	N.A.	F	A484-CAPBK-VW	
512-880-6545GM	18	45	5x114.3	75.0	19.40	F	A484-CAPBK	MATTE GUNMETAL
512-880-8045GM		45	5x100	75.0	N.A.	F	A484-CAPBK-AD	
512-885-1230GM		30	5x120	72.5	N.A.	F	A484-CAPBK-BMW	
512-885-1247GM		47	5x120	72.5	19.84	F	A484-CAPBK-BMW	
512-885-4445GM		45	5x112	66.5	N.A.	F	A484-CAPBK-VW	
512-885-6535GM		35	5x114.3	75.0	N.A.	F	A484-CAPBK	
512-885-6542GM		42	5x114.3	75.0	N.A.	F	A484-CAPBK	
512-885-8042GM		42	5x100	75.0	N.A.	F	A484-CAPBK-AD	
512-890-1245GM		45	5x120	72.5	19.99	M	A484-CAPBK-BMW	
512-890-4445GM		45	5x112	66.5	N.A.	M	A484-CAPBK-AD	
512-890-6527GM	9	27	5x114.3	75.0	N.A.	M	A484-CAPBK	MATTE GUNMETAL
512-890-6540GM		40	5x114.3	75.0	N.A.	M	A484-CAPBK	
512-890-6545GM		45	5x114.3	75.0	N.A.	M	A484-CAPBK	
512-890-8040GM		40	5x100	75.0	N.A.	M	A484-CAPBK-AD	
512-895-1222GM		22	5x120	72.5	N.A.	M	A484-CAPBK-BMW	
512-895-1245GM	9.5	45	5x120	72.5	20.41	M	A484-CAPBK-BMW	MATTE GUNMETAL
512-895-4445GM		45	5x112	66.5	N.A.	M	A484-CAPBK-AD	
512-895-6515GM		15	5x114.3	75.0	21.03	R	A484-CAPBK	
512-895-6527GM		27	5x114.3	75.0	N.A.	M	A484-CAPBK	
512-895-6540GM		40	5x114.3	75.0	N.A.	M	A484-CAPBK	
512-895-8046GM	10	46	5x100	75.0	N.A.	M	A484-CAPBK-AD	MATTE GUNMETAL
512-810-6522GM		22	5x114.3	75.0	N.A.	R	A484-CAPBK	
512-810-6538GM		38	5x114.3	75.0	20.15	R	A484-CAPBK	
512-8105-1223GM	10.5	23	5x120	72.5	N.A.	R	A484-CAPBK-BMW	MATTE GUNMETAL
512-8105-6515GM		15	5x114.3	75.0	N.A.	R	A484-CAPBK	
512-8105-6525GM		25	5x114.3	75.0	21.51	R	A484-CAPBK	
512-8110-6515GM		11	15	5x114.3	75.0	22.28	R	A484-CAPBK

Valve # V429-0000BK for Gunmetal finish, V429-0000SP for Silver finish

FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved design.



SPEC-E



Racing Revolution



Matte Gunmetal



SPEC-E

RS05RR

New Supra Fitment Available

18 - Racing Series


Designed to look incredible while retaining Enkei's racing spirit & functionality. The light weight RS05RR is made using Enkei's MAT-DURA flow forming method. With the RS05RR, there's no need to choose between form or function, you can simply have both. Made in 18x8.5-18x11 with 3 different concave face designs. In Silver or Matte Gunmetal.

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH
Stock Code							
484-885-1235 GM	8.5	35	5X120	72.5	N.A.	F	MATTE GUNMETAL
484-885-4435 GM		35	5X112	66.5	N.A.	F	
484-885-4445 GM		45	5X112	66.5	18.07	F	
484-885-4535 GM		35	5X112	66.5	N.A.	F	
484-885-4545 GM		45	5X112	66.5	18.07	F	
484-885-4635 GM		35	5X112	66.5	N.A.	F	
484-885-8042 GM		42	5X100	75	N.A.	F	
484-885-8050 GM		50	5X100	75	18.12	F	
484-890-1250 GM		50	5X120	72.5	18.82	F	
484-890-4625 GM		25	5X112	66.5	N.A.	F	
484-890-6525 GM	9	25	5X114.3	75	N.A.	F	MATTE GUNMETAL
484-890-6535 GM		35	5X114.3	75	N.A.	F	
484-890-6540 GM		40	5X114.3	75	N.A.	F	
484-890-8040 GM		40	5x100	75	N.A.	F	
484-895-1222 GM		22	5X120	72.5	N.A.	M	
484-895-1235 GM		35	5X120	72.5	N.A.	M	
484-895-4445 GM		45	5X112	66.5	19.29	M	
484-895-4545 GM		45	5X112	66.5	19.29	M	
484-895-4645 GM		45	5X112	66.5	19.29	M	
484-895-6522 GM		22	5x114.3	75	N.A.	M	
484-895-6535 GM	9.5	35	5x114.3	75	N.A.	M	MATTE GUNMETAL
484-895-8043 GM		43	5x100	75	N.A.	M	
484-810-4632 GM		32	5x112	66.5	N.A.	M	
484-810-6522 GM		22	5x114.3	75	19.81	R	
484-810-6530 GM		30	5x114.3	75	20.43	M	
484-8105-1223 GM		23	5x120	72.5	N.A.	R	
484-8105-6515 GM		15	5x114.3	75	N.A.	R	
484-8105-6522 GM		22	5x114.3	75	21.25	M	
484-8105-6525 GM		25	5x114.3	72.5	N.A.	R	
484-8105-6535 GM		35	5x114.3	72.5	19.7	R	
484-8110-1230 GM	10	30	5X120	72.5	20.54	R	MATTE GUNMETAL
484-8110-6516 GM		16	5x114.3	75	N.A.	R	

Valve # V429-0000BK (Black)

F= front face, M= middle face, R= rear face. Rear face is most concaved design.

Visit Enkei.com for cap part numbers





F1 Silver



Black (Limited Sizes)



SBC (Limited Sizes)



Optional cap for
15x8, 16, 17, and 18
inch RPF1
(A379-0000SP)



Gold (Limited Sizes)



Wheel: 15x8 +28 RPF1
Tire: 225/50/15 Toyo R888R

RPF1

14 | 15 | 16 | 17 | 18 - Racing Series

Now available
in 15X8!

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
3794704928SP	14	7	28 4x100	54	8.40	F1 SILVER
3794704919SP		19	4x100		8.70	
3795704935SP	15	7	35 4x100	73	9.85	
3795704941SP			41 4x100		9.65	
3795804928SP	16	8	28 4x100	75	11.35	
3796704843SP			43 4x114.3		N.A	
3796704935SP		35	4x100		13.70	
3796704943SP		43	4x100		N.A	
3796706530SP		30	5x114.3		14.30	
3796706535SP		35	5x114.3		N.A	
3796706543SP		43	5x114.3		13.70	
3796708035SP		35	5x100		N.A	
3796804938SP		38	4x100		N.A	
3796806538SP		38	5x114.3		N.A	
3797704935SP		35	4x100		N.A	
3797704943SP		43	4x100		15.15	
3797706545SP		45	5x114.3		14.90	
3797754448SP		48	5x112		15.25	
3797756548SP	17	48	5x114.3		15.25	
3797758048SP		48	5x100		15.25	
3797806535SP		35	5x114.3		16.10	
3797806545GG		45	5x114.3		16.05	GOLD
3797806545SP		45	5x114.3		16.05	F1 SILVER
3797808035SP		35	5x100		16.10	
3797804445SP		45	5x112		N.A	
3797808045GG		45	5x100		16.05	GOLD
3797808045SP		45	5x100		16.05	
3797856530SP		30	5x114.3		17.05	
3797856540SP		40	5x114.3		16.30	
3797906522SP	18	22	5x114.3		16.35	F1 SILVER
3797906535SP		35	5x114.3		N.A	
3797906545SP		45	5x114.3		15.65	
3797906545GG		45	5x114.3		15.65	GOLD
3797908045SP		45	5x100		15.65	F1 SILVER
3797908045GG		45	5x100		15.65	GOLD
3797956518SP		18	5x114.3		16.75	
3797956538SP		38	5x114.3		16.25	
3797106518SP		18	5x114.3		17.25	
3797106538SP		38	5x114.3		16.90	
3798754448SP	18	48	5x112		16.90	F1 SILVER
3798756548SP		48	5x114.3		16.90	
3798758048SP		48	5x100		16.90	
3798804435SP		35	5x112		18.00	
3798806535SP		35	5x114.3		18.00	
3798808035SP		35	5x100		18.00	
3798808045GG		45	5x100		17.95	GOLD
3798808045SP		45	5x100		17.95	
3798851240SP		40	5x120	72.5	18.85	F1 SILVER
3798856530SP		30	5x114.3		18.95	
3798856540SP		40	5x114.3		N.A	
3798856540GG		40	5x114.3		N.A	
3798904435SP	19	35	5x112	66.5	N.A	F1 SILVER
3798906535SP		35	5x114.3		17.10	
3798956515SP		15	5x114.3		18.20	
3798956538SP		38	5x114.3		N.A	
3798956545SP		45	5x114.3		17.40	
3798106538SP	10	38	5x114.3		18.45	F1 SILVER
37981056515SP	11	15	5x114.3		19.05	

CAP NOT INCLUDED

Cap # A379-0000SP is optional for 15x8, 16", 17" and 18" wheels
Valve Stem # A379-VALVEBLACK, A379-VALVEBLUE, A379-VALVERED
Matte Black and SBC finish are limited sizes and special order only




F1 Racing-Grade

SPEC-E



Dark Silver



Seven dynamic spokes reach toward the edge of the flange in a concave fashion to give the wheel additional depth and the appearance of being one size larger. The sides of the spokes are thinned to make them lighter while emphasizing the concave shape. This is combined with a double-lipped flange for an especially aggressive look. The concepts of toughness and sport serve as inspiration for these design features. The wheel's rim is formed with MAT technology to achieve a high level of strength, rigidity, and light weight. The face is engineered to accommodate a large brake caliper and to enhance brake cooling performance during high speed driving.

PF07						
17 18 19 - Racing Series						
PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
490-775-4450DS	17	50	5x112	75	19.20	DARK SILVER
490-775-4942DS		42	4x100		N.A.	
490-775-6545DS		45	5x114.3		N.A.	
490-775-8045DS		45	5x100		N.A.	
490-780-6535DS		35	5x114.3		N.A.	
490-780-6548DS		48	5x114.3		19.75	
490-780-8038DS		38	5x100		N.A.	
490-785-6535DS		35	5x114.3		N.A.	
490-785-6555DS		55	5x114.3		19.99	
490-790-6520DS		20	5x114.3		N.A.	
490-790-6538DS		38	5x114.3		N.A.	
490-790-8038DS		38	5x100		19.81	
490-795-6518DS		18	5x114.3		N.A.	
490-795-6530DS		30	5x114.3		N.A.	
490-795-6540DS		40	5x114.3		20.21	
490-875-6548DS		48	5x114.3	75	N.A.	DARK SILVER
490-875-8048DS		48	5x100		20.94	
490-880-4435DS		35	5x112		N.A.	
490-880-4450DS		50	5x112		N.A.	
490-880-6535DS		35	5x114.3		N.A.	
490-880-6545DS		45	5x114.3		18.56	
490-880-8045DS		45	5x100		N.A.	
490-885-6535DS		35	5x114.3		N.A.	
490-885-6545DS		45	5x114.3		21.64	
490-890-6530DS		30	5x114.3		N.A.	
490-890-6540DS		40	5x114.3		20.92	
490-890-8040DS		40	5x100		N.A.	
490-895-6515DS		15	5x114.3		N.A.	
490-895-6525DS		25	5x114.3		N.A.	
490-895-6540DS		40	5x114.3		21.53	
490-810-6538DS		38	5x114.3		22.24	
490-8105-6515DS		15	5x114.3		N.A.	
490-8105-6525DS		25	5x114.3		23.52	
490-980-4445DS	18	45	5x112	75	N.A.	DARK SILVER
490-980-6545DS		45	5x114.3		22.33	
490-985-4438DS		38	5x112		N.A.	
490-985-6532DS		32	5x114.3		N.A.	
490-985-6542DS		42	5x114.3		23.03	
490-990-6527DS		27	5x114.3		N.A.	
490-990-6540DS		40	5x114.3		23.08	
490-995-6535DS		35	5x114.3		N.A.	
490-995-6545DS		45	5x114.3		23.50	
490-910-6518DS		18	5x114.3		N.A.	
490-910-6540DS		40	5x114.3		24.29	

Cap # A489-CAPBK, Valve Stem # A460-VLV-BK



SPEC-E

F1 Racing-Grade



Dark Silver

RC-T5

18 - Racing Series

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
514-890-6540DS	18	9	40	5x114.3	75	20.2	DARK SILVER
514-895-6538DS		9.5	38	5x114.3		20.7	

Cap not included



SPEC-E



SBK



Pearl White

Matte Black

PF01 EVO

17 | 18 - Racing Series

From time attack to drifting, the PF01 EVO wheel is designed to maximize the performance of 17 and 18-inch tires, which are popular among these circuit racers fans. When mounted on a vehicle with over fenders, the minimum inset starts from 0 mm, widening the set-table tread width range.

The PF01 EVO wheel adopts ENKEI's proprietary MAT process technology to ensure both the high rigidity and lightness required for an uncompromising sport wheel.

Stock Code	PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	FINISH
	Black	Pearl White	SBK							
489-790-6500	BK	WP	SBK	17	9	0	5X114.3	75	19.00	R
489-790-6512	BK	WP	SBK		12	5X114.3	75	19.00	R	MATTE BLACK, PEARL WHITE, OR SBK
489-790-6522	BK	WP	SBK		22	5X114.3	75	19.00	R	
489-795-6500	BK	WP	SBK		0	5X114.3	75	19.05	R	
489-795-6512	BK	WP	SBK		12	5X114.3	75	19.05	R	
489-795-6522	BK	WP	SBK		22	5X114.3	75	19.05	R	
489-795-6535	BK	WP	SBK		35	5X114.3	75	19.05	R	
489-890-6525	BK	WP	SBK		25	5X114.3	75	18.50	F	
489-890-6535	BK	WP	SBK		35	5X114.3	75	18.50	F	
489-890-6545	BK	WP	SBK		45	5X114.3	75	18.50	F	
489-895-1215	BK	WP	SBK	18	9	15	5X120	72.5	19.10	R
489-895-1220	BK	WP	SBK		20	5X120	72.5	19.85	R	
489-895-4445	BK	WP	SBK		45	5X112	75	19.85	R	
489-895-6500	BK	WP	SBK		0	5X114.3	75	19.85	R	
489-895-6512	BK	WP	SBK		12	5X114.3	75	19.10	R	
489-895-6522	BK	WP	SBK		22	5X114.3	75	19.85	R	
489-895-6535	BK	WP	SBK		35	5X114.3	75	19.85	F	
489-895-6545	BK	WP	SBK		45	5X114.3	75	19.85	F	
489-8105-1222	BK	WP	SBK		22	5X120	72.5	20.65	R	
489-8105-6515	BK	WP	SBK		15	5X114.3	75	20.65	R	
489-8105-6522	BK	WP	SBK		22	5x114.3	75	20.65	R	

Cap # A489-CAPBK for Black and SBK Wheels

Cap # A489-CAPSP for Pearl White Wheels



SPEC-E

F1 Racing-Grade



WIDE APPLICATION

Responding to popular demand, the PF01 offers a wide variety of applications ranging from 15x7 through 18x10.5. This wheel also has a large brake caliper clearance to meet car enthusiasts' needs.

ROULETTE PATTERN

Our unique roulette pattern is grooved on the rim to reduce the slippage ratio between tire and rim. The roulette-pattern maintains the best condition of the wheel and tire assembly, thus achieving the highest performance during extreme acceleration and deceleration. The roulette pattern is also used for McLaren Honda Formula One racing wheels.



F1 Racing-Grade

SPEC-E

PF01

15 | 16 | 17 | 18 - Racing Series

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
460-570-4935SP	15	7	35 4x100	75	12.35	
460-570-4941SP		41	4x100		12.25	
460-580-4935SP		8	35 4x100		13.15	
460-670-4943SP	16	7	43 4x100	75	14.00	
460-770-4938SP	7.5	38	4x100	75	15.50	
460-770-4945SP		45	4x100		N.A.	
460-770-6548SP		48	5x114.3		15.90	
460-775-6538SP		38	5x114.3		17.15	
460-775-6545SP		45	5x114.3		16.75	
460-775-8038SP		38	5x100		17.15	
460-775-8045SP		45	5x100		16.75	
460-780-4435SP		35	5x112		18.20	
460-780-4450SP		50	5x112		16.95	
460-780-6545SP		45	5x114.3		N.A.	
460-780-6550SP	8	50	5x114.3	75	16.95	
460-780-8035SP		35	5x100		18.20	
460-780-8050SP		45	5x100		N.A.	
460-785-1240SP		40	5x120		18.35	
460-785-6540SP		40	5x114.3		18.35	
460-875-6538SP	7.5	38	5x114.3	75	17.50	
460-875-6545SP		45	5x114.3		17.65	
460-875-8038SP		38	5x100		17.50	
460-875-8045SP		45	5x100		17.65	
460-880-1235SP	8	35	5x120	75	19.20	
460-880-1242SP		42	5x120		N.A.	
460-880-4435SP		35	5x112		19.20	
460-880-4445SP		45	5x112		18.56	
460-880-5140SP		40	5X110		N.A.	
460-880-6640SP		40	5x114.3		N.A.	
460-880-6645SP		45	5x114.3		18.56	
460-880-6650SP		50	5x114.3		17.95	
460-885-6630SP	8.5	30	5x114.3	75	19.65	
460-885-6635SP		35	5x114.3		N.A.	
460-885-6648SP		48	5x114.3		18.30	
460-885-8048SP		48	5x100		N.A.	
460-890-4435SP	9	35	5x112	75	20.10	
460-890-6635SP		35	5x114.3		20.10	
460-890-6645SP		45	5x114.3		19.20	
460-895-6615SP	9.5	15	5x114.3	75	N.A.	
460-895-6635SP		35	5x114.3		20.65	
460-895-6645SP		45	5x114.3		20.35	
460-895-8045SP		45	5x100		N.A.	
460-8105-6615SP	10.5	15	5x114.3	75	23.15	
460-8105-6638SP		38	5x114.3		22.05	

Cap # A423-0000SP, Valve Stem# A460-VLV-SP for Silver finish wheel

Matte Black finish is for selected sizes and special order only

For 17x8 and 17x9 Matte Black finish, see Please see PF01 SS

Cap # A461-CAPCP, Valve Stem# A460-VLV-BK for Matte Black finish wheel



F1 Silver

NT03+M

18 - Racing Series

Designed with a perimeter brace ring that enhances the wheel strength so it's able to resist deformation or distortion from outer forces, resulting in highly accurate steering response and strength. The NT03+M also features a racing twin valve design which allows for accurate monitoring while adjusting the pressure.

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
3658756537SP	18	7.5	37	5x114.3	72.6	F1 SILVER
3658808035SP		8	35	5x100		
3658856538SP		8.5	38	5x114.3		
365885PO50SP			50	5x130		
3658956527SP		9.5	27	5x114.3		
3658956540SP			40	5x114.3		
3658953140SP			40	5x108		
3658101225SP		10	25	5x120		
365810PO60SP			60	5x130		
36581056530SP		10.5	30	5x114.3	72.6	21.0

Cap # A365-0000SP

Cap Screw # ASCREW04-070-12SA

Valve Stem # V365-0000CE



Matte Black



PF01SS

17 - Racing Series

We've taken our successful PF01 racing wheel one step further with a lip and two new color configurations to add a bit of flare to its super sport design. Available in matte black, silver, black machined, and white machined finishes.



Silver

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
460-780-6550SP	17	8	50	5x114.3	75	SILVER
460-780-6550BK		50	5x114.3	MATTE BLACK		
460-790-6535SP		35	5x114.3	SILVER		
460-790-6535BK		35	5x114.3	MATTE BLACK		
460-790-6548SP		9	48	5x114.3		SILVER
460-790-6548BK			48	5x114.3		MATTE BLACK
460-790-6560SP		9	60	5x114.3		SILVER
460-790-6560BK			60	5x114.3		MATTE BLACK

Cap # A423-0000SP, Valve Stem # A460-LVL-SP for Silver finish wheel

Cap # A461-CAPCP, Valve Stem # A460-LVL-BK for Black finish and White finish wheels



TUNING SERIES

Introducing Enkei's Tuning Series. Contemporary wisdom says that you've got to give one good thing up if you want another. Not so with the Enkei Tuning Series! Enkei is proud to offer light weight and strong wheels that won't leave your pocketbook empty. Utilizing Enkei's world class manufacturing abilities, Enkei has lowered the cost of the MAT spin forging production process even further, allowing us to produce a new line of wheels built using the same methods as the Racing series, but at a lower price point.



MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, the MAT process, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.



**NEW
2021**

TS-7

18 - Tuning Series

**New Civic TypeR
Fitment Available**

The TS-7 is Enkei's newest addition to the Tuning Series lineup. In fact, the TS-7 is essentially a revival of the classic Enkei TS-7. It's not just a recreation of the old wheel though. The TS-7 utilizes Enkei's innovative MAT technology in order to build a wheel that is both lightweight and strong. The TS-7 is available in gloss black, bronze, and storm gray, and all specs come with Enkei's signature flat center cap. With sizing ranging from 18x8 up to 18x9.5, the TS-7 is a solid choice for cars like the Subaru WRX STI, Civic Type R, Toyota GT86, and many others.

Storm Gray



Matte Bronze



Gloss Black

Stock Code	PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Storm Gray	Gloss Black	Matte Bronze					
535-880-4445	GR	BK	--	18	8	45	5x112	72.6
535-880-6535	GR	BK	ZP			35	5x114.3	
535-880-6545	GR	BK	ZP			45	5x114.3	
535-880-8045	GR	BK	ZP			45	5x100	
535-885-1238	GR	BK	ZP		8.5	38	5x120	
535-885-6538	GR	BK	ZP			38	5x114.3	
535-885-6545	GR	BK	ZP			45	5x114.3	
535-885-8045	GR	BK	ZP		9.5	45	5x100	
535-895-1245	GR	BK	ZP			45	5x120	
535-895-6538	GR	BK	ZP			38	5x114.3	
535-895-8045	GR	BK	ZP			45	5x100	

Cap# A476-CAPBK

Cap# for 5x120: A476-CAPBK BMW





**NEW
2021**

T6R

17 | 18 - Tuning Series

New Civic TypeR
Fitment Available

Enkei is excited to introduce the all-new T6R to our lineup. We've taken some of the most dramatic design aspects that have made the TS-5 so popular and utilized them to build an equally awesome 6-spoke wheel. The T6R is an ideal option for modern sports coupes and sedans like the Civic Type R, WRX, STI, Q50, Q60, Golf GTI, and many others. Available from 17x8 up to 18x9.5 in finishes including our popular matte bronze, classic gloss black, and striking gloss gunmetal.

Matte Bronze



Gunmetal



Gloss Black

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gunmetal	Black	Matte Bronze					
539-780-6540	GM	BK	ZP	17	40	5x114.3	72.6	GUNMETAL or GLOSS BLACK or MATTE BRONZE
539-780-8045	GM	BK	ZP		45	5x100		
539-790-6540	GM	BK	ZP		40	5x114.3		
539-790-8045	GM	BK	ZP		45	5x100		
539-880-4445	GM	BK	--	18	45	5x112	72.6	GUNMETAL or GLOSS BLACK or MATTE BRONZE
539-880-6540	GM	BK	ZP		40	5x114.3		
539-880-8045	GM	BK	ZP		45	5x100		
539-885-6538	GM	BK	ZP		38	5x114.3		
539-885-8045	GM	BK	ZP	8.5	45	5x100	72.6	GUNMETAL or GLOSS BLACK or MATTE BRONZE
539-895-1245	GM	BK	ZP		45	5x120		
539-895-6538	GM	BK	ZP	9.5	38	5x114.3	72.6	GUNMETAL or GLOSS BLACK or MATTE BRONZE
539-895-8045	GM	BK	ZP		45	5x100		

Cap# A476-CAPBK

Cap# for 5x120 BMW size, Cap# A476-CAPBK BMW

MAT **SPEC-E**
Most Advanced Technology



Gloss Black



Gloss Bronze
(Select Sizes)

Storm Gray
(Select Sizes)

TSR-X

18 | 20 - Tuning Series

Introducing Enkei's first ever Tuning Series Wheel available in 20". Enkei's Tuning Series wheels have taken the market by storm thanks to their high-strength MAT construction and competitive pricing. Due to increasing customer demand for a lightweight 20" wheel in this series, we are proud to introduce the all-new TSR-X.

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Gray	Bronze					
529-880-4445	BK	GR		18	45	5x112	72.6	GLOSS BLACK
529-880-6535	BK	GR			35	5x114.3		
529-880-6545	BK	GR			45	5x114.3		
529-880-8045	BK	GR			45	5x100		
529-885-1238	BK			8.5	38	5x120	72.6	STORM GRAY AND GLOSS BRONZE IN SELECTED SIZES
529-885-6538	BK		ZP		38	5x114.3		
529-885-6545	BK				45	5x114.3		
529-885-8045	BK				45	5x100		
529-895-1240	BK			9.5	40	5x120	72.6	STORM GRAY AND GLOSS BRONZE IN SELECTED SIZES
529-895-6538	BK		ZP		38	5x114.3		
529-895-8045	BK		ZP		45	5x100		
529-285-1240	BK			20	40	5x120		
529-285-6540	BK		ZP		40	5x114.3		
529-295-1240	BK			8.5	40	5x120	72.6	STORM GRAY AND GLOSS BRONZE IN SELECTED SIZES
529-295-6540	BK		ZP		40	5x114.3		

Cap# A476-CAPBK

For 5x120, A476-CAPBK-BMW

MAT **SPEC-E**
Most Advanced Technology



Matte Black



Matte Bronze

Titanium Gray

TSR-6

18 - Tuning Series

We're literally putting a new twist on a classic style. Taking inspiration from the iconic and super-light RPF1, we developed the all new TSR-6. With its twin 6-spoke design, it achieves an open look that promotes airflow to the brakes, but without sacrificing strength and rigidity. The TSR-6 is available in sizes ranging from 18x8 to 18x9.5 with PCD and offset configurations for a wide variety of high-performance cars.

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gray	Black	Bronze					
530-880-4445	GR	BK	ZP	18	45	5x112	72.6	TITANIUM GRAY OR MATTE BLACK OR MATTE BRONZE
530-880-6540	GR	BK	ZP		40	5x114.3		
530-880-8045	GR	BK	ZP		45	5x100		
530-885-6538	GR	BK	ZP		38	5x114.3		
530-885-8045	GR	BK	ZP		45	5x100		
530-895-6538	GR	BK	ZP		38	5x114.3		
530-895-8045	GR	BK	ZP		45	5x100		

Cap# A476-CAPBK

MAT **SPEC-E**
Most Advanced Technology



Storm Gray



Gloss Black

Gloss Bronze
(Selected Sizes)

TS-V

17 | 18 - Tuning Series

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gray	Black	Bronze					
522-780-6535	GR	BK		17	35	5x114.3	72.6	STORM GRAY OR GLOSS BLACK OR GLOSS BRONZE (selected sizes)
522-780-6545	GR	BK			45	5x114.3		
522-780-8045	GR	BK			45	5x100		
522-790-6540	GR	BK			40	5x114.3		
522-790-8045	GR	BK			45	5x100		
522-880-4445	GR	BK			45	5x112		
522-880-6535	GR	BK		18	35	5x114.3	72.6	
522-880-6545	GR	BK			45	5x114.3		
522-880-8045	GR	BK			45	5x100		
522-885-1238	GR	BK			38	5x120		
522-885-3140	GR	BK			40	5x108		
522-885-6525	GR	BK			25	5x114.3		
522-885-6538	GR	BK	ZP	8.5	38	5x114.3	72.6	
522-885-6545	GR	BK	ZP		45	5x114.3		
522-885-8045	GR	BK			45	5x100		
522-895-1240	GR	BK			40	5x120		
522-895-6515	GR	BK			15	5x114.3		
522-895-6538	GR	BK	ZP		38	5x114.3		
522-895-8045	GR	BK			45	5x100		

Cap# A476-CAPBK

Cap# for 5x120 BMW size, Cap# A476-CAPBK BMW

MAT **SPEC-E**
Most Advanced Technology

A large, close-up image of a matte bronze Enkei TS-5 wheel. The wheel features a five-spoke design with a central hub cap that also has the Enkei logo. The word "ENKEI" is printed on the outer edge of the wheel. A small "5W" is visible near the top left.

Matte Bronze

TS-5

17 | 18 - Tuning Series

New Civic TypeR
Fitment Available

The lightweight Enkei TS-5 is sure to be an instant classic in the tuning world. The TS-5 is the wheel that will have everyone admiring it at a loss for words because it just does everything right. It is remarkably simple and clean, relying on the tried and true 5-spokes and a lip formula, but the TS-5 gets the aesthetics just right. It is the golden ratio in wheel form. It screams motorsports and whispers class at the same time. It is just as much at home on track as it is on the street. With 17" and 18" sizing and widths up to 9.5", the TS-5 will suit a remarkable variety of sport sedans and coupes.

A smaller image of a gloss black Enkei TS-5 wheel, showing its five-spoke design and central hub cap.

Gloss Black



PART NO.				SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gray	Black	Bronze	17	8	40	5x114.3	72.6	STORM GRAY OR GLOSS BLACK OR MATTE BRONZE
521-780-6540	GR	BK	ZP		45	5x100			
521-780-8045	GR	BK	ZP		40	5x114.3			
521-790-6540	GR	BK	ZP		45	5x100			
521-790-8045	GR	BK	ZP		45	5x112			
521-880-4445	GR	BK		18	40	5x114.3			
521-880-6540	GR	BK	ZP		45	5x100			
521-880-8045	GR	BK	ZP		40	5x108			
521-885-3140	GR	BK			38	5x114.3			
521-885-6538	GR	BK	ZP	8.5	45	5x100			
521-885-8045	GR	BK	ZP		45	5x120			
521-895-1245		BK	ZP		38	5x114.3			
521-895-6538	GR	BK	ZP		45	5x100			
521-895-8045	GR	BK	ZP						

Cap# A476-CAPBK

Sticker # A521-STICKBK for Gray and Bronze wheel

Sticker # A521-STICKGM for Black wheel





Matte Silver



Matte Black

Gold
(Select Sizes)

T6S

17 | 18 - Tuning Series

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH		
Stock Code	Silver	Black	Gold							
485-780-4445	SP	BK	GG	17	8	45	5x112	72.6		
485-780-6535	SP	BK				35	5x114.3			
485-780-6540	SP	BK				40	5x114.3			
485-780-6545	SP	BK				45	5x114.3			
485-780-8045	SP	BK				45	5x100			
485-790-6535	SP	BK	GG	9	8	35	5x114.3	MATTE BLACK OR MATTE SILVER		
485-790-6545	SP	BK				45	5x114.3			
485-790-8045	SP	BK				45	5x100			
485-880-1232	SP	BK		8	8	32	5x120			
485-880-1242	SP	BK				42	5x120			
485-880-4435	SP	BK	GG			35	5x112	MATTE BLACK OR MATTE SILVER		
485-880-4445	SP	BK				45	5x112			
485-880-6535	SP	BK				35	5x114.3			
485-880-6545	SP	BK				45	5x114.3			
485-880-8045	SP	BK				45	5x100			
485-885-1235	SP	BK	GG	18	8.5	35	5x120	72.6		
485-885-4442	SP	BK				42	5x112			
485-885-6525	SP	BK				25	5x114.3			
485-885-6535	SP	BK				35	5x114.3			
485-885-6550	SP	BK				50	5x114.3			
485-885-8045	SP	BK		9.5	9.5	45	5x100			
485-895-1235	SP	BK				35	5x120			
485-895-4435	SP	BK				35	5x112			
485-895-6515	SP	BK				15	5x114.3			
485-895-6530	SP	BK				30	5x114.3			
485-895-8045	SP	BK	GG			45	5x100			

Gold Available in Select Sizes Only



All Black Cap# A476-CAPBK (optional)

Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW



Gloss Black



Storm Gray

Gold
(Select Sizes)

TS-10

17 | 18 - Tuning Series

Now Available
in 18x10.5

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Storm Gray	Gloss Black	Gold					
499-780-4940	GR	BK	GG	17	8	40	4x100	72.6
499-780-6535	GR	BK				35	5x114.3	
499-780-6545	GR	BK				45	5x114.3	
499-780-8045	GR	BK				45	5x100	
499-790-6535	GR	BK				35	5x114.3	
499-790-6545	GR	BK	GG	9	8.5	45	5x114.3	STORM GRAY OR GLOSS BLACK
499-790-8045	GR	BK				45	5x100	
499-880-4445	GR	BK				45	5x112	
499-880-6540	GR	BK				40	5x114.3	
499-880-6550	GR	BK				50	5x114.3	
499-880-8045	GR	BK	GG	8	9	45	5x100	GOLD IN SELECTED SIZES
499-885-6525	GR	BK				25	5x114.3	
499-885-6535	GR	BK				35	5x114.3	
499-885-6550	GR	BK				50	5x114.3	
499-885-8045	GR	BK				45	5x100	
499-895-6515	GR	BK	GG	8.5	9.5	15	5x114.3	
499-895-6535	GR	BK				35	5x114.3	
499-895-8045	GR	BK				45	5x100	
499-8105-6525	GR	BK				10.5	25	
						5x114.3		

Cap# A476-CAPCP

All Black Cap# A476-CAPBK (optional)





Matte Gunmetal (Select sizes)



Storm Gray



Copper

TFR

17 | 18 | 19 - Tuning Series

Simplify and add lightness. That's the approach Enkei has taken with the TFR Tuning Series wheel. Seven perfectly contoured spokes start from a center with carefully placed cuts to save every ounce possible. The TFR is the wheel you can autocross with on the weekends and drive to work with during the week. It is truly versatile. The TFR is available in 17", 18", and 19" sizing in all new Copper, Storm Gray, and limited Gunmetal finishes. The wheel is finished off with Enkei's signature flat center cap.

Stock Code	PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Storm Gray	Copper	Matte Gunmetal					
516-780-4445	GR	ZP	GM	17	45	5x112	72.6	STORM GRAY OR COPPER OR MATTE GUNMETAL (Selected sizes)
516-780-6535	GR	ZP			35	5x114.3		
516-780-6545	GR	ZP			45	5x114.3		
516-780-8045	GR	ZP			45	5x100		
516-790-6540	GR	ZP		9	40	5x114.3		
516-790-8045	GR	ZP			45	5x100		
516-880-4445	GR	ZP		18	45	5x112		
516-880-6540	GR	ZP			40	5x114.3		
516-880-8045	GR	ZP			45	5x100		
516-885-6538	GR	ZP	GM	8.5	38	5x114.3		
516-885-6545	GR	ZP	GM		45	5x114.3		
516-885-8045	GR	ZP	GM		45	5x100		
516-895-6538	GR	ZP	GM	9.5	38	5x114.3		
516-895-8045	GR	ZP	GM		45	5x100		
516-985-4435	GR	ZP	GM	19	35	5x112		
516-985-6535	GR	ZP			35	5x114.3		
516-985-6545	GR	ZP		9.5	45	5x114.3		
516-995-6515	GR	ZP			15	5x114.3		
516-995-6535	GR	ZP			35	5x114.3		

Cap# A476-CAPBK

MAT **SPEC-E**
Metal Advanced Technologies

Copper (Select sizes)

RAIJIN

**Now Available
in 18x10.5**

18 | 19 - Tuning Series

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Hyper Silver	Matte Black	Copper					
467-880-1232	HS	BK	ZP	8	32	5x120	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)
467-880-1242	HS	BK			42	5x120		
467-880-4435	HS	BK			35	5x112		
467-880-4445	HS	BK			45	5x112		
467-880-6540	HS	BK			40	5x114.3		
467-880-6545	HS	BK			45	5x114.3		
467-880-8035	HS	BK			35	5x100		
467-880-8045	HS	BK			45	5x100		
467-885-1238	HS	BK		18	38	5x120		
467-885-4442	HS	BK			42	5x112		
467-885-6535	HS	BK			35	5x114.3		
467-885-6538	HS	BK			38	5x114.3		
467-885-6550	HS	BK			50	5x114.3		
467-885-8045	HS	BK	ZP	8.5	45	5x100	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)
467-895-1235	HS	BK			35	5x120		
467-895-4435	HS	BK			35	5x112		
467-895-6515	HS	BK			15	5x114.3		
467-895-6535	HS	BK			35	5x114.3		
467-895-8045	HS	BK	ZP	9.5	45	5x100	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)
467-8105-6525	HS	BK			25	5x114.3		
467-980-1232	HS	BK			32	5x120		
467-980-1242	HS	BK			42	5x120		
467-980-4435	HS	BK			35	5x112		
467-980-4445	HS	BK	ZP	10.5	45	5x112	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)
467-980-6540	HS	BK			40	5x114.3		
467-980-6545	HS	BK			45	5x114.3		
467-985-1238	HS	BK			38	5x120		
467-985-4442	HS	BK			42	5x112		
467-985-6535	HS	BK	ZP	8.5	35	5x114.3	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)
467-985-6550	HS	BK			50	5x114.3		
467-995-1235	HS	BK			35	5x120		
467-995-4435	HS	BK			35	5x112		
467-995-6515	HS	BK			15	5x114.3		
467-995-6535	HS	BK	ZP	9.5	35	5x114.3	72.6	HYPER SILVER OR MATTE BLACK OR COPPER (Selected size)

Hyper Silver



Matte Black
(Shown with optional flat cap)

18" come with Cap # A468-CAPCP; 19" come with Flat Cap # A476-CAPCP

Cap # for 18" 5x120: A467-CAPCPBMW; for 19" 5x120: # A476-CAPCPBMW

Optional flat cap can be used on all Rajins.

Titanium Gray finish is available for selected 18" sizes

All Black Cap# A476-CAPBK (optional)

MAT **SPEC-E**
Most Advanced Technology



Storm Gray

Gloss Black

TMS

17 | 18 - Tuning Series

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Storm Gray	Glossy Black	17	8	45	5x100	72.6	STORM GRAY OR GLOSS BLACK
515-780-8045	GR	BK			45	5x114.3		
515-780-6545	GR	BK			35	5x114.3		
515-780-6535	GR	BK			45	5x100		
515-790-8045	GR	BK			40	5x114.3		
515-880-8045	GR	BK	18	8	45	5x100	72.6	STORM GRAY OR GLOSS BLACK
515-880-4445	GR	BK			45	5x112		
515-880-6545	GR	BK			45	5x114.3		
515-880-6535	GR	BK			35	5x114.3		
515-885-8045	GR	BK			45	5x100		
515-885-4445	GR	BK	18	8.5	45	5x112	72.6	STORM GRAY OR GLOSS BLACK
515-885-6545	GR	BK			45	5x114.3		
515-885-6538	GR	BK			38	5x114.3		
515-885-6525	GR	BK			25	5x114.3		
515-895-8045	GR	BK			45	5x100		
515-895-6538	GR	BK	9.5	9.5	38	5x114.3	72.6	STORM GRAY OR GLOSS BLACK
515-895-6515	GR	BK			15	5x114.3		

Cap# A476-CAPBK

MAT **SPEC-E**
Most Advanced Technology



Platinum Gray

Matte Silver

Matte Black

TS9


17 | 18 - Tuning Series

PART NO.				SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Matte Black	Platinum Gray	Matte Silver	17	8	45	5x112	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-780-4445	BK	GR	-			35	5x114.3		
492-780-6535	BK	GR	-			45	5x114.3		
492-780-6545	BK	GR	-			45	5x100		
492-780-8045	BK	GR	SP			35	5x114.3		
492-790-6535	BK	GR	SP	18	8	45	5x114.3	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-790-6545	BK	GR	SP			45	5x114.3		
492-790-8045	BK	GR	SP			45	5x100		
492-880-3145	BK	GR	-			45	5x108		
492-880-4445	BK	GR	-			45	5x112		
492-880-6535	BK	GR	SP	18	8.5	35	5x114.3	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-880-6545	BK	GR	SP			45	5x114.3		
492-880-6550	BK	GR	SP			50	5x114.3		
492-880-8045	BK	GR	SP			45	5x100		
492-885-4442	BK	GR	-			42	5x112		
492-885-6525	BK	GR	SP	18	8.5	25	5x114.3	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-885-6535	BK	GR	SP			35	5x114.3		
492-885-6550	BK	GR	-			50	5x114.3		
492-885-8040	BK	GR	SP			40	5x100		
492-885-8045	BK	GR	SP			45	5x100		
492-895-6515	BK	GR	-	9.5	9.5	15	5x114.3	72.6	MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-895-6530	BK	GR	SP			30	5x114.3		
492-895-8040	BK	GR	SP			40	5x100		
492-895-8045	BK	GR	SP			45	5x100		

Cap# A476-CAPCP

MAT **SPEC-E**
Most Advanced Technology

Pearl Black



Hyper Silver



Gloss Black

TY-5

18 | 19 - Tuning Series

The Enkei TY-5 is an exciting entry in Enkei's lightweight Tuning series. Utilizing a sleek combination of a split 5-spoke style with the center styling cues of a mesh wheel, the TY-5 is a great choice for a wide variety of wheels ranging from small sports coupes to full-size luxury cars. It is available in several exciting colors including hyper black, gloss black, and an all-new limited pearl black. The TY-5 is available in concave and flat face profiles dependent on size and width, and includes Enkei's signature flat center cap.

Stock Code	PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Hyper Silver	Gloss Black	Pearl Black					
498-880-3140	HS	BK	MBM	8	40	5x108	72.6	HYPER SILVER OR GLOSS BLACK OR PEARL BLACK
498-880-4445	HS	BK	MBM		45	5x112		
498-880-6540	HS	BK	MBM		40	5x114.3		
498-880-6550	HS	BK	MBM		50	5x114.3		
498-880-8045	HS	BK	MBM		45	5x100		
498-885-1238	HS	BK	MBM		38	5x120		
498-885-4442	HS	BK	MBM		42	5x112		
498-885-6525	HS	BK	MBM		25	5x114.3		
498-885-6535	HS	BK	MBM		35	5x114.3		
498-885-6550	HS	BK	MBM		50	5x114.3		
498-885-8045	HS	BK	MBM	8.5	45	5x100		
498-895-1235	HS	BK	MBM		35	5x120		
498-895-6515	HS	BK	MBM		15	5x114.3		
498-895-6535	HS	BK	MBM		35	5x114.3		
498-895-8045	HS	BK	MBM		45	5x100		
498-980-4445	HS	BK	MBM		45	5x112	72.6	PEARL BLACK IS MACHINED SPOKE WITH BLACK CLEAR COAT
498-980-6540	HS	BK	MBM		40	5x114.3		
498-985-1238	HS	BK	MBM		38	5x120		
498-985-4442	--	BK	MBM		42	5x112		
498-985-6535	HS	BK	MBM		35	5x114.3		
498-995-1235	HS	BK	MBM		35	5x120		
498-995-6515	HS	BK	MBM		15	5x114.3		
498-995-6535	HS	BK	MBM		35	5x114.3		

Cap# A476-CAPCP

Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW

All Black Cap# A476-CAPBK (optional)

MAT **SPEC-E**
Most Advanced Technology



KOJIN

17 | 18 - Tuning Series



Matte Silver



Matte Black

The KOJIN takes the traditional 5-spoke design and adds just the right contours to give it an aggressive tuner look without being too loud about it. The KOJIN is built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The Enkei KOJIN is where art and science meet to create the next big step forward in wheels.

PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Matte Silver	Matte Black					
476-780-1235	SP	BK	17	35	5x120	72.6	MATTE SILVER OR MATTE BLACK
476-780-4445	SP	BK		45	5x112		
476-780-6535	SP	BK		35	5x114.3		
476-780-6540	SP	BK		40	5x114.3		
476-780-6545	SP	BK		45	5x114.3		
476-780-8040	SP	BK		40	5x100		
476-780-8045	SP	BK		45	5x100		
476-790-6535	SP	BK		35	5x114.3		
476-790-6545	SP	BK	9	45	5x114.3		
476-790-8045	SP	BK		45	5x100		
476-880-1232	SP	BK		32	5x120		
476-880-1242	SP	BK		42	5x120		
476-880-4435	SP	BK	8	35	5x112		
476-880-4445	SP	BK		45	5x112		
476-880-6540	SP	BK		40	5x114.3		
476-880-6545	SP	BK		45	5x114.3		
476-880-8040	SP	BK		40	5x100		
476-880-8045	SP	BK		45	5x100		
476-885-1235	SP	BK		35	5x120		
476-885-4442	SP	BK		42	5x112		
476-885-6525	SP	BK	8.5	25	5x114.3		
476-885-6535	SP	BK		35	5x114.3		
476-885-6550	SP	BK		50	5x114.3		
476-885-8045	SP	BK		45	5x100		
476-895-1235	SP	BK	9.5	35	5x120		
476-895-1245	SP	BK		45	5x120		
476-895-4435	SP	BK		35	5x112		
476-895-6515	SP	BK		15	5x114.3		
476-895-6530	SP	BK		30	5x114.3		
476-895-8045	SP	BK		45	5x100		

Cap# A476-CAPCP

Cap# for 5x120 A476-CAPCP BMW

All Black Cap# A476-CAPBK (optional)

MAT
Metal Advanced Technology

SPEC-E



Pearl Black



Storm Gray

TD-5

17 | 18 - Tuning Series

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Storm Gray	Pearl Black	17	8	35	5x114.3	72.6	STORM GRAY OR PEARL BLACK (MACHINED SPOKE WITH BLACK CLEAR COAT)
508-780-6535	GR	MBM			45	5x114.3		
508-780-6545	GR	MBM			45	5x100		
508-780-8045	GR	MBM		9	35	5x114.3		
508-790-6535	GR	MBM			45	5x114.3		
508-790-6545	GR	MBM			45	5x100		
508-790-8045	GR	MBM		8	45	5x112		
508-880-4445	GR	MBM			35	5x114.3		
508-880-6535	GR	MBM			45	5x114.3		
508-880-6545	GR	MBM		8.5	45	5x100		
508-880-8045	GR	MBM			25	5x114.3		
508-885-6525	GR	MBM			38	5x114.3		
508-885-6538	GR	MBM		9.5	45	5x114.3		
508-885-6545	GR	MBM			45	5x100		
508-885-8045	GR	MBM		15	5x114.3			
508-895-6515	GR	MBM		38	5x114.3			
508-895-6538	GR	MBM		45	5x100			
508-895-8045	GR	MBM						

Cap# A476-CAPCP

All Black Cap# A476-CAPBK (optional)



TM-7

17 | 18 - Tuning Series

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Storm Gray	Gloss Black	17	8	35	5x114.3	72.6	STORM GRAY OR GLOSS BLACK
507-780-6535	GR	BK			45	5x114.3		
507-780-6545	GR	BK			45	5x100		
507-780-8045	GR	BK		9	35	5x114.3		
507-790-6535	GR	BK			45	5x114.3		
507-790-6545	GR	BK			45	5x100		
507-790-8045	GR	BK		8	45	5x112		
507-880-4445	GR	BK			35	5x114.3		
507-880-6535	GR	BK			45	5x114.3		
507-880-6545	GR	BK		8.5	45	5x100		
507-880-8045	GR	BK			25	5x114.3		
507-885-6525	GR	BK			38	5x114.3		
507-885-6538	GR	BK		9.5	45	5x114.3		
507-885-6545	GR	BK			45	5x100		
507-885-8045	GR	BK		15	5x114.3			
507-895-6515	GR	BK		38	5x114.3			
507-895-6538	GR	BK		45	5x100			
507-895-8045	GR	BK						

Cap# A476-CAPCP

All Black Cap# A476-CAPBK (optional)



Gloss Black

CLASSIC SERIES

Introducing Enkei's Classic Series. Enkei Wheels is reviving four classic wheels associated with the heydays of import car tuning. The Enkei J-Speed, ENKEI 92, Apache II and COMPE are the latest creation from the Japanese wheel manufacturer and promises to bring a new level of excitement to the wheel market.



Gold



Black

ENKEI92

15 - CLASSIC SERIES

Stock Code	PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Gold	Silver	Black					
465-570-4838	GG	SP	BK	15	7	38	4X114.3	72.6
465-570-4938	GG	SP	BK		38	4X100		
465-570-6538	GG	SP	BK		38	5x114.3		
465-580-4825	GG	SP	BK		8	25	4X114.3	
465-580-4925	GG	SP	BK		25	4X100		

Cap# A465-CAPCP

SPEC-E



Matte Gunmetal

COMPE

15 | 16 - CLASSIC SERIES

Stock Code	PART NO.		SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	15	16					
477-555-1517GM	15	5.5	17	4x130	87	72.6	MATTE GUNMETAL
477-570-4800GM		0	4x114.3				
477-570-4825GM		25	4x114.3				
477-570-4938GM		38	4x100				
477-570-6538GM		38	5x114.3				
477-580-4800GM	16	0	4x114.3				
477-580-4825GM		25	4x114.3				
477-580-4925GM		25	4x100				
477-670-4800GM	16	0	4x114.3				
477-670-4825GM		25	4x114.3				
477-670-4925GM		25	4x100				
477-670-4938GM		38	4x100				
477-670-6538GM		38	5x114.3				
477-680-4800GM	8	0	4x114.3				
477-680-4825GM		25	4x114.3				
477-680-4938GM		38	4x100				
477-680-8025GM		25	5x100				

Cap# A477-CAPCP

SPEC-E

PERFORMANCE SERIES

Introducing Enkei's Performance Series. The Enkei performance series represents the absolute best combination of styling, performance, and value in the aftermarket wheel business today. Enkei's expert engineering and world-class manufacturing allow us to offer high quality wheels in a wide range of vehicle applications without breaking the bank.



NEW
2021

PX-10

16 | 17 | 18 | 19 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

The all-new PX-10 is the perfect option for those looking to add a sporty upscale look to their daily drivers. Featuring 10 evenly spaced spokes that terminate before reaching the flange to give the wheel a small lip, the PX-10 is all about being understated. The PX-10 is available in both gloss black and gunmetal in sizing ranging from 16" all the way up to 19". The PX-10 is finished off with Enkei's signature flat center cap.

Gunmetal



Gloss Black

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gunmetal	Gloss Black	16	7	38	5x114.3	72.6	GUNMETAL OR GLOSS BLACK
536-670-6538	GM	BK			45	5x114.3		
536-670-6545	GM	BK	45	5x100				
536-670-8045	GM	BK	45	5x114.3				
536-775-6545	GM	BK	45	5x100				
536-775-8045	GM	BK	45	5x112				
536-880-4445	GM	BK	45	5x114.3				
536-880-6535	GM	BK	45	5x114.3				
536-880-6545	GM	BK	45	5x100				
536-880-8045	GM	BK	45	5x112				
536-980-4445	GM	BK	45	5x114.3				
536-980-6535	GM	BK	45	5x114.3				
536-980-6545	GM	BK	35	5x114.3				

Cap# A476-CAPCP

SPEC-E



Gloss Gunmetal

**NEW
2021**

YX-5

17 | 18 | 20 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

The all-new Enkei YX-5 is big and bold in all the right ways. It takes the split 5-spoke design that Enkei has perfected many times over and sharpens all of its edges to create an ultramodern design to perfectly complement today's sports sedans and unibody SUVs. The YX-5 is available in 17", 18", and 20" sizing. All specs come in our gloss gunmetal finish and include Enkei's signature flat center cap.

PART NO.		SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH	
Stock Code	Storm Gray	17	7.5	45	5x100	72.6	GLOSS GUNMETAL	
537-775-8045	GR			40	5x114.3	64.1		
537-775-6540	GMH			40	5x114.3	72.6		
537-880-1240	GR	18	8	40	5x120	72.6		
537-880-4445	GR			45	5x112			
537-880-6545	GR			45	5x114.3			
537-880-6535	GR	20	8.5	35	5x114.3			
537-285-1240	GR			40	5x120			
537-285-4440	GR			40	5x112			
537-285-6540	GR			40	5x114.3			

Cap# A476-CAPBK

Cap# for 5x120: A476-CAPBK BMW

SPEC-E

537-775-6540GMH - no hub ring needed and can use OEM lug nuts when used on Honda vehicles.



Gloss Black



Anthracite

HORNET

17 | 18 | 19 - PERFORMANCE SERIES

The Enkei Hornet is the perfect choice for those looking to add some aggressive flair to their daily driver. Featuring 5 paired and sharply cut spokes that converge on a minimalist center, the Hornet packs a big punch. The Hornet is available 17", 18", and 19" in gloss black and anthracite finishes for a wide variety of modern cars and SUVs.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gloss Black	Anthracite	17	7.5	40	5x114.3	72.6	GLOSS BLACK OR ANTHRACITE
533-775-6540	BK	AP			45	5x100		
533-775-8045	BK	AP			40	5x120		
533-880-1240	BK	AP	18	8	45	5x112		
533-880-4445	BK	AP			35	5x114.3		
533-880-6535	BK	AP			45	5x114.3		
533-880-6545	BK	AP	19	8	45	5x100		
533-880-8045	BK	AP			45	5x112		
533-980-4445	BK	AP			35	5x114.3		
533-980-6535	BK	AP			45	5x114.3		
533-980-6545	BK	AP						

Cap# A481-CAPBK

Cap# A474-CAPBK-BMW for 5x120

SPEC-E



Black Machined



Gloss Black



Gloss Anthracite
(Selected Sizes)

VULCAN

17 | 18 | 19 - PERFORMANCE SERIES

Anthracite (Select sizes)

The Enkei Vulcan Performance wheel is the perfect choice for those wanting to add bold style to their sporty coupes, sedans, and crossovers. The Vulcan's unique split spoke design starts with pockets around the center that are not only a styling cue, but a design feature that also helps reduce the weight of the wheel. The Vulcan is available in 17", 18", and 19" sizing in black machined, gloss black, and limited anthracite finishes.

PART NO.				SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black Machined	Gloss Black	Anthracite					
517-775-6538	BKM	BK	AP	17	7.5	38	5x114.3	72.6
517-775-6545	BKM	BK	AP			45	5x114.3	
517-775-8045	BKM	BK	AP		45	5x100		
517-880-1240	BKM	BK			40	5x120		
517-880-4445	BKM	BK	AP		45	5x112		
517-880-6535	BKM	BK	AP		35	5x114.3		
517-880-6545	BKM	BK	AP		45	5x114.3		
517-880-8045	BKM	BK	AP		45	5x100		
517-980-4445	BKM	BK			45	5x112		
517-980-6535	BKM	BK		19	8	35	5x114.3	
517-980-6545	BKM	BK				45	5x114.3	

Cap# A481-CAPCP

SPEC-E

PHOENIX

17 | 18 - PERFORMANCE SERIES

The Enkei Phoenix is the perfect choice for those looking to add an aggressively styled wheel to their daily driven car. The Phoenix features a distinctive pentagonal center with 5 sharply cut dual level spokes that create incredible depth while retaining excellent caliper clearance. The spokes split shortly off of the center at an aggressive angle and flare out all the way to the outer flange. The Phoenix is available in 17" and 18" sizing for most sedans, coupes, and small SUVs. The Phoenix is available in our striking new blue gunmetal finish or gloss black and is finished off with our signature flat center cap.

PART NO.			SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Blue Gunmetal	Gloss Black					
523-775-6538	BGM	BK	17	7.5	38	5x114.3	72.6
523-775-6545	BGM	BK			45	5x114.3	
523-775-8045	BGM	BK		45	5x100		
523-880-1235	BGM	BK	18	8	35	5x120	
523-880-3140	BGM	BK			40	5x108	
523-880-4445	BGM	BK			45	5x112	
523-880-6535	BGM	BK		35	5x114.3		
523-880-6545	BGM	BK		45	5x114.3		
523-880-8045	BGM	BK		45	5x100		

Cap# A481-CAPBK

Cap# for 5x120 A474-CAPBK-BMW

SPEC-E

Blue Gunmetal



Gloss Black

DRACO

15 | 16 | 17 | 18 - PERFORMANCE SERIES

From day one, Enkei has always been about offering stylish and sporty wheels that are also tough enough to stand up to the rigors of high-speed driving. We've taken that philosophy to heart with the all new Enkei Draco. This modern and aggressive V-Spoke wheel is well suited to modern performance sedans and even some small SUVs & Crossovers. It is available 15" through 18" in an all-new anthracite or black machined finish and comes with a cleanly styled center cap to complete the look.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Anthracite	Black Machined	15	6.5	38	5x114.3		
509-565-6538	AP	--	16	7	38	5x114.3	72.6	ANTHRACTITE OR BLACK MACHINED
509-670-6538	AP	BKM			45	5x114.3		
509-670-6545	AP	BKM			42	5x100		
509-670-8042	AP	BKM			38	5x114.3		
509-775-6538	AP	BKM			45	5x114.3		
509-775-6545	AP	BKM			45	5x100		
509-775-8045	AP	BKM			35	5x120		
509-880-1235	AP	--			40	5x108		
509-880-3140	AP	--			45	5x112		
509-880-4445	AP	BKM			35	5x114.3		
509-880-6535	AP	BKM			45	5x114.3		
509-880-6545	AP	BKM			45	5x100		
509-880-8045	AP	BKM						

SPEC-E

Cap# A501-CAPBK

Cap# A501-CAPBKBMW for 5x120

SS05
SUV/Crossover Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

Taking design cues from the classic Enkei FD-05, the all-new SS05 combines sharp and aggressive cuts on the spokes with an iconic split 5-spoke design. With an extra high load-rating, the SS05 is well suited to uni-body SUVs and Crossovers, but is also a perfect choice for many modern sedans. The SS05 is available in both black machined and hyper gray in 17", 18", and 20" sizing. Enkei's signature flat center cap finishes off the clean and understated look.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Hyper Gray	Black Machined	17	7.5	40	5x114.3		
511-775-6540	GR	BKM	18	8	45	5x100	72.6	HYPER GRAY OR BLACK MACHINED
511-775-8045	GR	BKM			40	5x120		
511-880-1240	GR	BKM			40	5x108		
511-880-3140	GR	BKM			45	5x112		
511-880-4445	GR	BKM			40	5x110		
511-880-5140	GR	BKM			38	5x114.3		
511-880-6538	GR	BKM			40	5x120		
511-285-1240	GR	BKM			38	5x114.3		
511-285-6538	GR	BKM						

SPEC-E

Cap# A481-CAPCP

Cap# A474-CAPCP-BMW for 5x120

Optional Domed Cap# A466-CAPCP



Storm Gray



Gloss Black

XM-6

17 | 18 | 20 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

Our mid-size sedans have been replaced with versatile SUVs. That doesn't mean that we have to give up cool wheels though. Introducing the Enkei XM6. Its clean and concave mesh design can dramatically improve the look of any modern unibody SUV or even large sedan. Available in sizing starting at 17x7.5 and going all the way up to 20x9.5, the XM6 is available in fitments for a variety of cars & SUVs.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Gray	Black	17	7.5	40	5x114.3	72.6	STORM GRAY OR GLOSS BLACK
531-775-6540	GR	BK			40	5x114.3	64.1	
531-775-6540	GRH	BKH			45	5x100		
531-775-8045	GR	BK			40	5x120		
531-880-1240	GR	BK	18	8	45	5x112		
531-880-4445	GR	BK			35	5x114.3		
531-880-6535	GR	BK			40	5x114.3		
531-880-6540	GR	BK			40	5x120		
531-285-1240	GR	BK	20	8.5	40	5x112		
531-285-4440	GR	BK			40	5x114.3		
531-285-6540	GR	BK			40	5x120		
531-295-1240	GR	BK			40	5x114.3		
531-295-6540	GR	BK			40	5x120		

Cap# A476-CAPBK
For 5x120, A476-CAPBK-BMW

SPEC-E



Anthracite
Machined



Gloss Black

VORTEX 5

17 | 18 | 20 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

The Vortex5 is one of Enkei's boldest designs of all time. Featuring a number of sharply angled thinner spokes coming together to create a cohesive broad-spoke look, the Vortex5 is the perfect wheel choice for those looking to make a statement. It works well on uni-body SUV and CUVs and on mid and full-size sedans. The Vortex5 is available 17", 18", and 20" in an all-new anthracite machined or gloss black finish. Enkei's signature flat center cap completes the look.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Anthracite Machined	Gloss Black	17	7.5	40	5x114.3	72.6	ANTHRACITE MACHINED OR GLOSS BLACK
510-775-6540	AM	BK			45	5x100		
510-775-8045	AM	BK			40	5x120		
510-880-1240	AM	BK	18	8	40	5x108		
510-880-3140	AM	BK			40	5x110		
510-880-5140	AM	BK			38	5x114.3		
510-880-6538	AM	BK			40	5x120		
510-285-1240	AM	BK	20	8.5	38	5x114.3		
510-285-6538	AM	BK			40	5x120		

Cap# A481-CAPCP
Cap# A474-CAPCP-BMW for 5x120
Optional Domed Cap# A466-CAPCP

SPEC-E



Black Machined



Anthracite

VICTORY

18 | 19 | 20 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

Introducing the Enkei Victory. Designed with sporty sedans and even small SUVs in mind, the Victory will transform your ride's style in a flash. Featuring a classic split 5-spoke design, each set of spokes form a stylish V as they approach the sculpted hub area of the wheel. The Victory is available in 18", 19", and 20" configurations to fit a wide variety of modern cars and SUVs.

Stock Code	PART NO.		SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Black Machined	Anthracite	18	8				
532-880-1240	BKM	AP		40	5x120	72.6	BLACK MACHINED OR ANTHRACITE	
532-880-4445	BKM	AP		45	5x112			
532-880-6540	BKM	AP		40	5x114.3			
532-980-4445	BKM	AP	19	8	45			5x112
532-980-6535	BKM	AP			35			5x114.3
532-980-6545	BKM	AP			45			5x114.3
532-285-1240	BKM	AP	20	8.5	40			5x120
532-285-6540	BKM	AP			40			5x114.3

Cap# A481-CAPBK

Cap# A474-CAPBK-BMW for 5x120

SPEC-E

PHANTOM

18 | 19 | 20 - PERFORMANCE SERIES

SUV/Crossover
Fitment Available

The Enkei Phantom is a boldly styled choice with sharp and clean lines for those that want to add flair to their sporty sedans, crossovers, and 5-lug SUVs. Taking styling cues from both traditional mesh wheels and split-spoke styles, the Phantom is sure to make your ride stand out from the crowd. The Phantom is available in 18", 19", and 20" sizing in black machined and anthracite finishes, and is finished off with Enkei's signature flat center cap.

Stock Code	PART NO.		SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
	Black Machined	Anthracite full paint	18	8				
518-880-1240	BKM	AP	18	8	40	5x120	72.6	BLACK MACHINED OR ANTHRACITE FULL PAINT
518-880-3140	BKM	AP			40	5x108		
518-880-4445	BKM	AP			45	5x112		
518-880-6540	BKM	AP			40	5x114.3		
518-980-4445	BKM	AP	19	8	45	5x112		
518-980-6535	BKM	AP			35	5x114.3		
518-980-6545	BKM	AP			45	5x114.3		
518-285-1240	BKM	AP	20	8.5	40	5x120		
518-285-6540	BKM	AP			40	5x114.3		

Cap# A481-CAPCP

Cap# for 5x120 A474-CAPCP-BMW

Optional Domed Cap: #A466-CAPCP

SPEC-E



Black
Machined



Anthracite



Pearl
Black



ICON

17 | 18 - PERFORMANCE SERIES

The Enkei Icon is the perfect choice for those that want to add a subtle bit of flair to their sporty sedan, coupe, or small SUV. The Icon's clean split 5-spoke design works perfectly with the wheel's pearl black finish. Enkei creates this signature finish by first painting the wheel black. After machining the tops of the spokes, we apply a tinted clear coat to create a unique two-tone black finish. The Icon is offered in 17" and 18" sizing with fitments for a wide variety of late model vehicles.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
524-775-8045MBM	17	7.5	45	5x100	72.6	PEARL BLACK IS MACHINED SPOKE WITH BLACK CLEAR COAT
524-775-6545MBM			45	5x114.3		
524-775-6538MBM			38	5x114.3		
524-880-4445MBM			45	5x112		
524-880-3140MBM			40	5x108		
524-880-1240MBM			40	5x120		
524-880-6540MBM			40	5x114.3		

Cap# A481-CAPCP

Cap# A474-CAPCPBMW for 5x120

SPEC-E

ONX

SUV/Crossover
Fitment Available

17 | 18 | 20 - PERFORMANCE SERIES

The ONX is an exciting addition to Enkei's SUV/Crossover lineup. Using the design language of the popular Enkei CUV, we've created a sporty new option for owners of crossovers and small SUVs. The ONXs sharply angled spokes extend all the way to the edge of the wheel to give it the appearance that it is larger than it really is.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Black Machined	17	7.5	45	5x114.3		
505-775-6545	BK	BKM	18	8	45	5x114.3	72.6	BLACK OR BLACK MACHINED
505-775-8045	BK	BKM			45	5x100		
505-880-1240	BK	BKM			40	5x120		
505-880-3140	BK	BKM			40	5x108		
505-880-5140	BK	BKM			40	5x110		
505-880-6540	BK	BKM			40	5x114.3		
505-285-1240	BK	BKM			40	5x120		
505-285-4435	BK	BKM			35	5x112		
505-285-6540	BK	BKM			40	5x114.3		

Cap# A481-CAPCP

Cap# A474-CAPBK-BMW for 5x120

Optional Domed Cap# A466-CAPCP

SPEC-E



Black
Machined



Gloss Black



Gunmetal



Hyper Silver

EKM3

17 | 18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
442-770-6538HS	17	7	38	5X114.3	72.6	HYPER SILVER
442-770-6545HS			45	5X114.3		
442-770-8045HS			45	5X100		
442-875-6538HS		7.5	38	5X114.3		
442-875-6545HS			45	5X114.3		
442-875-8045HS			45	5X100		
442-880-1232HS		18	32	5X120		
442-880-1242HS			42	5X120		
442-880-4435HS			35	5X112		
442-880-4445HS			45	5X112		
442-880-5140HS			40	5X110		
442-880-6540HS			40	5X114.3		
442-770-6538GM	17	7	38	5X114.3	72.6	GUNMETAL
442-770-6545GM			45	5X114.3		
442-770-8045GM			45	5X100		
442-875-6538GM		7.5	38	5X114.3		
442-875-6545GM			45	5X114.3		
442-875-8045GM			45	5X100		
442-880-1232GM		18	32	5X120		
442-880-1242GM			42	5X120		
442-880-4435GM			35	5X112		
442-880-4445GM			45	5X112		
442-880-5140GM			40	5X110		
442-880-6540GM			40	5X114.3		

Cap# A431-CAPCP

SPEC-E



Matte Black with Red Trim

GW8

17 | 18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
448-770-0142BK	17	7	42	4x100/4x114.3	72.6	MATTE BLACK
448-770-0242BK			42	5x100/5x114.3		
448-770-1142BK			42	4x100/4x108		
448-875-0142BK	18	7.5	42	4x100/4x114.3		
448-875-0242BK			42	5x100/5x114.3		
448-875-1142BK			42	4x100/4x108		

Cap# A443-CAPCP

Replacement Trim	Color
A448-TRIRD-SET	Red
A448-TRICP-SET	Chrome

Both red and chrome trims are included with each wheel.

SPEC-E



EDR9

15|16|17|18 - PERFORMANCE SERIES

Cruze & Sonic Fitments Available

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock code	Black	Silver	15	6.5	38	4x100/114.3	72.6	MATTE BLACK OR SILVER
441-565-0138	BK	SP			38	5x100/114.3		
441-565-0238	BK	SP	16	7	38	4x100/114.3		
441-670-0138	BK	SP			45	4x100/114.3		
441-670-0145	BK	SP	17	7	38	5x100/114.3		
441-670-0238	BK	SP			45	5x100/114.3		
441-670-0245	BK	SP	17	8	38	4x100/108		
441-670-1138	BK	SP			38	5x100/114.3		
441-770-0138	BK	SP	17	8	45	4x100/114.3		
441-770-0145	BK	SP			45	5x100/114.3		
441-770-0238	BK	SP	18	7.5	38	4x100/114.3		
441-770-0245	BK	SP			45	5x100/114.3		
441-770-1138	BK	SP	18	7.5	38	4x100/108		
441-780-0238	BK	SP			38	5x105/110		
441-780-0245	BK	SP	18	7.5	45	5x105/110		
441-780-2645	BK	SP			45	5x112/114.3		
441-780-5238	BK	SP	18	7.5	38	5x105/110		
441-875-0238	BK	SP			38	5x100/114.3		
441-875-0245	BK	SP	18	7.5	45	5x100/114.3		
441-875-5238	BK	SP			38	5x105/110		

Cap# A431-CAPCP

SPEC-E



EV5

17|18 - PERFORMANCE SERIES

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock code	Hyper Black	Bronze	17	7	38	4x100/114.3	72.6	HYPER BLACK OR MATTE BRONZE WITH MACHINED LIP
446-770-0138	HB	ZP			45	4x100/114.3		
446-770-0145	HB	ZP	17	7	38	5x100/114.3		
446-770-0238	HB	ZP			45	5x100/114.3		
446-770-0245	HB	ZP	17	8	45	4x100/108		
446-770-1145	HB	ZP			38	5x105/5x110		
446-770-5238	HB	ZP	18	7.5	38	5x105/110		
446-875-0238	HB	ZP			38	5x100/114.3		
446-875-0245	HB	ZP	18	7.5	45	5x100/114.3		
446-875-5238	HB	ZP			38	5x105/110		

Cap# A443-CAPCP

Chevy Cruze & Sonic Fitment Available

SPEC-E





Black Machined

FD-05

16|17|18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code						
434-670-4938BKM	16	7	38	4x100	72.6	BLACK MACHINED
434-670-6538BKM			38	5x114.3		
434-670-6550BKM			50	5x114.3		
434-670-8038BKM			38	5x100		
434-670-8050BKM			50	5x100		
434-770-4450BKM	17	7	50	5x112	72.6	BLACK MACHINED
434-770-4940BKM			40	4x100		
434-770-6540BKM			40	5x114.3		
434-770-6550BKM			50	5x114.3		
434-770-8040BKM			40	5x100		
434-770-8050BKM	18	7.5	50	5x100	72.6	BLACK MACHINED
434-875-4453BKM			53	5x112		
434-875-6545BKM			45	5x114.3		
434-875-8045BKM			45	5x100		

Cap# A434-CAPCP

SPEC-E



Matte Black

YS5

16|17|18 - PERFORMANCE SERIES

We've strived to keep the lines composing the spokes and hub area of the wheel as simple and clean as possible. The spokes are as close as possible to perfectly perpendicular, relative to the outer lip. The lines creating the transition from spoke to hub area are equally aggressive. From this transition, there is a vertical drop to the hub area. All of these design cues create a wheel that looks great on any car.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Matte Black	Hyper Black				
494-670-4938	BK	HB	16	38	4x100	MATTE BLACK OR HYPER BLACK
494-670-6538	BK	HB		38	5x114.3	
494-670-6545	BK	HB		45	5x114.3	
494-775-3145	BK	HB	17	45	5x108	
494-775-4942	BK	HB		42	4x100	
494-775-6540	BK	HB		40	5x114.3	
494-775-6550	BK	HB		50	5x114.3	
494-775-8045	BK	HB		45	5x100	
494-880-1242	BK	HB	18	42	5x120	
494-880-3145	BK	HB		45	5x108	
494-880-4445	BK	HB		45	5x112	
494-880-6540	BK	HB		40	5x114.3	
494-880-6550	BK	HB		50	5x114.3	
494-880-8045	BK	HB		45	5x100	



Hyper Black

Cap# A466-CAPCP

Cap# A466-CAPCPBMW for 5x120

SPEC-E



Hyper Black



Matte Black

M52

15 | 16 | 17 | 18 - PERFORMANCE SERIES

The M52 is Enkei's take on the traditional split 5-spoke wheel. Available in 15" through 18" sizing and in hyper black or matte black, the M52 is the perfect choice to add sporty flair to any sporty coupe, sedan, or crossover.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Hyper Black	Matte Black	16	7	38	5x114.3	72.6	HYPER BLACK OR MATTE BLACK
480-670-6538	HB	BK			45	5x114.3		
480-670-6545	HB	BK			38	5x100		
480-670-8038	HB	BK			45	5x100		
480-670-8045	HB	BK			38	5x108		
480-775-3138	HB	BK			42	4x100		
480-775-4942	HB	BK			40	5x114.3		
480-775-6540	HB	BK			50	5x114.3		
480-775-6550	HB	BK			45	5x100		
480-775-8045	HB	BK			32	5x120		
480-880-1232	-	BK			42	5x120		
480-880-1242	HB	BK			35	5x112		
480-880-4435	HB	BK			45	5x112		
480-880-4445	HB	BK			40	5x110		
480-880-5140	HB	BK			40	5x114.3		
480-880-6540	HB	BK			50	5x114.3		
480-880-6550	HB	BK			45	5x100		
480-880-8045	HB	BK			18	7.5	8	

Cap# A466-CAPCP

Cap# for 5x120 A466-CAPCP-BMW

SPEC-E

LUSSO

Staggered Fitment Available

18 | 20 - PERFORMANCE SERIES



Black with Machined Lip

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	18	7.5	42	5X110	72.6	BLACK WITH MACHINED LIP
469-875-5142BK			42	5X114.3		
469-875-6542BK			42	5X100		
469-875-8042BK			40	5X120		
469-880-1240BK			45	5X112		
469-880-4445BK			40	5X114.3		
469-880-6540BK			40	5X114.3		
469-890-6540BK			40	5X114.3		
469-285-1240BK			40	5X120		
469-285-4440BK			40	5X112		
469-285-6540BK			40	5X114.3		

Cap# A449-CAPCP

Cap# A449-CAPCPBMW for 5x120

SPEC-E



Silver with
Machined Lip

Matte Black with
Machined Lip

J10

15|16|17|18 - PERFORMANCE SERIES

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Silver						
409-565-01	BK	SP	15	6.5	38	4x100/114.3	72.62	MATTE BLACK WITH MACHINED LIP OR SILVER WITH MACHINED LIP
409-565-02	BK	SP			38	5x100/114.3		
409-565-11	BK	SP			38	4x100/108		
409-670-03	BK	SP			38	5x108/115		
409-670-10	BK	SP			42	4x100/114.3		
409-670-11	BK	SP			42	4x100/108		
409-670-12	BK	SP			38	5x100/114.3		
409-670-26	BK	SP			38	5x112/114.3		
409-770-03	BK	SP			38	5x108/115		
409-770-10	BK	SP			42	4x100/114.3		
409-770-11	BK	SP	17	7	42	4x100/108		
409-770-12	BK	SP			38	5x100/114.3		
409-770-16	BK	SP			38	5x112/120		
409-875-10	BK	SP	18	7.5	42	4x100/114.3		
409-875-11	BK	SP			42	4x100/108		
409-875-12	BK	SP			38	5x100/114.3		
409-875-26	BK	SP			38	5x112/114.3		

Cap# A385-0000S

SPEC-E

PDC

16|17|18 - PERFORMANCE SERIES



Gloss Black

Hyper Gray

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Gray						
502-670-6538	BK	GR	16	7	38	5x114.3	72.6	BLACK OR GRAY
502-670-6545	BK	GR			45	5x114.3		
502-775-4942	BK	GR			42	4x100		
502-775-6540	BK	GR			40	5x114.3		
502-775-6550	BK	GR			50	5x114.3		
502-775-8045	BK	GR	17	7.5	45	5x100		
502-880-3145	BK	GR			45	5x108		
502-880-4445	BK	GR			45	5x112		
502-880-6540	BK	GR			40	5x114.3		
502-880-6550	BK	GR			50	5x114.3		
502-880-8045	BK	GR	18	8	45	5x100		

Cap# A501-CAPBK

Cap# A501-CAPBKBMW for 5x120

SPEC-E

TRUCK & SUV SERIES

Introducing Enkei's Truck Series. While Enkei is most well known for its high-performance car wheels, it is proud to offer a range of wheels designed for trucks and SUV's as well. Enkei has applied its unrivaled engineering capabilities to come up with several designs that will stand up to the tough demands that truck and SUV drivers place on their wheels. Utilizing Enkei's world class manufacturing facilities and emphasizing function over flare, the Enkei truck series offers a great way for truck and SUV owners to add some styling to their vehicle, while maintaining the tough and rugged capabilities they count on from their wheels.



Matte Gunmetal

Matte Black

**NEW
2021**

CYCLONE

16 | 17 | 18 - TRUCK & SUV SERIES

The Cyclone utilizes Enkei's innovative MAT technology to build a wheel that is both lightweight and strong. With ultra clean design and super concave spokes, the Cyclone is exactly what a truck wheel should be: tough, durable, and easy to clean. When performance and utility take precedence over bling, the Cyclone is the obvious choice. Available in 16", 17", and 18" sizing in both matte black and gunmetal.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code	Black	Gummetal	16	8	0	6x139.7	106.1	MATTE GUNMETAL OR MATTE BLACK
538-680-8400	BK	GM	16	8	0	6x139.7	106.1	
538-790-8400	BK	GM	17	9	0	6x139.7	106.1	
538-790-9512	BK	--			12	6x135	87.1	
538-890-8400	BK	GM	18	9	0	6x139.7	106.1	
538-890-9512	BK	--			12	6x135	87.1	

Cap# A538-CAPBK



Mirror Finish

Matte Black
(Limited Sizes)

M6

17 | 18 | 20 - TRUCK & SUV SERIES

PART NO.	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
482-780-7310MF	17	10	5x127	71.6	MIRROR FINISH
482-780-8335MF		35	6x139.7	78.0	
482-780-8410MF		10	6x139.7	108.5	
482-885-5830MF	18	30	5x150	110.0	MIRROR FINISH
482-885-7320MF		20	5x127	71.6	
482-885-8335MF		35	6x139.7	78.0	
482-885-8410MF		10	6x139.7	108.5	
482-885-9530MF		30	6x135	87.0	
482-290-7320MF		20	5x127	71.6	
482-290-8330MF	20	30	6x139.7	78.0	MIRROR FINISH
482-290-8410MF		10	6x139.7	108.5	
482-290-8420MF		20	6x139.7	108.5	

CAP # A436-CAPCP

CAP # A431-CAPCP FOR 6X114.3 & 5X127





Gloss Gunmetal



Gloss Black

Gloss Bronze
(Special Order)



Brushed Black (17" only)



Brushed Gold
(17" only)

MATRIX

17 | 18 | 20 - TRUCK & SUV SERIES

2019 Ford Ranger
Fitment Available

Enkei is the most successful brand of all time when it comes to racing wheels. Using all that we've learned about what it makes to make a tough racing wheel, we've set out to raise the bar on truck and SUV wheels. The all-new Enkei Matrix features a classic mesh design with a subtle lip. 17" versions are available in exclusive new brushed gold and brushed black finishes. 18" and 20" Matrix wheels feature genuine stainless steel bolts around the front flange, not vacuum chromed plastic like others. 18" and 20" Matrix wheels are offered in gloss black and gunmetal finishes. All sizes are available in fitments that are perfect for lifted vehicles.

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	CAP #	FINISH
Stock Code	Gloss Black	Gloss GM	18	9	10	6x139.7	108.0	A519-CAPBK-T	GLOSS BLACK OR GLOSS GUNMETAL
					-10	6x139.7	108.0	A519-CAPBK	
526-290-5825	BK	GM	20	9	25	5x150	110	A519-CAPBK-T	
526-290-8325	BK	GM			25	6x139.7	78.0	A519-CAPBK	
526-290-8400	BK	GM			0	6x139.7	108.0	A519-CAPBK	
526-290-8415	BK	GM			15	6x139.7	108.0	A519-CAPBK	
526-290-9515	BK	GM			15	6x135	87.0	A519-CAPBK	

SPEC-E

PART NO.			SIZE		INSET	BOLT PATTERN	BORE DIAMETER	CAP #	FINISH
Stock Code	Brushed Gold	Brushed Black	17	8	30	5x100	71.6	A525-CAPZP A525-CAPBK	BRUSHED GOLD OR BRUSHED BLACK
					30	6x139.7	93.1	A519-CAPZP A519-CAPBK	
526-780-8030	BG	BB	17	9	10	5x127	71.6	A519-CAPZP-T A519-CAPBK-T	
526-780-8330	BG	BB			10	6x139.7	108.0	A519-CAPZP A519-CAPBK	



BRUSHED FINISH: The Matrix's new brushed gold and brushed black finishes are an exciting development for customers that are tired of the same old black and silver wheel options. Utilizing a unique process where we apply a base coat, mill the face, apply a special texturizing top coat, and then another tinted top coat results in a truly stunning finish. Both the brushed bronze and brushed black will have admirers everywhere asking where to get the same thing for their trucks!



Warranty: ENKEI stands behind every wheel we sell. All ENKEI products come with a lifetime structural warranty. Our limited warranty guarantees that ENKEI wheels will be free from defects in materials and workmanship under normal and reasonable use. Consult the ENKEI wheel owner's manual for complete warranty information and proper care and maintenance.

©ENKEI CORPORATION 2021. All rights reserved. ENKEI and ENKEI logo are trademarks and properties of ENKEI. No reproduction in whole or in part without written consent from ENKEI CORPORATION.

ENKEI International

1111 Executive Drive, Suite 100
Coppell, TX 75019
800.875.3100